

**Nutrition Profile** 



## **DEMOGRAPHICS**

Total population (000)	622	(2008)
Total under-five population (000)	576	(2008)
Total number of births (000)	8	(2008)
Under-five mortality rate (per 1,000 live births)	7	(2008)
Total number of under-five deaths (000)	1	(2008)
Infant mortality rate (per 1,000 live births)	6	(2008)
Neonatal mortality rate (per 1,000 live births)	9	(2004)
HIV prevalence rate (15-49 years, %)	0.1	(2007)
Population below international poverty line of US\$1.25 per day (%)		





# **NUTRITIONAL STATUS**


Burden of undernutrition (2008) WHO Child Growth Standards


Stunted (under-fives, 000): 3 Und Share of developing world stunting burden (%): 0.0 Was Stunting country rank: 133 Sev


 3
 Underweight (under-fives, 000):
 1

 0.0
 Wasted (under-fives, 000):
 2


 133
 Severely wasted (under-fives, 000):
 1









## INFANT AND YOUNG CHILD FEEDING









# **MICRONUTRIENTS**

Vitamin A supplementation Percentage of children 6-59 months old receiving two doses of vitamin A during calendar year

No Data







## **ESSENTIAL NUTRITION INTERVENTIONS DURING THE LIFE CYCLE**




# MATERNAL NUTRITION/HEALTH

## WATER AND SANITATION







Under-five deaths caused by: Diarrhoea:

## **DISPARITIES IN NUTRITION**

Indicator	Gender			Residence			Wealth quintile						
	Male	Female	Ratio of male to female	Urban	Rural	Ratio of urban to rural	Poorest	Second	Middle	Fourth	Richest	Ratio of richest to poorest	Source
Stunting prevalence (WHO Child Growth Standards, %)	8	7	1.1	7	7	1.0	11	9	5	8	5	0.5	MICS 2005
Underweight prevalence (WHO Child Growth Standards, %)	2	1	2.0	1	1	1.0	4	1	1	0	1	0.3	MICS 2005
Wasting prevalence (WHO Child Growth Standards, %)	4	4	1.0	4	5	0.8	5	4	3	3	5	1.0	MICS 2005
Infants not weighed at birth (%)		-		2	2	1.0	4	1	2	3	0		MICS 2005
Early initiation of breastfeeding (%)			-	16	19	0.8	20	20	20	16	11	0.6	MICS 2005
Women with low BMI ( $<$ 18.5 kg/m², $%$ )		-	-	-	-		-			-			