


Mauritania: WHO and UNICEF estimates of immunization coverage: 2018 revision



**BACKGROUND NOTE:** Each year WHO and UNICEF jointly review reports submitted by Member States regarding national immunization coverage, finalized survey reports as well as data from the published and grey literature. Based on these data, with due consideration to potential biases and the views of local experts, WHO and UNICEF attempt to distinguish between situations where the available empirical data accurately reflect immunization system performance and those where the data are likely to be compromised and present a misleading view of immunization coverage while jointly estimating the most likely coverage levels for each country.

WHO and UNICEF estimates are country-specific; that is to say, each country's data are reviewed individually, and data are not borrowed from other countries in the absence of data. Estimates are not based on ad hoc adjustments to reported data; in some instances empirical data are available from a single source, usually the nationally reported coverage data. In cases where no data are available for a given country/vaccine/year combination, data are considered from earlier and later years and interpolated to estimate coverage for the missing year(s). In cases where data sources are mixed and show large variation, an attempt is made to identify the most likely estimate with consideration of the possible biases in available data. For methods see:

\*Burton et al. 2009. WHO and UNICEF estimates of national infant immunization coverage: methods and processes.

\*Burton et al. 2012. A formal representation of the WHO and UNICEF estimates of national immunization coverage: a computational logic approach.

\*Brown et al. 2013. An introduction to the grade of confidence used to characterize uncertainty around the WHO and UNICEF estimates of national immunization coverage.

## DATA SOURCES.

**ADMINISTRATIVE coverage:** Reported by national authorities and based on aggregated administrative reports from health service providers on the number of vaccinations administered during a given period (numerator data) and reported target population data (denominator data). May be biased by inaccurate numerator and/or denominator data.

**OFFICIAL coverage:** Estimated coverage reported by national authorities that reflects their assessment of the most likely coverage based on any combination of administrative coverage, survey-based estimates or other data sources or adjustments. Approaches to determine OFFICIAL coverage may differ across countries.

**SURVEY coverage:** Based on estimated coverage from population-based household surveys among children aged 12-23 months or 24-35 months following a review of survey methods and results. Information is based on the combination of vaccination history from documented evidence or caregiver recall. Survey results are considered for the appropriate birth cohort based on the period of data collection.

## ABBREVIATIONS

**BCG:** percentage of births who received one dose of Bacillus Calmette Guerin vaccine.

**DTP1 / DTP3:** percentage of surviving infants who received the 1st / 3rd dose, respectively, of diphtheria and tetanus toxoid with pertussis containing vaccine.

**Pol3:** percentage of surviving infants who received the 3rd dose of polio containing vaccine. May be either oral or inactivated polio vaccine.

**IPV1:** percentage of surviving infants who received at least one dose of inactivated polio vaccine. In countries utilizing an immunization schedule recommending either (i) a primary series of three doses of oral polio vaccine (OPV) plus at least one dose of IPV where OPV is included in routine

immunization and/or campaign or (ii) a sequential schedule of IPV followed by OPV, WHO and UNICEF estimates for IPV1 reflect coverage with at least one routine dose of IPV among infants <1 year of age among countries. For countries utilizing IPV containing vaccine use only, i.e., no recommended dose of OPV, the WHO and UNICEF estimate for IPV1 corresponds to coverage for the 1st dose of IPV.

Production of IPV coverage estimates, which begins in 2015, results in no change of the estimated coverage levels for the 3rd dose of polio (Pol3). For countries recommending routine immunization with a primary series of three doses of IPV alone, WHO and UNICEF estimated Pol3 coverage is equivalent to estimated coverage with three doses of IPV. For countries with a sequential schedule, estimated Pol3 coverage is based on that for the 3rd dose of polio vaccine regardless of vaccine type.

**MCV1:** percentage of surviving infants who received the 1st dose of measles containing vaccine. In countries where the national schedule recommends the 1st dose of MCV at 12 months or later based on the epidemiology of disease in the country, coverage estimates reflect the percentage of children who received the 1st dose of MCV as recommended.

**MCV2:** percentage of children who received the 2nd dose of measles containing vaccine according to the nationally recommended schedule.

**RCV1:** percentage of surviving infants who received the 1st dose of rubella containing vaccine. Coverage estimates are based on WHO and UNICEF estimates of coverage for the dose of measles containing vaccine that corresponds to the first measles-rubella combination vaccine. Nationally reported coverage of RCV is not taken into consideration nor are the data represented in the accompanying graph and data table.

**HepBB:** percentage of births which received a dose of hepatitis B vaccine within 24 hours of delivery. Estimates of hepatitis B birth dose coverage are produced only for countries with a universal birth dose policy. Estimates are not produced for countries that recommend a birth dose to infants born to HepB virus-infected mothers only or where there is insufficient information to determine whether vaccination is within 24 hours of birth.

**HepB3:** percentage of surviving infants who received the 3rd dose of hepatitis B containing vaccine following the birth dose.

**Hib3:** percentage of surviving infants who received the 3rd dose of Haemophilus influenzae type b containing vaccine.

**RotaC:** percentage of surviving infants who received the final recommended dose of rotavirus vaccine, which can be either the 2nd or the 3rd dose depending on the vaccine.


**PcV3:** percentage of surviving infants who received the 3rd dose of pneumococcal conjugate vaccine. In countries where the national schedule recommends two doses during infancy and a booster dose at 12 months or later based on the epidemiology of disease in the country, coverage estimates may reflect the percentage of surviving infants who received two doses of PcV prior to the 1st birthday.

**YFV:** percentage of surviving infants who received one dose of yellow fever vaccine in countries where YFV is part of the national immunization schedule for children or is recommended in at risk areas; coverage estimates are annualized for the entire cohort of surviving infants.

**Disclaimer:** All reasonable precautions have been taken by the World Health Organization and United Nations Children's Fund to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization or United Nations Children's Fund be liable for damages arising from its use.

# Mauritania - BCG

MRT - BCG



|                | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Estimate       | 92   | 89   | 81   | 85   | 86   | 95   | 95   | 93   | 85   | 86   | 90   | 90   |
| Estimate GoC   | ●●●  | ●●●  | ●    | ●●●  | ●●●  | ●●●  | ●●●  | ●    | ●    | ●    | ●    | ●    |
| Official       | 92   | 89   | 81   | 85   | 86   | 95   | 95   | 98   | 85   | 102  | 103  | 98   |
| Administrative | 92   | 89   | 81   | 85   | 86   | 87   | 91   | 93   | 85   | 102  | 103  | 98   |
| Survey         | NA   | NA   | NA   | 92   | NA   | NA   | *    | 90   | NA   | NA   | NA   | NA   |

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2017 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

## Description:

- 2018: Estimate based on estimated coverage from 2017. Reported data excluded. Administrative data do not support an increase in reported official coverage. WHO and UNICEF are aware of ongoing DHS and await the final results. Estimate challenged by: R-
- 2017: Estimate based on relative change in administered doses between 2016 and 2017. Reported data excluded because 103 percent greater than 100 percent. Estimate challenged by: R-
- 2016: Estimate based on relative change in administered doses between 2015 and 2016. Reported data excluded. Unexplained reduction in target population of over 16 percent compared to the previous year. Reported data excluded because 102 percent greater than 100 percent. Estimate challenged by: D-R-
- 2015: Estimate based on coverage reported by national government. Unexplained decline in reported coverage between 2014 and 2015. Estimate challenged by: D-
- 2014: Estimate based on administrative data reported by national government supported by survey. Survey evidence of 90 percent based on 1 survey(s). Adjustment from administrative coverage unexplained. Estimate challenged by: D-
- 2013: Estimate based on coverage reported by national government supported by survey. Survey evidence of 93 percent based on 2 survey(s). GoC=R+ S+ D+
- 2012: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2011: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2010: Estimate based on coverage reported by national government supported by survey. Survey evidence of 92 percent based on 1 survey(s). GoC=R+ S+ D+
- 2009: Estimate based on coverage reported by national government. Estimate challenged by: S-
- 2008: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2007: Estimate based on coverage reported by national government. GoC=R+ S+ D+

# Mauritania - DTP1

MRT - DTP1



|                | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Estimate       | 92   | 88   | 79   | 82   | 91   | 95   | 95   | 95   | 87   | 86   | 89   | 89   |
| Estimate GoC   | ●●●  | ●●●  | ●    | ●●●  | ●●●  | ●●●  | ●●●  | ●    | ●    | ●    | ●    | ●    |
| Official       | 92   | 88   | 79   | 82   | 91   | 95   | 95   | 88   | 87   | 100  | 101  | 95   |
| Administrative | 92   | 88   | 79   | 82   | 91   | 94   | 95   | 95   | 86   | 100  | 101  | 98   |
| Survey         | NA   | NA   | NA   | 89   | NA   | NA   | *    | 88   | NA   | NA   | NA   | NA   |

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2017 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

## Description:

- 2018: Estimate based on estimated coverage from 2017. Reported data excluded. Administrative data do not support an increase in reported official coverage. WHO and UNICEF are aware of ongoing DHS and await the final results. Estimate challenged by: R-
- 2017: Estimate based on relative change in administered doses between 2016 and 2017. Reported data excluded because 101 percent greater than 100 percent. Estimate challenged by: R-
- 2016: Estimate based on relative change in administered doses between 2015 and 2016. Reported data excluded. Unexplained reduction in target population of over 16 percent compared to the previous year. Estimate challenged by: R-
- 2015: Estimate based on coverage reported by national government. Estimate challenged by: D-
- 2014: Estimate based on administrative data reported by national government supported by survey. Survey evidence of 88 percent based on 1 survey(s). Adjustment from administrative coverage unexplained. Estimate challenged by: D-
- 2013: Estimate based on coverage reported by national government supported by survey. Survey evidence of 91 percent based on 2 survey(s). GoC=R+ S+ D+
- 2012: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2011: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2010: Estimate based on coverage reported by national government supported by survey. Survey evidence of 89 percent based on 1 survey(s). GoC=R+ S+ D+
- 2009: Estimate based on coverage reported by national government. Estimate challenged by: D-
- 2008: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2007: Estimate based on coverage reported by national government. GoC=R+ S+ D+

# Mauritania - DTP3

MRT - DTP3



|                | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Estimate       | 75   | 74   | 64   | 64   | 75   | 80   | 80   | 81   | 73   | 74   | 81   | 81   |
| Estimate GoC   | ●●●  | ●●●  | ●●●  | ●●●  | ●●●  | ●    | ●●●  | ●●●  | ●●●  | ●    | ●    | ●    |
| Official       | 75   | 74   | 64   | 64   | 75   | 80   | 80   | 84   | 73   | 86   | 90   | 90   |
| Administrative | 75   | 74   | 64   | 64   | 75   | 78   | 79   | 81   | 73   | 86   | 90   | 85   |
| Survey         | NA   | NA   | NA   | 60   | NA   | NA   | *    | 63   | NA   | NA   | NA   | NA   |

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2017 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

## Description:

- 2018: Estimate based on estimated coverage from 2017. Reported data excluded. Administrative data do not support an increase in reported official coverage. WHO and UNICEF are aware of ongoing DHS and await the final results. Estimate challenged by: R-
- 2017: Estimate based on relative change in administered doses between 2016 and 2017. Estimate challenged by: R-
- 2016: Estimate based on relative change in administered doses between 2015 and 2016. Reported data excluded. Unexplained reduction in target population of over 16 percent compared to the previous year. Estimate challenged by: R-
- 2015: Estimate based on coverage reported by national government. Programme reports decline in reported coverage due to insufficient funding for conduct of outreach activity. GoC=R+ S+ D+
- 2014: Estimate based on administrative data reported by national government supported by survey. Survey evidence of 79 percent based on 1 survey(s). Mauritania Multiple Indicator Cluster Survey 2015 card or history results of 63 percent modified for recall bias to 79 percent based on 1st dose card or history coverage of 88 percent, 1st dose card only coverage of 29 percent and 3rd dose card only coverage of 26 percent. Adjustment from administrative coverage unexplained. GoC=R+ S+ D+
- 2013: Estimate based on coverage reported by national government supported by survey. Survey evidence of 81 percent based on 2 survey(s). Report of the External EPI Review, Mauritania, 2014 card or history results of 92 percent modified for recall bias to 88 percent based on 1st dose card or history coverage of 96 percent, 1st dose card only coverage of 47 percent and 3rd dose card only coverage of 43 percent. Mauritania Multiple Indicator Cluster Survey 2015 card or history results of 62 percent modified for recall bias to 74 percent based on 1st dose card or history coverage of 86 percent, 1st dose card only coverage of 14 percent and 3rd dose card only coverage of 12 percent. GoC=R+ S+ D+
- 2012: Estimate based on coverage reported by national government. Estimate challenged by: S-
- 2011: Estimate based on coverage reported by national government. Estimate based on reported data. GoC=R+ S+ D+
- 2010: Estimate based on coverage reported by national government supported by survey. Survey evidence of 68 percent based on 1 survey(s). Mauritania Multiple Indicator Cluster Survey 2011 card or history results of 60 percent modified for recall bias to 68 percent based on 1st dose card or history coverage of 89 percent, 1st dose card only coverage of 30 percent and 3rd dose card only coverage of 23 percent. GoC=R+ S+ D+
- 2009: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2008: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2007: Estimate based on coverage reported by national government. GoC=R+ S+ D+

# Mauritania - Pol3

MRT - Pol3



|                | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Estimate       | 75   | 73   | 63   | 52   | 73   | 80   | 80   | 81   | 67   | 73   | 81   | 81   |
| Estimate GoC   | ●●●  | ●    | ●●●  | ●●●  | ●    | ●    | ●●●  | ●●●  | ●    | ●    | ●    | ●    |
| Official       | 75   | 73   | 63   | 52   | 73   | 80   | 80   | 84   | 67   | 82   | 87   | 87   |
| Administrative | 75   | 73   | 63   | 52   | 87   | 78   | 78   | 81   | 67   | 82   | 87   | 83   |
| Survey         | NA   | NA   | NA   | 58   | NA   | NA   | *    | 65   | NA   | NA   | NA   | NA   |

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2017 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

## Description:

- 2018: Estimate based on estimated coverage from 2017. Reported data excluded. Administrative data do not support an increase in reported official coverage. WHO and UNICEF are aware of ongoing DHS and await the final results. Estimate challenged by: R-
- 2017: Estimate based on relative change in administered doses between 2016 and 2017. Estimate challenged by: R-
- 2016: Estimate based on relative change in administered doses between 2015 and 2016. Reported data excluded. Unexplained reduction in target population of over 16 percent compared to the previous year. Estimate challenged by: R-
- 2015: Estimate based on coverage reported by national government. Programme reports decline in reported coverage due to insufficient funding for conduct of outreach activity. Estimate challenged by: S-
- 2014: Estimate based on administrative data reported by national government supported by survey. Survey evidence of 78 percent based on 1 survey(s). Mauritania Multiple Indicator Cluster Survey 2015 card or history results of 65 percent modified for recall bias to 78 percent based on 1st dose card or history coverage of 90 percent, 1st dose card only coverage of 29 percent and 3rd dose card only coverage of 25 percent. Adjustment from administrative coverage unexplained. GoC=R+ S+ D+
- 2013: Estimate based on coverage reported by national government supported by survey. Survey evidence of 86 percent based on 2 survey(s). Report of the External EPI Review, Mauritania, 2014 card or history results of 91 percent modified for recall bias to 89 percent based on 1st dose card or history coverage of 95 percent, 1st dose card only coverage of 46 percent and 3rd dose card only coverage of 43 percent. Mauritania Multiple Indicator Cluster Survey 2015 card or history results of 64 percent modified for recall bias to 82 percent based on 1st dose card or history coverage of 89 percent, 1st dose card only coverage of 13 percent and 3rd dose card only coverage of 12 percent. GoC=R+ S+ D+
- 2012: Estimate based on coverage reported by national government. Estimate challenged by: S-
- 2011: Estimate based on coverage reported by national government. Increase is most likely the results of recovery from previous years vaccine shortage. Estimate challenged by: D-S-
- 2010: Estimate based on coverage reported by national government supported by survey. Survey evidence of 62 percent based on 1 survey(s). Mauritania Multiple Indicator Cluster Survey 2011 card or history results of 58 percent modified for recall bias to 62 percent based on 1st dose card or history coverage of 85 percent, 1st dose card only coverage of 22 percent and 3rd dose card only coverage of 16 percent. Decline is likely the results of three months of vaccine shortage. GoC=R+ S+ D+
- 2009: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2008: Estimate based on coverage reported by national government. Estimate challenged by: S-
- 2007: Estimate based on coverage reported by national government. GoC=R+ S+ D+

# Mauritania - IPV1

MRT - IPV1



## Description:

Estimates for a dose of inactivated polio vaccine (IPV) begin in 2015 following the Global Polio Eradication Initiative's Polio Eradication and Endgame Strategic Plan: 2013-2018 which recommended at least one full dose or two fractional doses of IPV into routine immunization schedules as a strategy to mitigate the potential consequences should any re-emergence of type 2 poliovirus occur following the planned withdrawal of Sabin type 2 strains from oral polio vaccine (OPV).

2018: Estimate based on estimated coverage from 2017. Reported data excluded. Administrative data do not support an increase in reported official coverage. WHO and UNICEF are aware of ongoing DHS and await the final results. Estimate challenged by: R-

2017: Estimate based on relative change in administered doses between 2016 and 2017. Estimate challenged by: R-

2016: Estimate based on the relationship between reported coverage and number of children vaccinated with DTP3. Reported data excluded. Unexplained reduction in target population of over 16 percent compared to the previous year. Estimate challenged by: R-

2015: Estimate based on coverage reported by national government. Inactivated polio vaccine during November 2015. GoC=Assigned by working group. GoC assigned to maintain consistency across vaccines.

|                | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Estimate       | NA   | 6    | 65   | 68   | 68   |
| Estimate GoC   | NA   | •    | •    | •    | •    |
| Official       | NA   | 6    | 77   | 80   | 85   |
| Administrative | NA   | 6    | 77   | 80   | 76   |
| Survey         | NA   |


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2017 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

# Mauritania - MCV1

MRT - MCV1



## Description:

- 2018: Estimate based on estimated coverage from 2017. Reported data excluded. Administrative data do not support an increase in reported official coverage. WHO and UNICEF are aware of ongoing DHS and await the final results. Estimate challenged by: R-
- 2017: Estimate based on relative change in administered doses between 2016 and 2017. Estimate challenged by: R-
- 2016: Estimate based on relative change in administered doses between 2015 and 2016. Reported data excluded. Unexplained reduction in target population of over 16 percent compared to the previous year. Estimate challenged by: R-
- 2015: Estimate based on coverage reported by national government. Programme reports decline in reported coverage due to insufficient funding for conduct of outreach activity. Estimate challenged by: S-
- 2014: Estimate based on administrative data reported by national government supported by survey. Survey evidence of 72 percent based on 1 survey(s). Adjustment from administrative coverage unexplained. GoC=R+ S+ D+
- 2013: Estimate based on coverage reported by national government supported by survey. Survey evidence of 81 percent based on 2 survey(s). GoC=R+ S+ D+
- 2012: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2011: Estimate based on coverage reported by national government. Estimate challenged by: S-
- 2010: Estimate based on coverage reported by national government supported by survey. Survey evidence of 71 percent based on 1 survey(s). GoC=R+ S+ D+
- 2009: Estimate based on coverage reported by national government. Estimate challenged by: S-
- 2008: Estimate based on coverage reported by national government. Estimate challenged by: S-
- 2007: Estimate based on coverage reported by national government. GoC=R+ S+ D+


|                | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Estimate       | 67   | 65   | 59   | 67   | 67   | 75   | 80   | 75   | 70   | 72   | 78   | 78   |
| Estimate GoC   | ●●●  | ●    | ●    | ●●●  | ●    | ●●●  | ●●●  | ●●●  | ●    | ●    | ●    | ●    |
| Official       | 67   | 65   | 59   | 67   | 67   | 75   | 80   | 84   | 70   | 83   | 86   | 86   |
| Administrative | 67   | 65   | 59   | 67   | 67   | 70   | 73   | 75   | 70   | 83   | 86   | 78   |
| Survey         | NA   | NA   | NA   | 71   | NA   | NA   | *    | 72   | NA   | NA   | NA   | NA   |

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2017 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenge the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

# Mauritania - MCV2



|                | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Estimate       | NA   |
| Estimate GoC   | NA   |
| Official       | NA   |
| Administrative | NA   |
| Survey         | NA   |


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2017 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

# Mauritania - RCV1

MRT - RCV1



## Description:

For this revision, coverage estimates for the first dose of rubella containing vaccine are based on WHO and UNICEF estimates of coverage of measles containing vaccine. Nationally reported coverage of rubella containing vaccine is not taken into consideration nor are they represented in the the accompanying graph and data table.

2018: Estimate based on estimated MCV1. WHO and UNICEF are aware of ongoing DHS and await the final results. Rubella containing vaccine introduced during 2018. Estimate challenged by: R-


|                | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Estimate       | NA   | 86   |
| Estimate GoC   | NA   | ●    |
| Official       | NA   |
| Administrative | NA   |
| Survey         | NA   |

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2017 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

# Mauritania - HepBB



|                | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Estimate       | NA   |
| Estimate GoC   | NA   |
| Official       | NA   | 51   | 64   | NA   | NA   |
| Administrative | NA   | 51   | NA   | 58   | NA   |
| Survey         | NA   | NA   | NA   | NA   | NA   | NA   | 89   | 90   | NA   | NA   | NA   | NA   |


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2017 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

# Mauritania - HepB3

MRT - HepB3



|                | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Estimate       | 74   | 74   | 64   | 64   | 75   | 80   | 80   | 81   | 73   | 74   | 81   | 81   |
| Estimate GoC   | ••   | •••  | •••  | •••  | •••  | •    | •••  | •••  | •••  | •    | •    | •    |
| Official       | 74   | 74   | 64   | 64   | 75   | 80   | 80   | 84   | 73   | 86   | 90   | 90   |
| Administrative | 74   | 74   | 64   | 64   | 75   | 78   | 79   | 81   | 73   | 86   | 90   | NA   |
| Survey         | NA   | NA   | NA   | 60   | NA   | NA   | *    | 63   | NA   | NA   | NA   | NA   |

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2017 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

## Description:

- 2018: Estimate based on estimated coverage from 2017. Reported data excluded. Administrative data do not support an increase in reported official coverage. WHO and UNICEF are aware of ongoing DHS and await the final results. Estimate challenged by: R-
- 2017: Estimate based on relative change in administered doses between 2016 and 2017. Estimate challenged by: R-
- 2016: Estimate based on relative change in administered doses between 2015 and 2016. Reported data excluded. Unexplained reduction in target population of over 16 percent compared to the previous year. Estimate challenged by: R-
- 2015: Estimate based on coverage reported by national government. Programme reports decline in reported coverage due to insufficient funding for conduct of outreach activity. GoC=R+ S+ D+
- 2014: Estimate based on administrative data reported by national government supported by survey. Survey evidence of 79 percent based on 1 survey(s). Mauritania Multiple Indicator Cluster Survey 2015 card or history results of 63 percent modified for recall bias to 79 percent based on 1st dose card or history coverage of 88 percent, 1st dose card only coverage of 29 percent and 3rd dose card only coverage of 26 percent. Adjustment from administrative coverage unexplained. GoC=R+ S+ D+
- 2013: Estimate based on coverage reported by national government supported by survey. Survey evidence of 81 percent based on 2 survey(s). Report of the External EPI Review, Mauritania, 2014 card or history results of 92 percent modified for recall bias to 88 percent based on 1st dose card or history coverage of 96 percent, 1st dose card only coverage of 47 percent and 3rd dose card only coverage of 43 percent. Mauritania Multiple Indicator Cluster Survey 2015 card or history results of 62 percent modified for recall bias to 74 percent based on 1st dose card or history coverage of 86 percent, 1st dose card only coverage of 14 percent and 3rd dose card only coverage of 12 percent. GoC=R+ S+ D+
- 2012: Estimate based on coverage reported by national government. Estimate challenged by: S-
- 2011: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2010: Estimate based on coverage reported by national government supported by survey. Survey evidence of 68 percent based on 1 survey(s). Mauritania Multiple Indicator Cluster Survey 2011 card or history results of 60 percent modified for recall bias to 68 percent based on 1st dose card or history coverage of 89 percent, 1st dose card only coverage of 30 percent and 3rd dose card only coverage of 23 percent. GoC=R+ S+ D+
- 2009: Estimate based on reported data. GoC=R+ S+ D+
- 2008: Estimate based on reported data. GoC=R+ S+ D+
- 2007: Estimate based on reported data. GoC=R+ D+

# Mauritania - Hib3

MRT - Hib3



|                | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Estimate       | NA   | NA   | 64   | 64   | 75   | 80   | 80   | 81   | 73   | 74   | 81   | 81   |
| Estimate GoC   | NA   | NA   | ●●●  | ●●●  | ●●●  | ●    | ●●●  | ●●●  | ●●●  | ●    | ●    | ●    |
| Official       | NA   | NA   | 64   | 64   | 75   | 80   | 80   | 84   | 73   | 86   | 90   | 90   |
| Administrative | NA   | NA   | 64   | 64   | 75   | 78   | 79   | 81   | 73   | 86   | 90   | NA   |
| Survey         | NA   | NA   | NA   | 60   | NA   | NA   | *    | 63   | NA   | NA   | NA   | NA   |

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2017 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

## Description:

- 2018: Estimate based on estimated coverage from 2017. Reported data excluded. Administrative data do not support an increase in reported official coverage. WHO and UNICEF are aware of ongoing DHS and await the final results. Estimate challenged by: R-
- 2017: Estimate based on relative change in administered doses between 2016 and 2017. Estimate challenged by: R-
- 2016: Estimate based on relative change in administered doses between 2015 and 2016. Reported data excluded. Unexplained reduction in target population of over 16 percent compared to the previous year. Estimate challenged by: R-
- 2015: Estimate based on coverage reported by national government. Programme reports decline in reported coverage due to insufficient funding for conduct of outreach activity. GoC=R+ S+ D+
- 2014: Estimate based on administrative data reported by national government supported by survey. Survey evidence of 79 percent based on 1 survey(s). Mauritania Multiple Indicator Cluster Survey 2015 card or history results of 63 percent modified for recall bias to 79 percent based on 1st dose card or history coverage of 88 percent, 1st dose card only coverage of 29 percent and 3rd dose card only coverage of 26 percent. Adjustment from administrative coverage unexplained. GoC=R+ S+ D+
- 2013: Estimate based on coverage reported by national government supported by survey. Survey evidence of 81 percent based on 2 survey(s). Report of the External EPI Review, Mauritania, 2014 card or history results of 92 percent modified for recall bias to 88 percent based on 1st dose card or history coverage of 96 percent, 1st dose card only coverage of 47 percent and 3rd dose card only coverage of 43 percent. Mauritania Multiple Indicator Cluster Survey 2015 card or history results of 62 percent modified for recall bias to 74 percent based on 1st dose card or history coverage of 86 percent, 1st dose card only coverage of 14 percent and 3rd dose card only coverage of 12 percent. GoC=R+ S+ D+
- 2012: Estimate based on coverage reported by national government. Estimate challenged by: S-
- 2011: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2010: Estimate based on coverage reported by national government supported by survey. Survey evidence of 68 percent based on 1 survey(s). Mauritania Multiple Indicator Cluster Survey 2011 card or history results of 60 percent modified for recall bias to 68 percent based on 1st dose card or history coverage of 89 percent, 1st dose card only coverage of 30 percent and 3rd dose card only coverage of 23 percent. GoC=R+ S+ D+
- 2009: Estimate based on reported data. Hib vaccine introduced in 2009. Vaccine presentation is DTP-HepB-Hib. GoC=R+ S+ D+

# Mauritania - RotaC

MRT - RotaC



## Description:

- 2018: Estimate based on estimated coverage from 2017. Reported data excluded. Administrative data do not support an increase in reported official coverage. WHO and UNICEF are aware of ongoing DHS and await the final results. Estimate challenged by: R-
- 2017: Estimate based on relative change in administered doses between 2016 and 2017. Estimate challenged by: R-
- 2016: Estimate based on the relationship between reported coverage and number of children vaccinated with DTP3. Reported data excluded. Unexplained reduction in target population of over 16 percent compared to the previous year. Estimate challenged by: R-
- 2015: Estimate based on coverage reported by national government. GoC=R+ D+
- 2014: Estimate based on reported administrative estimate. Mauritania Multiple Indicator Cluster Survey 2015 results ignored by working group. . Rotavirus vaccine introduced during December 2014. Adjustment from administrative coverage unexplained. GoC=Assigned by working group. GoC assigned to maintain consistency across vaccines.

|                | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Estimate       | NA   | 5    | 56   | 73   | 76   | 76   |
| Estimate GoC   | NA   | •    | ••   | •    | •    | •    |
| Official       | NA   | 56   | 86   | 89   | 89   |
| Administrative | NA   | 5    | 56   | 86   | 89   | 84   |
| Survey         | NA   | NA   | NA   | NA   | NA   | NA   | 62   | 60   | NA   | NA   | NA   | NA   |


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2017 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

# Mauritania - PcV3

MRT - PcV3



## Description:

- 2018: Estimate based on estimated coverage from 2017. Reported data excluded. Administrative data do not support an increase in reported official coverage. WHO and UNICEF are aware of ongoing DHS and await the final results. Estimate challenged by: R-
- 2017: Estimate based on relative change in administered doses between 2016 and 2017. Estimate challenged by: R-
- 2016: Estimate based on the relationship between reported coverage and number of children vaccinated with DTP3. Reported data excluded. Unexplained reduction in target population of over 16 percent compared to the previous year. Estimate challenged by: R-
- 2015: Estimate based on coverage reported by national government. GoC=R+ D+
- 2014: Estimate based on reported administrative estimate. Reported coverage reflects doses administered to national target population following introduction. Adjustment from administrative coverage unexplained. GoC=Assigned by working group. GoC assigned to maintain consistency across vaccines.
- 2013: Estimate based on reported administrative estimate. Pneumococcal conjugate vaccine introduced in 2013. GoC=Assigned by working group. GoC assigned to maintain consistency across vaccines.

|                | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Estimate       | NA   | NA   | NA   | NA   | NA   | NA   | 1    | 71   | 71   | 73   | 77   | 77   |
| Estimate GoC   | NA   | NA   | NA   | NA   | NA   | NA   | •    | •    | ••   | •    | •    | •    |
| Official       | NA   | NA   | NA   | NA   | NA   | NA   | 20   | 84   | 71   | 84   | 88   | 88   |
| Administrative | NA   | NA   | NA   | NA   | NA   | NA   | 1    | 71   | 71   | 84   | 88   | 84   |
| Survey         | NA   |

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2017 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

# Mauritania - survey details

## 2014 Mauritania Multiple Indicator Cluster Survey 2015

| Vaccine | Confirmation method | Coverage | Age cohort | Sample | Cards seen |
|---------|---------------------|----------|------------|--------|------------|
| BCG     | C or H <12 months   | 83.2     | 12-23 m    | 2140   | 29         |
| BCG     | Card                | 28.3     | 12-23 m    | 2140   | 29         |
| BCG     | Card or History     | 89.6     | 12-23 m    | 2140   | 29         |
| BCG     | History             | 61.4     | 12-23 m    | 2140   | 29         |
| DTP1    | C or H <12 months   | 81.1     | 12-23 m    | 2140   | 29         |
| DTP1    | Card                | 29.2     | 12-23 m    | 2140   | 29         |
| DTP1    | Card or History     | 87.7     | 12-23 m    | 2140   | 29         |
| DTP1    | History             | 58.5     | 12-23 m    | 2140   | 29         |
| DTP3    | C or H <12 months   | 56.5     | 12-23 m    | 2140   | 29         |
| DTP3    | Card                | 25.5     | 12-23 m    | 2140   | 29         |
| DTP3    | Card or History     | 62.7     | 12-23 m    | 2140   | 29         |
| DTP3    | History             | 37.1     | 12-23 m    | 2140   | 29         |
| HepB1   | C or H <12 months   | 81.1     | 12-23 m    | 2140   | 29         |
| HepB1   | Card                | 29.2     | 12-23 m    | 2140   | 29         |
| HepB1   | Card or History     | 87.7     | 12-23 m    | 2140   | 29         |
| HepB1   | History             | 58.5     | 12-23 m    | 2140   | 29         |
| HepB3   | C or H <12 months   | 56.5     | 12-23 m    | 2140   | 29         |
| HepB3   | Card                | 25.5     | 12-23 m    | 2140   | 29         |
| HepB3   | Card or History     | 62.7     | 12-23 m    | 2140   | 29         |
| HepB3   | History             | 37.1     | 12-23 m    | 2140   | 29         |
| HepBB   | C or H <12 months   | 81.1     | 12-23 m    | 2140   | 29         |
| HepBB   | Card                | 27.9     | 12-23 m    | 2140   | 29         |
| HepBB   | Card or History     | 89.6     | 12-23 m    | 2140   | 29         |
| HepBB   | History             | 61.7     | 12-23 m    | 2140   | 29         |
| Hib1    | C or H <12 months   | 81.1     | 12-23 m    | 2140   | 29         |
| Hib1    | Card                | 29.2     | 12-23 m    | 2140   | 29         |
| Hib1    | Card or History     | 87.7     | 12-23 m    | 2140   | 29         |
| Hib1    | History             | 58.5     | 12-23 m    | 2140   | 29         |
| Hib3    | C or H <12 months   | 56.5     | 12-23 m    | 2140   | 29         |
| Hib3    | Card                | 25.5     | 12-23 m    | 2140   | 29         |
| Hib3    | Card or History     | 62.7     | 12-23 m    | 2140   | 29         |
| Hib3    | History             | 37.1     | 12-23 m    | 2140   | 29         |
| MCV1    | C or H <12 months   | 61.9     | 12-23 m    | 2140   | 29         |
| MCV1    | Card                | 20.8     | 12-23 m    | 2140   | 29         |
| MCV1    | Card or History     | 72.4     | 12-23 m    | 2140   | 29         |
| MCV1    | History             | 51.6     | 12-23 m    | 2140   | 29         |
| PCV1    | C or H <12 months   | 74.5     | 12-23 m    | 2140   | 29         |

|       |                   |      |         |      |    |
|-------|-------------------|------|---------|------|----|
| PCV1  | Card              | 27   | 12-23 m | 2140 | 29 |
| PCV1  | Card or History   | 80.3 | 12-23 m | 2140 | 29 |
| PCV1  | History           | 53.3 | 12-23 m | 2140 | 29 |
| Pol1  | C or H <12 months | 84.5 | 12-23 m | 2140 | 29 |
| Pol1  | Card              | 28.8 | 12-23 m | 2140 | 29 |
| Pol1  | Card or History   | 89.8 | 12-23 m | 2140 | 29 |
| Pol1  | History           | 61.1 | 12-23 m | 2140 | 29 |
| Pol3  | C or H <12 months | 58.7 | 12-23 m | 2140 | 29 |
| Pol3  | Card              | 25.2 | 12-23 m | 2140 | 29 |
| Pol3  | Card or History   | 64.9 | 12-23 m | 2140 | 29 |
| Pol3  | History           | 39.8 | 12-23 m | 2140 | 29 |
| RotaC | C or H <12 months | 50.8 | 12-23 m | 2140 | 29 |
| RotaC | Card              | 16.8 | 12-23 m | 2140 | 29 |
| RotaC | Card or History   | 60.4 | 12-23 m | 2140 | 29 |
| RotaC | History           | 43.6 | 12-23 m | 2140 | 29 |

## 2013 Mauritania Multiple Indicator Cluster Survey 2015

| Vaccine | Confirmation method | Coverage | Age cohort | Sample | Cards seen |
|---------|---------------------|----------|------------|--------|------------|
| BCG     | C or H <12 months   | 81.2     | 24-35 m    | 2098   | 29         |
| BCG     | Card                | 13.3     | 24-35 m    | 2098   | 29         |
| BCG     | Card or History     | 89.3     | 24-35 m    | 2098   | 29         |
| BCG     | History             | 76       | 24-35 m    | 2098   | 29         |
| DTP1    | C or H <12 months   | 76.8     | 24-35 m    | 2098   | 29         |
| DTP1    | Card                | 13.5     | 24-35 m    | 2098   | 29         |
| DTP1    | Card or History     | 85.5     | 24-35 m    | 2098   | 29         |
| DTP1    | History             | 72       | 24-35 m    | 2098   | 29         |
| DTP3    | C or H <12 months   | 53.8     | 24-35 m    | 2098   | 29         |
| DTP3    | Card                | 12.1     | 24-35 m    | 2098   | 29         |
| DTP3    | Card or History     | 62.3     | 24-35 m    | 2098   | 29         |
| DTP3    | History             | 50.2     | 24-35 m    | 2098   | 29         |
| HepB1   | C or H <12 months   | 76.8     | 24-35 m    | 2098   | 29         |
| HepB1   | Card                | 13.5     | 24-35 m    | 2098   | 29         |
| HepB1   | Card or History     | 85.5     | 24-35 m    | 2098   | 29         |
| HepB1   | History             | 72       | 24-35 m    | 2098   | 29         |
| HepB3   | C or H <12 months   | 53.8     | 24-35 m    | 2098   | 29         |
| HepB3   | Card                | 12.1     | 24-35 m    | 2098   | 29         |
| HepB3   | Card or History     | 62.3     | 24-35 m    | 2098   | 29         |
| HepB3   | History             | 50.2     | 24-35 m    | 2098   | 29         |

# Mauritania - survey details

|       |                   |      |         |      |    |       |                 |      |         |      |    |
|-------|-------------------|------|---------|------|----|-------|-----------------|------|---------|------|----|
| HepBB | C or H <12 months | 77.7 | 24-35 m | 2098 | 29 | DTP1  | Card            | 47   | 12-23 m | -    | 55 |
| HepBB | Card              | 13.2 | 24-35 m | 2098 | 29 | DTP1  | Card or History | 96   | 12-23 m | 3727 | 55 |
| HepBB | Card or History   | 89.3 | 24-35 m | 2098 | 29 | DTP1  | History         | 49.4 | 12-23 m | -    | 55 |
| HepBB | History           | 76.1 | 24-35 m | 2098 | 29 | DTP3  | Card            | 43.4 | 12-23 m | -    | 55 |
| Hib1  | C or H <12 months | 76.8 | 24-35 m | 2098 | 29 | DTP3  | Card or History | 92   | 12-23 m | 3727 | 55 |
| Hib1  | Card              | 13.5 | 24-35 m | 2098 | 29 | DTP3  | History         | 48.5 | 12-23 m | -    | 55 |
| Hib1  | Card or History   | 85.5 | 24-35 m | 2098 | 29 | HepB1 | Card            | 47   | 12-23 m | -    | 55 |
| Hib1  | History           | 72   | 24-35 m | 2098 | 29 | HepB1 | Card or History | 96   | 12-23 m | 3727 | 55 |
| Hib3  | C or H <12 months | 53.8 | 24-35 m | 2098 | 29 | HepB1 | History         | 49.4 | 12-23 m | -    | 55 |
| Hib3  | Card              | 12.1 | 24-35 m | 2098 | 29 | HepB3 | Card            | 43.4 | 12-23 m | -    | 55 |
| Hib3  | Card or History   | 62.3 | 24-35 m | 2098 | 29 | HepB3 | Card or History | 92   | 12-23 m | 3727 | 55 |
| Hib3  | History           | 50.2 | 24-35 m | 2098 | 29 | HepB3 | History         | 48.5 | 12-23 m | -    | 55 |
| MCV1  | C or H <12 months | 62.1 | 24-35 m | 2098 | 29 | Hib1  | Card            | 47   | 12-23 m | -    | 55 |
| MCV1  | Card              | 10.2 | 24-35 m | 2098 | 29 | Hib1  | Card or History | 96   | 12-23 m | 3727 | 55 |
| MCV1  | Card or History   | 78.4 | 24-35 m | 2098 | 29 | Hib1  | History         | 49.4 | 12-23 m | -    | 55 |
| MCV1  | History           | 68.2 | 24-35 m | 2098 | 29 | Hib3  | Card            | 43.4 | 12-23 m | -    | 55 |
| PCV1  | C or H <12 months | 64.4 | 24-35 m | 2098 | 29 | Hib3  | Card or History | 92   | 12-23 m | 3727 | 55 |
| PCV1  | Card              | 10.7 | 24-35 m | 2098 | 29 | Hib3  | History         | 48.5 | 12-23 m | -    | 55 |
| PCV1  | Card or History   | 75.9 | 24-35 m | 2098 | 29 | MCV1  | Card            | 36.8 | 12-23 m | -    | 55 |
| PCV1  | History           | 65.2 | 24-35 m | 2098 | 29 | MCV1  | Card or History | 84   | 12-23 m | 3727 | 55 |
| Pol1  | C or H <12 months | 81.3 | 24-35 m | 2098 | 29 | MCV1  | History         | 47   | 12-23 m | -    | 55 |
| Pol1  | Card              | 13   | 24-35 m | 2098 | 29 | Pol1  | Card            | 46.3 | 12-23 m | -    | 55 |
| Pol1  | Card or History   | 89.1 | 24-35 m | 2098 | 29 | Pol1  | Card or History | 95   | 12-23 m | 3727 | 55 |
| Pol1  | History           | 76.2 | 24-35 m | 2098 | 29 | Pol1  | History         | 49.2 | 12-23 m | -    | 55 |
| Pol3  | C or H <12 months | 55.2 | 24-35 m | 2098 | 29 | Pol3  | Card            | 43   | 12-23 m | -    | 55 |
| Pol3  | Card              | 11.8 | 24-35 m | 2098 | 29 | Pol3  | Card or History | 91   | 12-23 m | 3727 | 55 |
| Pol3  | Card or History   | 63.9 | 24-35 m | 2098 | 29 | Pol3  | History         | 48   | 12-23 m | -    | 55 |
| Pol3  | History           | 52   | 24-35 m | 2098 | 29 |       |                 |      |         |      |    |
| RotaC | C or H <12 months | 47   | 24-35 m | 2098 | 29 |       |                 |      |         |      |    |
| RotaC | Card              | 6.4  | 24-35 m | 2098 | 29 |       |                 |      |         |      |    |
| RotaC | Card or History   | 62.4 | 24-35 m | 2098 | 29 |       |                 |      |         |      |    |
| RotaC | History           | 56   | 24-35 m | 2098 | 29 |       |                 |      |         |      |    |

## 2013 Rapport de la revue externe du PEV Mauritanie 2014

| Vaccine | Confirmation method | Coverage | Age cohort | Sample | Cards seen |
|---------|---------------------|----------|------------|--------|------------|
| BCG     | Card                | 51.7     | 12-23 m    | -      | 55         |
| BCG     | Card or History     | 97       | 12-23 m    | 3727   | 55         |
| BCG     | History             | 45       | 12-23 m    | -      | 55         |

## 2010 Mauritanie Enquête par Grappes à Indicateurs Multiples 2011

| Vaccine | Confirmation method | Coverage | Age cohort | Sample | Cards seen |
|---------|---------------------|----------|------------|--------|------------|
| BCG     | C or H <12 months   | 90.7     | 12-23 m    | 1764   | 32         |
| BCG     | Card                | 30.2     | 12-23 m    | -      | 32         |
| BCG     | Card or History     | 91.6     | 12-23 m    | 1764   | 32         |
| BCG     | History             | 61.3     | 12-23 m    | -      | 32         |
| DTP1    | C or H <12 months   | 87.7     | 12-23 m    | 1764   | 32         |
| DTP1    | Card                | 29.5     | 12-23 m    | -      | 32         |
| DTP1    | Card or History     | 88.6     | 12-23 m    | 1764   | 32         |
| DTP1    | History             | 59.1     | 12-23 m    | -      | 32         |

# Mauritania - survey details

|       |                   |      |         |      |    |
|-------|-------------------|------|---------|------|----|
| DTP3  | C or H <12 months | 57.3 | 12-23 m | 1764 | 32 |
| DTP3  | Card              | 23   | 12-23 m | -    | 32 |
| DTP3  | Card or History   | 60.2 | 12-23 m | 1764 | 32 |
| DTP3  | History           | 37.2 | 12-23 m | -    | 32 |
| HepB1 | C or H <12 months | 87.7 | 12-23 m | 1764 | 32 |
| HepB1 | Card              | 29.5 | 12-23 m | -    | 32 |
| HepB1 | Card or History   | 88.6 | 12-23 m | 1764 | 32 |
| HepB1 | History           | 59.1 | 12-23 m | -    | 32 |
| HepB3 | C or H <12 months | 57.3 | 12-23 m | 1764 | 32 |
| HepB3 | Card              | 23   | 12-23 m | -    | 32 |
| HepB3 | Card or History   | 60.2 | 12-23 m | 1764 | 32 |
| HepB3 | History           | 37.2 | 12-23 m | -    | 32 |
| Hib1  | C or H <12 months | 87.7 | 12-23 m | 1764 | 32 |
| Hib1  | Card              | 29.5 | 12-23 m | -    | 32 |
| Hib1  | Card or History   | 88.6 | 12-23 m | 1764 | 32 |
| Hib1  | History           | 59.1 | 12-23 m | -    | 32 |
| Hib3  | C or H <12 months | 57.3 | 12-23 m | 1764 | 32 |
| Hib3  | Card              | 23   | 12-23 m | -    | 32 |
| Hib3  | Card or History   | 60.2 | 12-23 m | 1764 | 32 |
| Hib3  | History           | 37.2 | 12-23 m | -    | 32 |
| MCV1  | C or H <12 months | 63.3 | 12-23 m | 1764 | 32 |
| MCV1  | Card              | 14.7 | 12-23 m | -    | 32 |
| MCV1  | Card or History   | 71.3 | 12-23 m | 1764 | 32 |
| MCV1  | History           | 56.6 | 12-23 m | -    | 32 |
| Pol1  | C or H <12 months | 82.5 | 12-23 m | 1764 | 32 |
| Pol1  | Card              | 22.5 | 12-23 m | -    | 32 |
| Pol1  | Card or History   | 85.1 | 12-23 m | 1764 | 32 |
| Pol1  | History           | 62.6 | 12-23 m | -    | 32 |
| Pol3  | C or H <12 months | 54.5 | 12-23 m | 1764 | 32 |
| Pol3  | Card              | 16.3 | 12-23 m | -    | 32 |
| Pol3  | Card or History   | 57.9 | 12-23 m | 1764 | 32 |
| Pol3  | History           | 41.6 | 12-23 m | -    | 32 |

## 2006 L'enquête par grappes à indicateurs multiples de la Mauritanie (MICS 2007)

| Vaccine | Confirmation method | Coverage | Age cohort | Sample | Cards seen |
|---------|---------------------|----------|------------|--------|------------|
| BCG     | C or H <12 months   | 83.5     | 12-23 m    | 1681   | 32         |
| BCG     | Card                | 32.1     | 12-23 m    | 1681   | 32         |

|       |                   |      |         |      |    |
|-------|-------------------|------|---------|------|----|
| BCG   | Card or History   | 85.6 | 12-23 m | 1681 | 32 |
| BCG   | History           | 53.4 | 12-23 m | 1681 | 32 |
| DTP1  | C or H <12 months | 79.1 | 12-23 m | 1681 | 32 |
| DTP1  | Card              | 30.8 | 12-23 m | 1681 | 32 |
| DTP1  | Card or History   | 82.7 | 12-23 m | 1681 | 32 |
| DTP1  | History           | 52   | 12-23 m | 1681 | 32 |
| DTP3  | C or H <12 months | 52.6 | 12-23 m | 1681 | 32 |
| DTP3  | Card              | 29.1 | 12-23 m | 1681 | 32 |
| DTP3  | Card or History   | 56.9 | 12-23 m | 1681 | 32 |
| DTP3  | History           | 27.8 | 12-23 m | 1681 | 32 |
| HepB1 | Card or History   | 26.8 | 12-23 m | 1681 | 32 |
| HepB3 | Card or History   | 25.3 | 12-23 m | 1681 | 32 |
| MCV1  | C or H <12 months | 74.3 | 12-23 m | 1681 | 32 |
| MCV1  | Card              | 28.2 | 12-23 m | 1681 | 32 |
| MCV1  | Card or History   | 76.2 | 12-23 m | 1681 | 32 |
| MCV1  | History           | 48   | 12-23 m | 1681 | 32 |
| Pol1  | C or H <12 months | 76.5 | 12-23 m | 1681 | 32 |
| Pol1  | Card              | 29.5 | 12-23 m | 1681 | 32 |
| Pol1  | Card or History   | 80   | 12-23 m | 1681 | 32 |
| Pol1  | History           | 50.5 | 12-23 m | 1681 | 32 |
| Pol3  | C or H <12 months | 42.1 | 12-23 m | 1681 | 32 |
| Pol3  | Card              | 27.7 | 12-23 m | 1681 | 32 |
| Pol3  | Card or History   | 46.2 | 12-23 m | 1681 | 32 |
| Pol3  | History           | 18.5 | 12-23 m | 1681 | 32 |

## 2003 Enquete sur la couverture vaccinale et la mobilisation sociale, Mauritania, 2004

| Vaccine | Confirmation method | Coverage | Age cohort | Sample | Cards seen |
|---------|---------------------|----------|------------|--------|------------|
| BCG     | Card or history     | 95.6     | 12-23 m    | 2774   | 42         |
| DTP1    | Card                | 35.7     | 12-23 m    | 2774   | 42         |
| DTP1    | Card or history     | 91.5     | 12-23 m    | 2774   | 42         |
| DTP3    | Card                | 29.7     | 12-23 m    | 2774   | 42         |
| DTP3    | Card or history     | 83.8     | 12-23 m    | 2774   | 42         |
| MCV1    | Card                | 30       | 12-23 m    | 2774   | 42         |
| MCV1    | Card or history     | 83.5     | 12-23 m    | 2774   | 42         |
| Pol1    | Card                | 34.4     | 12-23 m    | 2774   | 42         |
| Pol1    | Card or history     | 88.8     | 12-23 m    | 2774   | 42         |
| Pol3    | Card                | 29       | 12-23 m    | 2774   | 42         |

# Mauritania - survey details

|      |                 |      |         |      |    |
|------|-----------------|------|---------|------|----|
| Pol3 | Card or history | 82.2 | 12-23 m | 2774 | 42 |
|------|-----------------|------|---------|------|----|

1999 Enquête Démographique et de Santé Mauritanie 2000-2001, 2001

| Vaccine | Confirmation method | Coverage | Age cohort | Sample | Cards seen |
|---------|---------------------|----------|------------|--------|------------|
| BCG     | C or H <12 months   | 67.7     | 12-23 m    | 950    | 34         |
| BCG     | Card                | 33.2     | 12-23 m    | 950    | 34         |
| BCG     | Card or History     | 74.7     | 12-23 m    | 950    | 34         |
| BCG     | History             | 41.5     | 12-23 m    | 950    | 34         |
| DTP1    | C or H <12 months   | 60.8     | 12-23 m    | 950    | 34         |
| DTP1    | Card                | 32.9     | 12-23 m    | 950    | 34         |
| DTP1    | Card or History     | 70       | 12-23 m    | 950    | 34         |
| DTP1    | History             | 37.1     | 12-23 m    | 950    | 34         |
| DTP3    | C or H <12 months   | 33.3     | 12-23 m    | 950    | 34         |
| DTP3    | Card                | 25.2     | 12-23 m    | 950    | 34         |
| DTP3    | Card or History     | 39.9     | 12-23 m    | 950    | 34         |
| DTP3    | History             | 14.7     | 12-23 m    | 950    | 34         |
| MCV1    | C or H <12 months   | 44.8     | 12-23 m    | 950    | 34         |
| MCV1    | Card                | 26.4     | 12-23 m    | 950    | 34         |
| MCV1    | Card or History     | 62       | 12-23 m    | 950    | 34         |

|      |                   |      |         |     |    |
|------|-------------------|------|---------|-----|----|
| MCV1 | History           | 35.6 | 12-23 m | 950 | 34 |
| Pol1 | C or H <12 months | 70.1 | 12-23 m | 950 | 34 |
| Pol1 | Card              | 33.7 | 12-23 m | 950 | 34 |
| Pol1 | Card or History   | 80.1 | 12-23 m | 950 | 34 |
| Pol1 | History           | 46.4 | 12-23 m | 950 | 34 |
| Pol3 | C or H <12 months | 36.9 | 12-23 m | 950 | 34 |
| Pol3 | Card              | 25.9 | 12-23 m | 950 | 34 |
| Pol3 | Card or History   | 43.8 | 12-23 m | 950 | 34 |
| Pol3 | History           | 17.9 | 12-23 m | 950 | 34 |

1998 Enquête Nationale de Couverture Vaccinale-MSAS, 1999

| Vaccine | Confirmation method | Coverage | Age cohort | Sample | Cards seen |
|---------|---------------------|----------|------------|--------|------------|
| BCG     | Card or Scar        | 79.9     | 12-23 m    | 2287   | 78         |
| DTP1    | Card or History     | 56       | 12-23 m    | 2287   | 78         |
| DTP3    | Card or History     | 15.5     | 12-23 m    | 2287   | 78         |
| MCV1    | Card or History     | 62.5     | 12-23 m    | 2287   | 78         |
| Pol1    | Card or History     | 56       | 12-23 m    | 2287   | 78         |
| Pol3    | Card or History     | 15.5     | 12-23 m    | 2287   | 78         |

Further information and estimates for previous years are available at:

<http://www.data.unicef.org/child-health/immunization>

[http://www.who.int/immunization/monitoring\\_surveillance/routine/coverage/en/index4.html](http://www.who.int/immunization/monitoring_surveillance/routine/coverage/en/index4.html)