

BACKGROUND NOTE Each year WHO and UNICEF jointly review reports submitted by Member States regarding national immunization coverage, finalized survey reports as well as data from published and grey literature. Based on these data, with due consideration to potential biases and the views of local experts, WHO and UNICEF attempt to distinguish between situations where available empirical data accurately reflect immunization system performance and those where the data are likely compromised and present a misleading view of coverage.

WHO and UNICEF estimates are country-specific; that is to say, each country's data are reviewed individually, and data are not borrowed from other countries in the absence of data. Estimates are not based on ad hoc adjustments to reported data; in some instances empirical data are available from a single source, usually the nationally reported coverage data. In cases where no data are available for a given country/vaccine/year combination, data are considered from earlier and later years and interpolated to estimate coverage for the missing year(s). In cases where data sources are mixed and show large variation, an attempt is made to identify the most likely estimate with consideration of the possible biases in available data. For methods see:

* Burton et al. 2009. Bull World Health Organ. * Burton et al. 2012. PLoS One.
* Brown et al. 2013. Open Pub Health Journal. * Danovaro-Holliday et al. 2021. Gates Open Res.

DATA SOURCES

ADMINISTRATIVE coverage: Reported by national authorities and based on aggregated administrative reports from health service providers on the number of vaccinations administered during a given period (numerator data) and reported target population data (denominator data). May be biased by inaccurate numerator and/or denominator data.

OFFICIAL coverage: Estimated coverage reported by national authorities that reflects their assessment of the most likely coverage based on any combination of administrative coverage, survey-based estimates or other data sources or adjustments. Approaches to determine OFFICIAL coverage may differ across countries.

SURVEY coverage: Based on estimated coverage from population-based household surveys among children aged 6-11, 12-23 or 24-35 months following a review of survey methods and results. Information is based on the combination of vaccination history from documented evidence or caregiver recall. Survey results are considered for the appropriate birth cohort based on data collection period.

ABBREVIATIONS AND DEFINITIONS

BCG: percentage of births who received one dose of Bacillus Calmette Guerin vaccine.

DTP1 / DTP3: percentage of surviving infants who received the 1st / 3rd dose, respectively, of diphtheria and tetanus toxoid with pertussis containing vaccine.

POL3: percentage of surviving infants who received the 3rd dose of polio containing vaccine. May be either oral or inactivated polio vaccine.

IPV1: percentage of surviving infants who received at least one dose of inactivated polio vaccine. In countries utilizing an immunization schedule recommending either (i) a primary series of three doses of oral polio vaccine (OPV) plus at least one dose of IPV where OPV is included in routine immunization and/or campaign or (ii) a sequential schedule of IPV followed by OPV, WHO and UNICEF estimates for IPV1 reflect coverage with at least one routine dose of IPV among infants < 1 year of age. For countries utilizing IPV containing vaccine only, i.e., no recommended dose of OPV, WHO and UNICEF estimate for IPV1 corresponds to coverage for the 1st dose of IPV.

Production of IPV coverage estimates, which begins in 2015, results in no change of the estimated coverage levels for the 3rd dose of polio (POL3). For countries recommending routine immunization with a primary series of three doses of IPV alone, WHO and UNICEF estimated POL3 coverage is equivalent to estimated coverage with three doses of IPV. For countries with a sequential schedule, estimated POL3 coverage is based on that for the 3rd dose of polio vaccine regardless of vaccine type.

IPV2: percentage of surviving infants who received a 2nd dose of inactivated polio vaccine. IPV2 coverage estimates produced for OPV using countries.

MCV1: percentage of surviving infants who received the 1st dose of measles containing vaccine. In countries where the national schedule recommends the 1st dose of MCV at 12 months or later based on the epidemiology of disease in the country, coverage estimates reflect the percentage of children who received the 1st dose of MCV as recommended.

MCV2: percentage of children who received the 2nd dose of measles containing vaccine according to the nationally recommended schedule.

RCV1: percentage of surviving infants who received the 1st dose of rubella containing vaccine. Coverage estimates are based on WHO and UNICEF estimates of coverage for the dose of measles containing vaccine that corresponds to the first measles-rubella combination vaccine. Nationally reported coverage of RCV is not taken into consideration in the production of the estimate.

HEPB3: percentage of births which received a dose of hepatitis B vaccine within 24 hours of delivery. Estimates of hepatitis B birth dose coverage are produced only for countries with a universal birth dose policy. Estimates are not produced for countries that recommend a birth dose to infants born to HEPB virus-infected mothers only or where there is insufficient information to determine whether vaccination is within 24 hours of birth.

HEPB3: percentage of surviving infants who received the 3rd dose of hepatitis B containing vaccine following the birth dose.

HIB3: percentage of surviving infants who received the 3rd dose of Haemophilus influenzae type b containing vaccine.

ROTAC: percentage of surviving infants who received the final recommended dose of rotavirus vaccine, which can be either the 2nd or the 3rd dose depending on the vaccine.

PCV3: percentage of surviving infants who received the 3rd dose of pneumococcal conjugate vaccine. In countries where the national schedule recommends two doses during infancy and a booster dose at 12 months or later based on the epidemiology of disease in the country, coverage estimates may reflect the percentage of surviving infants who received two doses of PCV prior to the 1st birthday if coverage for the booster dose is not reported.


YFV: percentage of surviving infants who received one dose of yellow fever vaccine in countries where YFV is part of the national immunization schedule for children or is recommended in at risk areas; coverage estimates are annualized for the entire cohort of surviving infants.

MENGA: percentage of children who received one dose of meningococcal A conjugate vaccine. MENGA coverage estimates produced for countries in the meningitis belt of sub-Saharan Africa.

Disclaimer: All reasonable precautions have been taken by the World Health Organization and United Nations Children's Fund to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization or United Nations Children's Fund be liable for damages arising from its use.

Egypt - BCG

EGY - BCG



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	98	96	96	96	86	95	96	96	97	97	97	98
Estimate GoC	•	•••	•••	••	•	••	••	••	••	•	•	•
Official	98	96	96	96	86	95	96	96	97	97	97	98
Administrative	98	96	96	96	86	95	96	96	97	97	97	98
Survey	99	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.


- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2024: Estimate informed by reported data. Reported births declined 6 percent and surviving infants declined 9 percent between 2023 and 2024. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high-quality independent assessment to verify reported levels of coverage. Estimate challenged by: D-
- 2023: Estimate informed by reported data. Estimate challenged by: D-
- 2022: Estimate informed by reported data. Reported denominator continues to decline since 2017. Decline is about an additional two percent between 2021 and 2022 for vaccines recommended in infancy. The denominator is the number of registered births in the target period according to the due date for each dose. Numerator declines are of about one percent between 2021 and 2022 but this decline is not reflected in the reported coverage. Country indicates that digitalization of vaccination reporting has improved cross notification between vaccination centres. Estimate challenged by: D-
- 2021: Estimate informed by reported data. Reported denominator continues to decline since 2017. Decline is about an additional five percent between 2020 and 2021 for vaccines recommended in infancy. The denominator is the number of registered births in the target period according to the due date for each dose. Numerator declines are of about three percent between 2020 and 2021 but this decline is not reflected in the reported coverage. Country indicates that underestimation of the numerator might be due to late cross notification between vaccination centres. GoC=R+ D+
- 2020: Estimate informed by reported data. Reported numerator and denominator continues to decline since 2017. Decline is about an additional three percent between 2019 and 2020 for vaccines recommended in infancy. Country indicates that underestimation of the numerator might be due to late cross notification between vaccination centres. The denominator is the number of registered births in the target period according to the due date for each dose. GoC=R+ D+
- 2019: Estimate informed by reported data. Reported numerator and denominator decline of about six percent between 2018 and 2019 for vaccines recommended in infancy. GoC=R+ D+
- 2018: Estimate informed by reported data. GoC=R+ D+
- 2017: Estimate informed by reported data. Programme reports 5.5 months national stockout. Estimate challenged by: D-
- 2016: Estimate informed by reported data. GoC=R+ D+
- 2015: Estimate informed by reported data. GoC=R+ S+ D+
- 2014: Estimate informed by reported data. GoC=R+ S+ D+
- 2013: Estimate informed by reported data supported by survey.Survey evidence of 99 percent based on 1 survey(s). Estimate challenged by: D-

Egypt - HEPBB



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	-	-	-	-	84	89	91	92	93	93	95	95
Estimate GoC	-	-	-	-	••	••	••	••	••	••	•	•
Official	-	-	-	-	84	89	91	92	93	93	95	95
Administrative	-	-	-	-	84	89	91	92	93	93	95	95
Survey	-	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2024: Estimate informed by reported data. Reported births declined 6 percent and surviving infants declined 9 percent between 2023 and 2024. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high-quality independent assessment to verify reported levels of coverage. Estimate challenged by: D-
- 2023: Estimate informed by reported data. Estimate challenged by: D-
- 2022: Estimate informed by reported data. Reported denominator continues to decline since 2017. Decline is about an additional two percent between 2021 and 2022 for vaccines recommended in infancy. The denominator is the number of registered births in the target period according to the due date for each dose. Numerator declines are of about one percent between 2021 and 2022 but this decline is not reflected in the reported coverage. Country indicates that digitalization of vaccination reporting has improved cross notification between vaccination centres. GoC=R+ D+
- 2021: Estimate informed by reported data. Reported denominator continues to decline since 2017. Decline is about an additional five percent between 2020 and 2021 for vaccines recommended in infancy. The denominator is the number of registered births in the target period according to the due date for each dose. Numerator declines are of about three percent between 2020 and 2021 but this decline is not reflected in the reported coverage. Country indicates that underestimation of the numerator might be due to late cross notification between vaccination centres. GoC=R+ D+
- 2020: Estimate informed by reported data. Reported numerator and denominator continues to decline since 2017. Decline is about an additional three percent between 2019 and 2020 for vaccines recommended in infancy. Country indicates that underestimation of the numerator might be due to late cross notification between vaccination centres. The denominator is the number of registered births in the target period according to the due date for each dose. GoC=R+ D+
- 2019: Estimate informed by reported data. Reported numerator and denominator decline of about six percent between 2018 and 2019 for vaccines recommended in infancy. GoC=R+ D+
- 2018: Estimate informed by reported data. GoC=R+ D+
- 2017: Estimate informed by reported data. Nationwide Hepatitis B birth dose vaccine introduced in December 2016. Reporting started in 2017. GoC=R+ D+

Egypt - DTP1

EGY - DTP1



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	97	96	95	96	95	96	96	95	97	97	98	99
Estimate GoC	•	•••	•••	••	••	••	••	••	••	••	•	•
Official	97	96	95	96	95	96	96	95	97	97	98	99
Administrative	97	96	95	95	95	96	96	95	97	97	98	99
Survey	99	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2024: Estimate informed by reported data. Reported births declined 6 percent and surviving infants declined 9 percent between 2023 and 2024. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high-quality independent assessment to verify reported levels of coverage. Estimate challenged by: D-
- 2023: Estimate informed by reported data. Estimate challenged by: D-
- 2022: Estimate informed by reported data. Reported denominator continues to decline since 2017. Decline is about an additional two percent between 2021 and 2022 for vaccines recommended in infancy. The denominator is the number of registered births in the target period according to the due date for each dose. Numerator declines are of about one percent between 2021 and 2022 but this decline is not reflected in the reported coverage. Country indicates that digitalization of vaccination reporting has improved cross notification between vaccination centres. GoC=R+ D+
- 2021: Estimate informed by reported data. Reported denominator continues to decline since 2017. Decline is about an additional five percent between 2020 and 2021 for vaccines recommended in infancy. The denominator is the number of registered births in the target period according to the due date for each dose. Numerator declines are of about three percent between 2020 and 2021 but this decline is not reflected in the reported coverage. Country indicates that underestimation of the numerator might be due to late cross notification between vaccination centres. GoC=R+ D+
- 2020: Estimate informed by reported data. Reported numerator and denominator continues to decline since 2017. Decline is about an additional three percent between 2019 and 2020 for vaccines recommended in infancy. Country indicates that underestimation of the numerator might be due to late cross notification between vaccination centres. The denominator is the number of registered births in the target period according to the due date for each dose. GoC=R+ D+
- 2019: Estimate informed by reported data. Reported numerator and denominator decline of about six percent between 2018 and 2019 for vaccines recommended in infancy. GoC=R+ D+
- 2018: Estimate informed by reported data. GoC=R+ D+
- 2017: Estimate informed by reported data. GoC=R+ D+
- 2016: Estimate informed by reported data. GoC=R+ D+
- 2015: Estimate informed by reported data. Estimate of 95 percent changed from previous revision value of 94 percent. GoC=R+ S+ D+
- 2014: Estimate informed by reported data. GoC=R+ S+ D+
- 2013: Estimate informed by reported data supported by survey. Survey evidence of 99 percent based on 1 survey(s). Estimate challenged by: D-

Egypt - DTP3

EGY - DTP3



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	97	94	93	95	94	95	95	94	96	97	96	97
Estimate GoC	•	•••	•••	••	••	••	••	••	••	••	••	•
Official	97	94	93	95	94	95	95	94	96	97	96	97
Administrative	97	94	93	94	94	95	95	94	96	97	96	97
Survey	97	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.


- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2024: Estimate informed by reported data. Reported births declined 6 percent and surviving infants declined 9 percent between 2023 and 2024. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high-quality independent assessment to verify reported levels of coverage. Estimate challenged by: D-
- 2023: Estimate informed by reported data. GoC=R+ D+
- 2022: Estimate informed by reported data. Reported denominator continues to decline since 2017. Decline is about an additional two percent between 2021 and 2022 for vaccines recommended in infancy. The denominator is the number of registered births in the target period according to the due date for each dose. Numerator declines are of about one percent between 2021 and 2022 but this decline is not reflected in the reported coverage. Country indicates that digitalization of vaccination reporting has improved cross notification between vaccination centres. GoC=R+ D+
- 2021: Estimate informed by reported data. Reported denominator continues to decline since 2017. Decline is about an additional five percent between 2020 and 2021 for vaccines recommended in infancy. The denominator is the number of registered births in the target period according to the due date for each dose. Numerator declines are of about three percent between 2020 and 2021 but this decline is not reflected in the reported coverage. Country indicates that underestimation of the numerator might be due to late cross notification between vaccination centres. GoC=R+ D+
- 2020: Estimate informed by reported data. Reported numerator and denominator continues to decline since 2017. Decline is about an additional three percent between 2019 and 2020 for vaccines recommended in infancy. Country indicates that underestimation of the numerator might be due to late cross notification between vaccination centres. The denominator is the number of registered births in the target period according to the due date for each dose. GoC=R+ D+
- 2019: Estimate informed by reported data. Reported numerator and denominator decline of about six percent between 2018 and 2019 for vaccines recommended in infancy. GoC=R+ D+
- 2018: Estimate informed by reported data. GoC=R+ D+
- 2017: Estimate informed by reported data. GoC=R+ D+
- 2016: Estimate informed by reported data. GoC=R+ D+
- 2015: Estimate informed by reported data. GoC=R+ S+ D+
- 2014: Estimate informed by reported data. GoC=R+ S+ D+
- 2013: Estimate informed by reported data supported by survey. Survey evidence of 99 percent based on 1 survey(s). Egypt Demographic and Health Survey, 2014 record or recall results of 97 percent modified for recall bias to 99 percent based on 1st dose record or recall coverage of 99 percent, 1st dose record only coverage of 58 percent and 3rd dose record only coverage of 58 percent. Estimate challenged by: D-

Egypt - HEPB3



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	97	94	93	95	94	95	95	94	96	97	96	97
Estimate GoC	•	•••	•••	••	••	••	••	••	••	••	••	•
Official	97	94	93	95	94	95	95	94	96	97	96	97
Administrative	97	94	93	94	94	95	95	94	96	97	96	97
Survey	97	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2024: Estimate informed by reported data. Reported births declined 6 percent and surviving infants declined 9 percent between 2023 and 2024. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high-quality independent assessment to verify reported levels of coverage. Estimate challenged by: D-
- 2023: Estimate informed by reported data. GoC=R+ D+
- 2022: Estimate informed by reported data. Reported denominator continues to decline since 2017. Decline is about an additional two percent between 2021 and 2022 for vaccines recommended in infancy. The denominator is the number of registered births in the target period according to the due date for each dose. Numerator declines are of about one percent between 2021 and 2022 but this decline is not reflected in the reported coverage. Country indicates that digitalization of vaccination reporting has improved cross notification between vaccination centres. GoC=R+ D+
- 2021: Estimate informed by reported data. Reported denominator continues to decline since 2017. Decline is about an additional five percent between 2020 and 2021 for vaccines recommended in infancy. The denominator is the number of registered births in the target period according to the due date for each dose. Numerator declines are of about three percent between 2020 and 2021 but this decline is not reflected in the reported coverage. Country indicates that underestimation of the numerator might be due to late cross notification between vaccination centres. GoC=R+ D+
- 2020: Estimate informed by reported data. Reported numerator and denominator continues to decline since 2017. Decline is about an additional three percent between 2019 and 2020 for vaccines recommended in infancy. Country indicates that underestimation of the numerator might be due to late cross notification between vaccination centres. The denominator is the number of registered births in the target period according to the due date for each dose. GoC=R+ D+
- 2019: Estimate informed by reported data. Reported numerator and denominator decline of about six percent between 2018 and 2019 for vaccines recommended in infancy. GoC=R+ D+
- 2018: Estimate informed by reported data. GoC=R+ D+
- 2017: Estimate informed by reported data. GoC=R+ D+
- 2016: Estimate informed by reported data. GoC=R+ D+
- 2015: Estimate informed by reported data. GoC=R+ S+ D+
- 2014: Estimate informed by reported data. GoC=R+ S+ D+
- 2013: Estimate informed by reported data supported by survey. Survey evidence of 99 percent based on 1 survey(s). Egypt Demographic and Health Survey, 2014 record or recall results of 97 percent modified for recall bias to 99 percent based on 1st dose record or recall coverage of 99 percent, 1st dose record only coverage of 58 percent and 3rd dose record only coverage of 58 percent. Estimate challenged by: D-

Egypt - HIB3

EGY - HIB3



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	-	94	93	95	94	95	95	94	96	97	96	97
Estimate GoC	-	••	••	••	••	••	••	••	••	••	••	•
Official	-	94	93	95	94	95	95	94	96	97	96	97
Administrative	-	94	93	94	94	95	95	94	96	97	96	97
Survey	-	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2024: Estimate informed by reported data. Reported births declined 6 percent and surviving infants declined 9 percent between 2023 and 2024. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high-quality independent assessment to verify reported levels of coverage. Estimate challenged by: D-
- 2023: Estimate informed by reported data. GoC=R+ D+
- 2022: Estimate informed by reported data. Reported denominator continues to decline since 2017. Decline is about an additional two percent between 2021 and 2022 for vaccines recommended in infancy. The denominator is the number of registered births in the target period according to the due date for each dose. Numerator declines are of about one percent between 2021 and 2022 but this decline is not reflected in the reported coverage. Country indicates that digitalization of vaccination reporting has improved cross notification between vaccination centres. GoC=R+ D+
- 2021: Estimate informed by reported data. Reported denominator continues to decline since 2017. Decline is about an additional five percent between 2020 and 2021 for vaccines recommended in infancy. The denominator is the number of registered births in the target period according to the due date for each dose. Numerator declines are of about three percent between 2020 and 2021 but this decline is not reflected in the reported coverage. Country indicates that underestimation of the numerator might be due to late cross notification between vaccination centres. GoC=R+ D+
- 2020: Estimate informed by reported data. Reported numerator and denominator continues to decline since 2017. Decline is about an additional three percent between 2019 and 2020 for vaccines recommended in infancy. Country indicates that underestimation of the numerator might be due to late cross notification between vaccination centres. The denominator is the number of registered births in the target period according to the due date for each dose. GoC=R+ D+
- 2019: Estimate informed by reported data. Reported numerator and denominator decline of about six percent between 2018 and 2019 for vaccines recommended in infancy. GoC=R+ D+
- 2018: Estimate informed by reported data. GoC=R+ D+
- 2017: Estimate informed by reported data. GoC=R+ D+
- 2016: Estimate informed by reported data. GoC=R+ D+
- 2015: Estimate informed by reported data. GoC=R+ D+
- 2014: Estimate informed by reported data. Hib vaccine introduced in early 2014, yet reported data reflect the same number of doses delivered for Hib as for DTP containing vaccine. GoC=R+ D+

Egypt - POL3

EGY - POL3



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	97	94	93	95	94	95	95	95	96	97	96	97
Estimate GoC	•	•••	•••	••	••	••	••	••	••	••	••	•
Official	97	94	93	95	94	95	95	95	96	97	96	97
Administrative	97	94	93	94	94	95	95	95	96	97	96	97
Survey	97	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2024: Estimate informed by reported data. Reported births declined 6 percent and surviving infants declined 9 percent between 2023 and 2024. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high-quality independent assessment to verify reported levels of coverage. Estimate challenged by: D-
- 2023: Estimate informed by reported data. GoC=R+ D+
- 2022: Estimate informed by reported data. Reported denominator continues to decline since 2017. Decline is about an additional two percent between 2021 and 2022 for vaccines recommended in infancy. The denominator is the number of registered births in the target period according to the due date for each dose. Numerator declines are of about one percent between 2021 and 2022 but this decline is not reflected in the reported coverage. Country indicates that digitalization of vaccination reporting has improved cross notification between vaccination centres. GoC=R+ D+
- 2021: Estimate informed by reported data. Reported denominator continues to decline since 2017. Decline is about an additional five percent between 2020 and 2021 for vaccines recommended in infancy. The denominator is the number of registered births in the target period according to the due date for each dose. Numerator declines are of about three percent between 2020 and 2021 but this decline is not reflected in the reported coverage. Country indicates that underestimation of the numerator might be due to late cross notification between vaccination centres. GoC=R+ D+
- 2020: Estimate informed by reported data. Reported numerator and denominator continues to decline since 2017. Decline is about an additional three percent between 2019 and 2020 for vaccines recommended in infancy. Country indicates that underestimation of the numerator might be due to late cross notification between vaccination centres. The denominator is the number of registered births in the target period according to the due date for each dose. GoC=R+ D+
- 2019: Estimate informed by reported data. Reported numerator and denominator decline of about six percent between 2018 and 2019 for vaccines recommended in infancy. GoC=R+ D+
- 2018: Estimate informed by reported data. GoC=R+ D+
- 2017: Estimate informed by reported data. GoC=R+ D+
- 2016: Estimate informed by reported data. GoC=R+ D+
- 2015: Estimate informed by reported data. GoC=R+ S+ D+
- 2014: Estimate informed by reported data. GoC=R+ S+ D+
- 2013: Estimate informed by reported data supported by survey. Survey evidence of 96 percent based on 1 survey(s). Egypt Demographic and Health Survey, 2014 record or recall results of 97 percent modified for recall bias to 96 percent based on 1st dose record or recall coverage of 98 percent, 1st dose record only coverage of 59 percent and 3rd dose record only coverage of 58 percent. Estimate challenged by: D-

Egypt - IPV1

EGY - IPV1



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	-	-	-	-	-	-	96	95	97	97	98	99
Estimate GoC	-	-	-	-	-	-	●●	●●	●	●●	●	●
Official	-	-	-	-	-	-	96	95	97	97	98	99
Administrative	-	-	-	-	-	-	96	95	97	97	98	99
Survey	-	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

2024: Estimate informed by reported data. Reported births declined 6 percent and surviving infants declined 9 percent between 2023 and 2024. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high-quality independent assessment to verify reported levels of coverage. Estimate challenged by: D-

2023: Estimate informed by reported data. Estimate challenged by: D-


2022: Estimate informed by reported data. Reported denominator continues to decline since 2017. Decline is about an additional two percent between 2021 and 2022 for vaccines recommended in infancy. The denominator is the number of registered births in the target period according to the due date for each dose. Numerator declines are of about one percent between 2021 and 2022 but this decline is not reflected in the reported coverage. Country indicates that digitalization of vaccination reporting has improved cross notification between vaccination centres. GoC=R+ D+

2021: Estimate informed by reported data. Reported denominator continues to decline since 2017. Decline is about an additional five percent between 2020 and 2021 for vaccines recommended in infancy. The denominator is the number of registered births in the target period according to the due date for each dose. Numerator declines are of about three percent between 2020 and 2021 but this decline is not reflected in the reported coverage. Country indicates that underestimation of the numerator might be due to late cross notification between vaccination centres. Estimate challenged by: D-

2020: Estimate informed by reported data. Reported numerator and denominator continues to decline since 2017. Decline is about an additional three percent between 2019 and 2020 for vaccines recommended in infancy. Country indicates that underestimation of the numerator might be due to late cross notification between vaccination centres. The denominator is the number of registered births in the target period according to the due date for each dose. GoC=R+ D+

2019: Estimate informed by reported data. Vaccine introduction in July 2018. Reporting started in 2019. Reported numerator and denominator decline of about six percent between 2018 and 2019 for vaccines recommended in infancy. GoC=R+ D+

Egypt - IPV2



Description:

2024: Estimate informed by reported data. Reported births declined 6 percent and surviving infants declined 9 percent between 2023 and 2024. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high-quality independent assessment to verify reported levels of coverage. Estimate challenged by: D-

2023: Estimate informed by reported data. Estimate challenged by: D-

2022: Estimate informed by reported data. Decline in denominator is about two percent between 2021 and 2022 for vaccines recommended in infancy. The denominator is the number of registered births in the target period according to the due date for each dose. Country indicates that digitalization of vaccination reporting has improved cross notification between vaccination centres. GoC=Assigned by working group. Consistency with other vaccines.

2021: Estimate informed by reported data. Second dose of inactivated polio vaccine introduced in 2021. The denominator is the number of registered births in the target period according to the due date for each dose. Country indicates that underestimation of the numerator might be due to late cross notification between vaccination centres. GoC=Assigned by working group. Consistency with other vaccines.

	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	-	-	-	-	-	-	-	-	97	97	97	98
Estimate GoC	-	-	-	-	-	-	-	-	●	●	●	●
Official	-	-	-	-	-	-	-	-	97	97	97	98
Administrative	-	-	-	-	-	-	-	-	97	97	97	98
Survey	-	-	-	-	-	-	-	-	-	-	-	-


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Egypt - MCV1

EGY - MCV1



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	96	93	92	95	94	94	95	94	96	96	96	97
Estimate GoC	•	•••	•••	••	••	••	••	••	••	•	••	•
Official	96	93	92	95	94	94	95	94	96	96	96	97
Administrative	96	93	92	93	94	94	95	94	96	96	96	97
Survey	97	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

2024: Estimate informed by reported data. Reported births declined 6 percent and surviving infants declined 9 percent between 2023 and 2024. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high-quality independent assessment to verify reported levels of coverage. Estimate challenged by: D-

2023: Estimate informed by reported data. GoC=R+ D+

2022: Estimate informed by reported data. Numerator declines are of about six percent between 2021 and 2022 but this decline is not reflected in the reported coverage. Country indicates that digitalization of vaccination reporting has improved cross notification between vaccination centres. Estimate challenged by: D-

2021: Estimate informed by reported data. Reported denominator continues to decline since 2017. Decline is about an additional five percent between 2020 and 2021 for vaccines recommended in infancy. The denominator is the number of registered births in the target period according to the due date for each dose. Numerator declines are of about three percent between 2020 and 2021 but this decline is not reflected in the reported coverage. Country indicates that underestimation of the numerator might be due to late cross notification between vaccination centres. GoC=R+ D+

2020: Estimate informed by reported data. Reported numerator and denominator continues to decline since 2017. Decline is about an additional three percent between 2019 and 2020 for vaccines recommended in infancy. Country indicates that underestimation of the numerator might be due to late cross notification between vaccination centres. The denominator is the number of registered births in the target period according to the due date for each dose. GoC=R+ D+

2019: Estimate informed by reported data. Reported numerator and denominator decline of about six percent between 2018 and 2019 for vaccines recommended in infancy. GoC=R+ D+

2018: Estimate informed by reported data. GoC=R+ D+

2017: Estimate informed by reported data. GoC=R+ D+

2016: Estimate informed by reported data. GoC=R+ D+


2015: Estimate informed by reported data. GoC=R+ S+ D+

2014: Estimate informed by reported data. GoC=R+ S+ D+

2013: Estimate informed by reported data supported by survey.Survey evidence of 97 percent based on 1 survey(s). Estimate challenged by: D-

Egypt - RCV1

EGY - RCV1



Description:

- 2024: Estimate based on estimated MCV1. Reported births declined 6 percent and surviving infants declined 9 percent between 2023 and 2024. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high-quality independent assessment to verify reported levels of coverage. Estimate challenged by: D-
- 2023: Estimate based on estimated MCV1. GoC=R+ D+
- 2022: Estimate based on estimated MCV1. Estimate challenged by: D-
- 2021: Estimate based on estimated MCV1. GoC=R+ D+
- 2020: Estimate based on estimated MCV1. Reported numerator and denominator continues to decline since 2017. Decline is about an additional three percent between 2019 and 2020 for vaccines recommended in infancy. Country indicates that underestimation of the numerator might be due to late cross notification between vaccination centres. The denominator is the number of registered births in the target period according to the due date for each dose. GoC=R+ D+
- 2019: Estimate based on estimated MCV1. Reported numerator and denominator decline of about six percent between 2018 and 2019 for vaccines recommended in infancy. GoC=R+ D+
- 2018: Estimate based on estimated MCV1. GoC=R+ D+
- 2017: Estimate based on estimated MCV1. GoC=R+ D+
- 2016: Estimate based on estimated MCV1. GoC=R+ D+
- 2015: Estimate based on estimated MCV1. GoC=R+ S+ D+
- 2014: Estimate based on estimated MCV1. GoC=R+ S+ D+
- 2013: Estimate based on estimated MCV1. Estimate challenged by: D-

	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	96	93	92	95	94	94	95	94	96	96	96	97
Estimate GoC	•	•••	•••	••	••	••	••	••	••	•	••	•
Official	96	93	92	95	94	-	95	94	96	96	96	97
Administrative	96	-	92	93	94	-	95	94	96	96	96	97
Survey	-	-	-	-	-	-	-	-	-	-	-	-


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Egypt - MCV2

EGY - MCV2



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	96	93	92	96	94	94	94	94	96	96	95	96
Estimate GoC	•	••	••	••	••	••	••	••	••	•	••	•
Official	96	93	92	96	94	94	94	94	96	96	95	96
Administrative	96	93	92	93	94	94	94	94	96	96	95	96
Survey	-	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

2024: Estimate informed by reported data. Reported births declined 6 percent and surviving infants declined 9 percent between 2023 and 2024. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high-quality independent assessment to verify reported levels of coverage. Estimate challenged by: D-

2023: Estimate informed by reported data. GoC=R+ D+

2022: Estimate informed by reported data. Numerator declines are of about eight percent between 2021 and 2022 but this decline is not reflected in the reported coverage. Country indicates that digitalization of vaccination reporting has improved cross notification between vaccination centres. Estimate challenged by: D-

2021: Estimate informed by reported data. Reported denominator continues to decline since 2017. Decline is about an additional five percent between 2020 and 2021 for vaccines recommended in infancy. The denominator is the number of registered births in the target period according to the due date for each dose. Numerator declines are of about three percent between 2020 and 2021 but this decline is not reflected in the reported coverage. Country indicates that underestimation of the numerator might be due to late cross notification between vaccination centres. GoC=R+ D+

2020: Estimate informed by reported data. Reported numerator and denominator continues to decline since 2017. Decline is about an additional three percent between 2019 and 2020 for vaccines recommended in infancy. Country indicates that underestimation of the numerator might be due to late cross notification between vaccination centres. The denominator is the number of registered births in the target period according to the due date for each dose. GoC=R+ D+

2019: Estimate informed by reported data. Reported numerator and denominator decline of about six percent between 2018 and 2019 for vaccines recommended in infancy. GoC=R+ D+

2018: Estimate informed by reported data. GoC=R+ D+

2017: Estimate informed by reported data. GoC=R+ D+

2016: Estimate informed by reported data. GoC=R+ D+

2015: Estimate informed by reported data. GoC=R+ D+

2014: Estimate informed by reported data. GoC=R+ D+

2013: Estimate informed by reported data. Estimate challenged by: D-

Egypt - Survey Details

NOTE A survey to measure vaccination coverage for infants (i.e., children aged 0-11 months) will sample children aged 12-23 months at the time of survey to capture the youngest annual cohort of children who should have completed the vaccination schedule. Because WUENIC are for infant vaccinations, survey data in this report are presented to reflect the birth year of the youngest survey cohort. For example, results for a survey conducted during December 2020 among children aged 12-23 months at the time of the survey reflect the immunization experience of children born in 2019. Depending on the timing of survey field work, results may reflect the immunization experience of children born and vaccinated one or two years prior to the survey field work.

The survey results below present vaccination coverage estimates by antigen, confirmation method, and child's age at the time of the survey. Coverage based on **Recall** reflects information based upon a mother's or caregiver's memory. Coverage based on **Record** reflects information drawn from documented vaccination history in home- and/or facility-based records. **Evidence seen** reflects the percentage of children in the sample with documented evidence of vaccination history seen by the survey team.

2013 Egypt Demographic and Health Survey, 2014

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Recall	41	18-29 m	1292	59
BCG	Record	58.1	18-29 m	1829	59
BCG	Record or Recall	99.1	18-29 m	3121	59
BCG	Record or Recall<18m	99.1	18-29 m	3121	59
DTP1	Recall	41.2	18-29 m	1292	59
DTP1	Record	58.2	18-29 m	1829	59
DTP1	Record or Recall	99.4	18-29 m	3121	59
DTP1	Record or Recall<18m	99.4	18-29 m	3121	59
DTP3	Recall	39.6	18-29 m	1292	59
DTP3	Record	57.5	18-29 m	1829	59
DTP3	Record or Recall	97.1	18-29 m	3121	59
DTP3	Record or Recall<18m	96.2	18-29 m	3121	59
HEPB1	Recall	41.2	18-29 m	1292	59
HEPB1	Record	58.2	18-29 m	1829	59
HEPB1	Record or Recall	99.4	18-29 m	3121	59
HEPB1	Record or Recall<18m	99.4	18-29 m	3121	59
HEPB3	Recall	39.6	18-29 m	1292	59
HEPB3	Record	57.5	18-29 m	1829	59
HEPB3	Record or Recall	97.1	18-29 m	3121	59

HEPB3	Record or Recall<18m	96.2	18-29 m	3121	59
MCV1	Recall	39.6	18-29 m	1292	59
MCV1	Record	57.5	18-29 m	1829	59
MCV1	Record or Recall	97.1	18-29 m	3121	59
MCV1	Record or Recall<18m	82	18-29 m	3121	59
POL1	Recall	39.4	18-29 m	1292	59
POL1	Record	58.6	18-29 m	1829	59
POL1	Record or Recall	98	18-29 m	3121	59
POL3	Recall	38.4	18-29 m	1292	59
POL3	Record	58.2	18-29 m	1829	59
POL3	Record or Recall	96.6	18-29 m	3121	59

2007 Egypt Demographic and Health Survey 2008

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Recall	31.2	12-23 m	2160	69
BCG	Record	67.7	12-23 m	2160	69
BCG	Record or Recall	99	12-23 m	2160	69
BCG	Record or Recall<12m	98.6	12-23 m	2160	69
DTP1	Recall	31.3	12-23 m	2160	69
DTP1	Record	68.5	12-23 m	2160	69
DTP1	Record or Recall	99.8	12-23 m	2160	69
DTP1	Record or Recall<12m	99.8	12-23 m	2160	69
DTP3	Recall	29.7	12-23 m	2160	69
DTP3	Record	68	12-23 m	2160	69
DTP3	Record or Recall	97.6	12-23 m	2160	69
DTP3	Record or Recall<12m	97.3	12-23 m	2160	69
HEPB1	Recall	31	12-23 m	2160	69
HEPB1	Record	68.3	12-23 m	2160	69
HEPB1	Record or Recall	99.3	12-23 m	2160	69
HEPB1	Record or Recall<12m	99.3	12-23 m	2160	69
HEPB3	Recall	28.7	12-23 m	2160	69
HEPB3	Record	67.4	12-23 m	2160	69
HEPB3	Record or Recall	96.1	12-23 m	2160	69
HEPB3	Record or Recall<12m	95.7	12-23 m	2160	69
MCV1	Recall	31.1	12-23 m	2160	69
MCV1	Record	67.2	12-23 m	2160	69
MCV1	Record or Recall	98.3	12-23 m	2160	69
MCV1	Record or Recall<12m	96.6	12-23 m	2160	69

Egypt - Survey Details

POL1	Recall	31.3	12-23 m	2160	69
POL1	Record	68.5	12-23 m	2160	69
POL1	Record or Recall	99.8	12-23 m	2160	69
POL1	Record or Recall<12m	99.8	12-23 m	2160	69
POL3	Recall	26.4	12-23 m	2160	69
POL3	Record	68.1	12-23 m	2160	69
POL3	Record or Recall	94.5	12-23 m	2160	69
POL3	Record or Recall<12m	94.2	12-23 m	2160	69

POL1	Record or Recall<12m	99.5	12-23 m	2680	73
POL3	Recall	25.7	12-23 m	2680	73
POL3	Record	71.4	12-23 m	2680	73
POL3	Record or Recall	97	12-23 m	2680	73
POL3	Record or Recall<12m	96.7	12-23 m	2680	73

2002 Egypt Interim Demographic and Health Survey 2003

2004 Egypt Demographic and Health Survey 2005

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Recall	26.3	12-23 m	2680	73
BCG	Record	71.7	12-23 m	2680	73
BCG	Record or Recall	98	12-23 m	2680	73
BCG	Record or Recall<12m	98	12-23 m	2680	73
DTP1	Recall	26.4	12-23 m	2680	73
DTP1	Record	72.7	12-23 m	2680	73
DTP1	Record or Recall	99.1	12-23 m	2680	73
DTP1	Record or Recall<12m	99	12-23 m	2680	73
DTP3	Recall	23.4	12-23 m	2680	73
DTP3	Record	70.2	12-23 m	2680	73
DTP3	Record or Recall	93.5	12-23 m	2680	73
DTP3	Record or Recall<12m	93.2	12-23 m	2680	73
HEPB1	Recall	24.2	12-23 m	2680	73
HEPB1	Record	67	12-23 m	2680	73
HEPB1	Record or Recall	91.2	12-23 m	2680	73
HEPB1	Record or Recall<12m	91.1	12-23 m	2680	73
HEPB3	Recall	19.8	12-23 m	2680	73
HEPB3	Record	60	12-23 m	2680	73
HEPB3	Record or Recall	79.8	12-23 m	2680	73
HEPB3	Record or Recall<12m	79.6	12-23 m	2680	73
MCV1	Recall	26.1	12-23 m	2680	73
MCV1	Record	70.5	12-23 m	2680	73
MCV1	Record or Recall	96.6	12-23 m	2680	73
MCV1	Record or Recall<12m	94.5	12-23 m	2680	73
POL1	Recall	26.5	12-23 m	2680	73
POL1	Record	73.1	12-23 m	2680	73
POL1	Record or Recall	99.6	12-23 m	2680	73

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Record or Recall	99.1	12-23 m	1192	74
DTP1	Record or Recall	99.6	12-23 m	1192	74
DTP3	Record or Recall	92.6	12-23 m	1192	74
HEPB3	Record or Recall	79	12-23 m	1192	74
MCV1	Record or Recall	95.6	12-23 m	1192	74
POL1	Record or Recall	99.7	12-23 m	1192	74
POL3	Record or Recall	93.3	12-23 m	1192	74

1999 Egypt Demographic and Health Survey 2000, 2001

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Recall	27.2	12-23 m	2170	73
BCG	Record	72.1	12-23 m	2170	73
BCG	Record or Recall	99.3	12-23 m	2170	73
DTP1	Recall	27.1	12-23 m	2170	73
DTP1	Record	72.1	12-23 m	2170	73
DTP1	Record or Recall	99.2	12-23 m	2170	73
DTP3	Recall	23.5	12-23 m	2170	73
DTP3	Record	70.5	12-23 m	2170	73
DTP3	Record or Recall	94	12-23 m	2170	73
HEPB3	Recall	23	12-23 m	2170	73
HEPB3	Record	70	12-23 m	2170	73
HEPB3	Record or Recall	93	12-23 m	2170	73
MCV1	Recall	26.4	12-23 m	2170	73
MCV1	Record	70.4	12-23 m	2170	73
MCV1	Record or Recall	96.9	12-23 m	2170	73
POL1	Recall	27.3	12-23 m	2170	73
POL1	Record	72.3	12-23 m	2170	73

POL1	Record or Recall	99.6	12-23 m	2170	73
POL3	Recall	24.4	12-23 m	2170	73
POL3	Record	70.5	12-23 m	2170	73
POL3	Record or Recall	94.9	12-23 m	2170	73

1998 Egypt Demographic and Health Survey 2000, 2001

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Record or Recall<12m	98.5	24-35 m	2209	-
DTP1	Record or Recall<12m	98.7	24-35 m	2209	-
DTP3	Record or Recall<12m	92.6	24-35 m	2209	-
HEPB3	Record or Recall<12m	91.8	24-35 m	2209	-
MCV1	Record or Recall<12m	89.3	24-35 m	2209	-
POL1	Record or Recall<12m	99.1	24-35 m	2209	-
POL3	Record or Recall<12m	93.2	24-35 m	2209	-

1997 Egypt Demographic and Health Survey 1998

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
---------	---------------------	----------	------------	--------	---------------

Further information and estimates for previous years are available at:
<https://data.unicef.org/topic/child-health/immunization/>
<https://immunizationdata.who.int/listing.html>

BCG	Record or Recall	98.1	12-23 m	837	65
DTP1	Record or Recall	98.4	12-23 m	837	65
DTP3	Record or Recall	87.5	12-23 m	837	65
HEPB1	Record or Recall	94	12-23 m	837	65
HEPB3	Record or Recall	81.4	12-23 m	837	65
MCV1	Record or Recall	93.1	12-23 m	837	65
POL1	Record or Recall	99.5	12-23 m	837	65
POL3	Record or Recall	89.6	12-23 m	837	65

1997 Egypt Demographic and Health Survey 2000, 2001

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Record or Recall<12m	98	36-47 m	2126	-
DTP1	Record or Recall<12m	97.6	36-47 m	2126	-
DTP3	Record or Recall<12m	90.4	36-47 m	2126	-
HEPB3	Record or Recall<12m	89.3	36-47 m	2126	-
MCV1	Record or Recall<12m	84.4	36-47 m	2126	-
POL1	Record or Recall<12m	98.1	36-47 m	2126	-
POL3	Record or Recall<12m	91	36-47 m	2126	-