

BACKGROUND NOTE Each year WHO and UNICEF jointly review reports submitted by Member States regarding national immunization coverage, finalized survey reports as well as data from published and grey literature. Based on these data, with due consideration to potential biases and the views of local experts, WHO and UNICEF attempt to distinguish between situations where available empirical data accurately reflect immunization system performance and those where the data are likely compromised and present a misleading view of coverage.

WHO and UNICEF estimates are country-specific; that is to say, each country's data are reviewed individually, and data are not borrowed from other countries in the absence of data. Estimates are not based on ad hoc adjustments to reported data; in some instances empirical data are available from a single source, usually the nationally reported coverage data. In cases where no data are available for a given country/vaccine/year combination, data are considered from earlier and later years and interpolated to estimate coverage for the missing year(s). In cases where data sources are mixed and show large variation, an attempt is made to identify the most likely estimate with consideration of the possible biases in available data. For methods see:

* Burton et al. 2009. Bull World Health Organ. * Burton et al. 2012. PLoS One.
* Brown et al. 2013. Open Pub Health Journal. * Danovaro-Holliday et al. 2021. Gates Open Res.

DATA SOURCES

ADMINISTRATIVE coverage: Reported by national authorities and based on aggregated administrative reports from health service providers on the number of vaccinations administered during a given period (numerator data) and reported target population data (denominator data). May be biased by inaccurate numerator and/or denominator data.

OFFICIAL coverage: Estimated coverage reported by national authorities that reflects their assessment of the most likely coverage based on any combination of administrative coverage, survey-based estimates or other data sources or adjustments. Approaches to determine OFFICIAL coverage may differ across countries.

SURVEY coverage: Based on estimated coverage from population-based household surveys among children aged 6-11, 12-23 or 24-35 months following a review of survey methods and results. Information is based on the combination of vaccination history from documented evidence or caregiver recall. Survey results are considered for the appropriate birth cohort based on data collection period.

ABBREVIATIONS AND DEFINITIONS

BCG: percentage of births who received one dose of Bacillus Calmette Guerin vaccine.

DTP1 / DTP3: percentage of surviving infants who received the 1st / 3rd dose, respectively, of diphtheria and tetanus toxoid with pertussis containing vaccine.

POL3: percentage of surviving infants who received the 3rd dose of polio containing vaccine. May be either oral or inactivated polio vaccine.

IPV1: percentage of surviving infants who received at least one dose of inactivated polio vaccine. In countries utilizing an immunization schedule recommending either (i) a primary series of three doses of oral polio vaccine (OPV) plus at least one dose of IPV where OPV is included in routine immunization and/or campaign or (ii) a sequential schedule of IPV followed by OPV, WHO and UNICEF estimates for IPV1 reflect coverage with at least one routine dose of IPV among infants < 1 year of age. For countries utilizing IPV containing vaccine only, i.e., no recommended dose of OPV, WHO and UNICEF estimate for IPV1 corresponds to coverage for the 1st dose of IPV.

Production of IPV coverage estimates, which begins in 2015, results in no change of the estimated coverage levels for the 3rd dose of polio (POL3). For countries recommending routine immunization with a primary series of three doses of IPV alone, WHO and UNICEF estimated POL3 coverage is equivalent to estimated coverage with three doses of IPV. For countries with a sequential schedule, estimated POL3 coverage is based on that for the 3rd dose of polio vaccine regardless of vaccine type.

IPV2: percentage of surviving infants who received a 2nd dose of inactivated polio vaccine. IPV2 coverage estimates produced for OPV using countries.

MCV1: percentage of surviving infants who received the 1st dose of measles containing vaccine. In countries where the national schedule recommends the 1st dose of MCV at 12 months or later based on the epidemiology of disease in the country, coverage estimates reflect the percentage of children who received the 1st dose of MCV as recommended.

MCV2: percentage of children who received the 2nd dose of measles containing vaccine according to the nationally recommended schedule.

RCV1: percentage of surviving infants who received the 1st dose of rubella containing vaccine. Coverage estimates are based on WHO and UNICEF estimates of coverage for the dose of measles containing vaccine that corresponds to the first measles-rubella combination vaccine. Nationally reported coverage of RCV is not taken into consideration in the production of the estimate.

HEPB3: percentage of births which received a dose of hepatitis B vaccine within 24 hours of delivery. Estimates of hepatitis B birth dose coverage are produced only for countries with a universal birth dose policy. Estimates are not produced for countries that recommend a birth dose to infants born to HEPB virus-infected mothers only or where there is insufficient information to determine whether vaccination is within 24 hours of birth.

HEPB3: percentage of surviving infants who received the 3rd dose of hepatitis B containing vaccine following the birth dose.

HIB3: percentage of surviving infants who received the 3rd dose of Haemophilus influenzae type b containing vaccine.


ROTAC: percentage of surviving infants who received the final recommended dose of rotavirus vaccine, which can be either the 2nd or the 3rd dose depending on the vaccine.

PCV3: percentage of surviving infants who received the 3rd dose of pneumococcal conjugate vaccine. In countries where the national schedule recommends two doses during infancy and a booster dose at 12 months or later based on the epidemiology of disease in the country, coverage estimates may reflect the percentage of surviving infants who received two doses of PCV prior to the 1st birthday if coverage for the booster dose is not reported.

YFV: percentage of surviving infants who received one dose of yellow fever vaccine in countries where YFV is part of the national immunization schedule for children or is recommended in at risk areas; coverage estimates are annualized for the entire cohort of surviving infants.

MENGA: percentage of children who received one dose of meningococcal A conjugate vaccine. MENGA coverage estimates produced for countries in the meningitis belt of sub-Saharan Africa.

Disclaimer: All reasonable precautions have been taken by the World Health Organization and United Nations Children's Fund to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization or United Nations Children's Fund be liable for damages arising from its use.



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	99	90	91	93	94	96	97	96	95	95	94	93
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	•
Official	99	99	99	99	100	76	97	97	-	98	38	93
Administrative	99	89	90	92	93	76	97	97	51	40	38	38
Survey	-	-	-	-	-	96	97	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2024: Estimate of 93 percent assigned by working group. Official estimate based on the 2024 National Immunization Coverage Survey results. Reported data excluded due to sudden change in coverage from 38 to 93 percent. WHO and UNICEF recommend a comprehensive review of reporting system and resultant coverage data. WHO and UNICEF are aware of the 2024 National Immunization Coverage Survey and await final report. Estimate challenged by: D-R-
- 2023: Reported data calibrated to 2019 and 2024 levels. Reported data excluded. Consistency across antigens. Estimate of 94 percent changed from previous revision value of 99 percent. Estimate challenged by: D-R-
- 2022: Reported data calibrated to 2019 and 2024 levels. Reported data excluded. Consistency across antigens. Inconsistent adjustments from reported administrative coverage from 2012. Estimate of 95 percent changed from previous revision value of 99 percent. Estimate challenged by: D-R-
- 2021: Reported data calibrated to 2019 and 2024 levels. Reported data excluded. Consistency across antigens. Inconsistent adjustments from reported administrative coverage from 2012. Estimate of 95 percent changed from previous revision value of 99 percent. GoC=Assigned by working group. No reported data.
- 2020: Reported data calibrated to 2019 and 2024 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate of 96 percent changed from previous revision value of 99 percent. Estimate challenged by: D-R-
- 2019: Estimate informed by estimated survey coverage. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: D-
- 2018: Estimate of 96 percent assigned by working group. Estimate informed by estimated survey coverage. Reported data excluded due to decline in reported coverage from 93 percent to 76 percent with increase to 97 percent. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: D-R-
- 2017: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2016: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2015: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2014: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2013: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-

Fiji - HEPBB

FJI - HEPBB



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	99	99	99	99	99	96	97	99	99	99	97	94
Estimate GoC	●	●	●	●	●	●	●●	●	●	●	●	●
Official	99	99	99	95	100	77	-	97	-	98	39	94
Administrative	99	89	90	100	93	77	-	97	52	40	39	39
Survey	-	-	-	-	-	96	97	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2024: Estimate of 94 percent assigned by working group. Official estimate based on the 2024 National Immunization Coverage Survey results. Reported data excluded due to sudden change in coverage from 39 to 94 percent. WHO and UNICEF recommend a comprehensive review of reporting system and resultant coverage data. WHO and UNICEF are aware of the 2024 National Immunization Coverage Survey and await final report. Estimate challenged by: D-R-
- 2023: Reported data calibrated to 2019 and 2024 levels. Reported data excluded. Consistency across antigens. Estimate of 97 percent changed from previous revision value of 98 percent. Estimate challenged by: D-R-
- 2022: Reported data calibrated to 2019 and 2024 levels. Reported data excluded. Consistency across antigens. Inconsistent adjustments from reported administrative coverage from 2012. Estimate of 99 percent changed from previous revision value of 98 percent. Estimate challenged by: D-R-
- 2021: Reported data calibrated to 2019 and 2024 levels. Reported data excluded. Consistency across antigens. Inconsistent adjustments from reported administrative coverage from 2012. GoC=Assigned by working group. No reported data.
- 2020: Reported data calibrated to 2019 and 2024 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: D-R-
- 2019: Estimate of 97 percent assigned by working group. Estimate informed by estimated survey coverage. Inconsistent adjustments from reported administrative coverage from 2012. GoC=S+
- 2018: Estimate of 96 percent assigned by working group. Estimate informed by estimated survey coverage. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: D-R-
- 2017: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-S-
- 2016: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: D-R-S-
- 2015: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2014: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2013: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-

Fiji - DTP1

FJI - DTP1



Description:

- 2024: Official estimate based on the 2024 National Immunization Coverage Survey results. WHO and UNICEF recommend a comprehensive review of reporting system and resultant coverage data. WHO and UNICEF are aware of the 2024 National Immunization Coverage Survey and await final report. GoC=R+ D+
- 2023: Reported data calibrated to 2019 and 2024 levels. Estimate challenged by: R-
- 2022: Reported data calibrated to 2019 and 2024 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate of 97 percent changed from previous revision value of 99 percent. Estimate challenged by: R-
- 2021: Reported data calibrated to 2019 and 2024 levels. Inconsistent adjustments from reported administrative coverage from 2012. GoC=Assigned by working group. No reported data.
- 2020: Reported data calibrated to 2019 and 2024 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: D-R-
- 2019: Estimate of 97 percent assigned by working group. Estimate informed by estimated survey coverage. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2018: Estimate of 95 percent assigned by working group. Estimate informed by estimated survey coverage. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2017: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2016: Estimate informed by estimated DTP3 coverage adjusted for dropout. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2015: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2014: Estimate informed by estimated DTP3 coverage adjusted for dropout. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2013: Estimate informed by estimated DTP3 coverage adjusted for dropout. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-

	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	99	99	99	98	92	95	97	99	99	97	99	95
Estimate GoC	●	●	●	●	●	●	●	●	●	●	●	●●
Official	99	99	98	95	99	89	92	96	-	86	98	95
Administrative	92	91	94	87	85	89	92	96	-	95	98	98
Survey	-	-	-	-	-	95	97	-	-	-	-	-


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Fiji - DTP3

FJI - DTP3



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	99	99	99	95	91	94	97	97	98	96	97	94
Estimate GoC	●	●	●	●	●	●	●	●	●	●	●	●●
Official	98	98	96	93	98	85	91	93	-	85	95	94
Administrative	91	92	91	86	82	85	91	93	-	94	95	95
Survey	-	-	-	-	-	91	95	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2024: Official estimate based on the 2024 National Immunization Coverage Survey results. WHO and UNICEF recommend a comprehensive review of reporting system and resultant coverage data. WHO and UNICEF are aware of the 2024 National Immunization Coverage Survey and await final report. GoC=R+ D+
- 2023: Reported data calibrated to 2019 and 2024 levels. Estimate of 97 percent changed from previous revision value of 99 percent. Estimate challenged by: R-
- 2022: Reported data calibrated to 2019 and 2024 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate of 96 percent changed from previous revision value of 99 percent. Estimate challenged by: R-
- 2021: Reported data calibrated to 2019 and 2024 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate of 98 percent changed from previous revision value of 99 percent. GoC=Assigned by working group. No reported data.
- 2020: Reported data calibrated to 2019 and 2024 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate of 97 percent changed from previous revision value of 99 percent. Estimate challenged by: D-R-
- 2019: Estimate of 97 percent assigned by working group. Estimate informed by estimated survey coverage. Fiji Multiple Indicator Cluster Survey 2021 record or recall results of 95 percent modified for recall bias to 97 percent based on 1st dose record or recall coverage of 97 percent, 1st dose record only coverage of 94 percent and 3rd dose record only coverage of 94 percent. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2018: Estimate of 94 percent assigned by working group. Estimate informed by estimated survey coverage. Fiji Multiple Indicator Cluster Survey 2021 record or recall results of 91 percent modified for recall bias to 94 percent based on 1st dose record or recall coverage of 95 percent, 1st dose record only coverage of 90 percent and 3rd dose record only coverage of 89 percent. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2017: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2016: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2015: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2014: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2013: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-

Fiji - HEPB3

FJI - HEPB3



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	99	99	99	95	91	94	97	99	98	98	97	93
Estimate GoC	•	•	•	•	••	•	••	•	•	•	•	••
Official	98	98	94	93	98	85	-	93	-	84	95	93
Administrative	91	92	91	86	-	85	-	93	-	94	95	95
Survey	-	-	-	-	-	91	95	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2024: Official estimate based on the 2024 National Immunization Coverage Survey results. WHO and UNICEF recommend a comprehensive review of reporting system and resultant coverage data. WHO and UNICEF are aware of the 2024 National Immunization Coverage Survey and await final report. GoC=R+ D+
- 2023: Reported data calibrated to 2019 and 2024 levels. Estimate of 97 percent changed from previous revision value of 99 percent. Estimate challenged by: R-
- 2022: Reported data calibrated to 2019 and 2024 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate of 98 percent changed from previous revision value of 99 percent. Estimate challenged by: R-
- 2021: Reported data calibrated to 2019 and 2024 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate of 98 percent changed from previous revision value of 99 percent. GoC=Assigned by working group. No reported data.
- 2020: Reported data calibrated to 2019 and 2024 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: D-R-
- 2019: Estimate of 97 percent assigned by working group. Estimate informed by estimated survey coverage. Fiji Multiple Indicator Cluster Survey 2021 record or recall results of 95 percent modified for recall bias to 97 percent based on 1st dose record or recall coverage of 97 percent, 1st dose record only coverage of 94 percent and 3rd dose record only coverage of 94 percent. Inconsistent adjustments from reported administrative coverage from 2012. GoC=S+
- 2018: Estimate of 94 percent assigned by working group. Estimate informed by estimated survey coverage. Fiji Multiple Indicator Cluster Survey 2021 record or recall results of 91 percent modified for recall bias to 94 percent based on 1st dose record or recall coverage of 95 percent, 1st dose record only coverage of 90 percent and 3rd dose record only coverage of 89 percent. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2017: Estimate informed by estimate for DTP3. Inconsistent adjustments from reported administrative coverage from 2012. GoC=S+
- 2016: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2015: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2014: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2013: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-

Fiji - HIB3

FJI - HIB3



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	99	99	99	95	91	94	97	99	99	97	97	94
Estimate GoC	•	•	•	•	•	•	••	•	•	•	•	••
Official	98	98	94	93	98	85	-	93	-	85	95	94
Administrative	91	92	91	86	82	85	-	93	-	94	95	95
Survey	-	-	-	-	-	91	95	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.


- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2024: Official estimate based on the 2024 National Immunization Coverage Survey results. WHO and UNICEF recommend a comprehensive review of reporting system and resultant coverage data. WHO and UNICEF are aware of the 2024 National Immunization Coverage Survey and await final report. GoC=R+ D+
- 2023: Reported data calibrated to 2019 and 2024 levels. Estimate of 97 percent changed from previous revision value of 99 percent. Estimate challenged by: R-
- 2022: Reported data calibrated to 2019 and 2024 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate of 97 percent changed from previous revision value of 99 percent. Estimate challenged by: R-
- 2021: Reported data calibrated to 2019 and 2024 levels. Inconsistent adjustments from reported administrative coverage from 2012. GoC=Assigned by working group. No reported data.
- 2020: Reported data calibrated to 2019 and 2024 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: D-R-
- 2019: Estimate of 97 percent assigned by working group. Estimate informed by estimated survey coverage. Fiji Multiple Indicator Cluster Survey 2021 record or recall results of 95 percent modified for recall bias to 97 percent based on 1st dose record or recall coverage of 97 percent, 1st dose record only coverage of 94 percent and 3rd dose record only coverage of 94 percent. Inconsistent adjustments from reported administrative coverage from 2012. GoC=S+
- 2018: Estimate of 94 percent assigned by working group. Estimate informed by estimated survey coverage. Fiji Multiple Indicator Cluster Survey 2021 record or recall results of 91 percent modified for recall bias to 94 percent based on 1st dose record or recall coverage of 95 percent, 1st dose record only coverage of 90 percent and 3rd dose record only coverage of 89 percent. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2017: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2016: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2015: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2014: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2013: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-

Fiji - ROTAC



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	85	99	99	91	87	92	96	96	97	97	96	94
Estimate GoC	●	●	●	●	●	●	●	●	●	●	●	●●
Official	85	91	94	93	-	86	91	92	-	85	95	94
Administrative	87	91	94	85	82	86	91	92	-	95	95	95
Survey	-	-	-	-	-	92	96	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2024: Official estimate based on the 2024 National Immunization Coverage Survey results. WHO and UNICEF recommend a comprehensive review of reporting system and resultant coverage data. WHO and UNICEF are aware of the 2024 National Immunization Coverage Survey and await final report. GoC=R+ D+
- 2023: Reported data calibrated to 2019 and 2024 levels. Estimate of 96 percent changed from previous revision value of 99 percent. Estimate challenged by: R-
- 2022: Reported data calibrated to 2019 and 2024 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate of 97 percent changed from previous revision value of 99 percent. Estimate challenged by: R-
- 2021: Reported data calibrated to 2019 and 2024 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate of 97 percent changed from previous revision value of 99 percent. GoC=Assigned by working group. No reported data.
- 2020: Reported data calibrated to 2019 and 2024 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate of 96 percent changed from previous revision value of 97 percent. Estimate challenged by: D-R-
- 2019: Estimate of 96 percent assigned by working group. Estimate informed by estimated survey coverage. Fiji Multiple Indicator Cluster Survey 2021 record or recall results of 96 percent modified for recall bias to 97 percent based on 1st dose record or recall coverage of 97 percent, 1st dose record only coverage of 94 percent and 3rd dose record only coverage of 94 percent. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2018: Estimate of 92 percent assigned by working group. Estimate informed by estimated survey coverage. Fiji Multiple Indicator Cluster Survey 2021 record or recall results of 92 percent modified for recall bias to 95 percent based on 1st dose record or recall coverage of 95 percent, 1st dose record only coverage of 90 percent and 3rd dose record only coverage of 90 percent. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2017: Reported data calibrated to 2015 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2016: Reported data calibrated to 2015 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2015: Estimate of 99 percent assigned by working group. Estimate follows coverage for third dose DTP containing vaccine. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2014: Estimate follows coverage for third dose DTP containing vaccine. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2013: Rotavirus vaccine introduced in October 2012. Reporting started in 2013. Estimated based on official government estimate. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-

Fiji - PCV3

FJI - PCV3



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	87	99	99	93	90	94	96	97	97	96	96	92
Estimate GoC	●	●	●	●	●	●	●	●	●	●	●	●●
Official	87	92	94	93	-	86	91	93	-	85	95	92
Administrative	91	92	91	85	82	86	91	93	-	94	95	95
Survey	-	-	-	-	-	92	95	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2024: Official estimate based on the 2024 National Immunization Coverage Survey results. WHO and UNICEF recommend a comprehensive review of reporting system and resultant coverage data. WHO and UNICEF are aware of the 2024 National Immunization Coverage Survey and await final report. GoC=R+ D+
- 2023: Reported data calibrated to 2019 and 2024 levels. Estimate of 96 percent changed from previous revision value of 99 percent. Estimate challenged by: R-
- 2022: Reported data calibrated to 2019 and 2024 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate of 96 percent changed from previous revision value of 99 percent. Estimate challenged by: R-
- 2021: Reported data calibrated to 2019 and 2024 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate of 97 percent changed from previous revision value of 99 percent. GoC=Assigned by working group. No reported data.
- 2020: Reported data calibrated to 2019 and 2024 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate of 97 percent changed from previous revision value of 98 percent. Estimate challenged by: D-R-
- 2019: Estimate of 96 percent assigned by working group. Estimate informed by estimated survey coverage. Fiji Multiple Indicator Cluster Survey 2021 record or recall results of 95 percent modified for recall bias to 96 percent based on 1st dose record or recall coverage of 96 percent, 1st dose record only coverage of 94 percent and 3rd dose record only coverage of 94 percent. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2018: Estimate of 94 percent assigned by working group. Estimate informed by estimated survey coverage. Fiji Multiple Indicator Cluster Survey 2021 record or recall results of 92 percent modified for recall bias to 94 percent based on 1st dose record or recall coverage of 95 percent, 1st dose record only coverage of 90 percent and 3rd dose record only coverage of 89 percent. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2017: Reported data calibrated to 2015 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2016: Reported data calibrated to 2015 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2015: Estimate of 99 percent assigned by working group. Estimate follows coverage for third dose DTP containing vaccine. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2014: Estimate follows coverage for third dose DTP containing vaccine. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2013: Pneumococcal conjugate vaccine introduced in October 2012. Reporting started in 2013. Estimated based on official government estimate. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-

Fiji - POL3

FJI - POL3



Description:

- 2024: Official estimate based on the 2024 National Immunization Coverage Survey results. WHO and UNICEF recommend a comprehensive review of reporting system and resultant coverage data. WHO and UNICEF are aware of the 2024 National Immunization Coverage Survey and await final report. GoC=R+ D+
- 2023: Reported data calibrated to 2019 and 2024 levels. Estimate of 97 percent changed from previous revision value of 99 percent. Estimate challenged by: R-
- 2022: Reported data calibrated to 2019 and 2024 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate of 97 percent changed from previous revision value of 99 percent. Estimate challenged by: R-
- 2021: Reported data calibrated to 2019 and 2024 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate of 97 percent changed from previous revision value of 99 percent. GoC=Assigned by working group. No reported data.
- 2020: Reported data calibrated to 2019 and 2024 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate of 98 percent changed from previous revision value of 99 percent. Estimate challenged by: D-R-
- 2019: Estimate of 97 percent assigned by working group. Estimate informed by estimated survey coverage for DTP3. Inconsistent adjustments from reported administrative coverage from 2012. GoC=No accepted empirical data
- 2018: Estimate of 94 percent assigned by working group. Estimate informed by estimated survey coverage for DTP3. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2017: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2016: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2015: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2014: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2013: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-

	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	99	99	99	89	91	94	97	98	97	97	97	93
Estimate GoC	●	●	●	●	●	●	●	●	●	●	●	●●
Official	98	98	94	93	98	86	-	92	-	84	95	93
Administrative	91	92	91	81	83	86	-	92	-	93	95	95
Survey	-	-	-	-	-	-	-	-	-	-	-	-


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Fiji - IPV1

FJI - IPV1



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	-	-	-	95	91	94	97	99	99	99	99	94
Estimate GoC	-	-	-	●	●	●	●	●	●	●	●	●●
Official	-	-	-	93	-	86	-	93	-	84	96	94
Administrative	-	-	-	86	82	86	91	93	-	93	96	96
Survey	-	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2024: Official estimate based on the 2024 National Immunization Coverage Survey results. WHO and UNICEF recommend a comprehensive review of reporting system and resultant coverage data. WHO and UNICEF are aware of the 2024 National Immunization Coverage Survey and await final report. GoC=R+ D+
- 2023: Estimate based on previous year estimate. Estimate challenged by: R-
- 2022: Estimate informed by estimated DTP3 coverage. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2021: Estimate informed by estimated DTP3 coverage. Inconsistent adjustments from reported administrative coverage from 2012. GoC=Assigned by working group. No reported data.
- 2020: Estimate informed by estimated DTP3 coverage. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2019: Estimate informed by estimated DTP3 coverage. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2018: Estimate follows coverage for DTP3. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2017: Estimate follows coverage for third dose DTP containing vaccine. Programme reports 1 week vaccine stockout. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2016: Inactivated polio vaccine introduced in December 2015. Estimate informed by estimated DTP3 coverage. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-

Fiji - MCV1

FJI - MCV1



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	94	99	98	97	99	95	94	92	98	99	98	91
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	••
Official	96	91	95	95	96	81	83	82	-	85	95	91
Administrative	80	86	85	84	88	81	83	82	-	100	95	95
Survey	-	-	-	-	-	95	90	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2024: Official estimate based on the 2024 National Immunization Coverage Survey results. WHO and UNICEF recommend a comprehensive review of reporting system and resultant coverage data. WHO and UNICEF are aware of the 2024 National Immunization Coverage Survey and await final report. GoC=R+ D+
- 2023: Reported data calibrated to 2018 and 2024 levels. Estimate of 98 percent changed from previous revision value of 99 percent. Estimate challenged by: R-
- 2022: Reported data calibrated to 2018 and 2024 levels. Programme reports two months vaccine stockout at the national level. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2021: Reported data calibrated to 2018 and 2024 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate of 98 percent changed from previous revision value of 99 percent. GoC=Assigned by working group. No reported data.
- 2020: Reported data calibrated to 2018 and 2024 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate of 92 percent changed from previous revision value of 96 percent. Estimate challenged by: R-
- 2019: Reported data calibrated to 2018 and 2024 levels. Fiji Multiple Indicator Cluster Survey 2021 results ignored by working group. Survey results may underestimate coverage based on recommended age of administration at 12 months. Inconsistent adjustments from reported administrative coverage from 2012. Estimate of 94 percent changed from previous revision value of 96 percent. Estimate challenged by: R-
- 2018: Survey evidence does not support reported data. Estimate based on survey result. Survey evidence of 95 percent based on 1 survey(s). Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2017: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2016: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2015: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate of 98 percent changed from previous revision value of 97 percent. Estimate challenged by: R-
- 2014: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: D-R-
- 2013: Reported data calibrated to 2011 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: D-R-

Fiji - RCV1

FJI - RCV1



Description:

- 2024: Estimate based on estimated MCV1. WHO and UNICEF recommend a comprehensive review of reporting system and resultant coverage data. WHO and UNICEF are aware of the 2024 National Immunization Coverage Survey and await final report. GoC=R+D+
- 2023: Estimate based on estimated MCV1. Estimate of 98 percent changed from previous revision value of 99 percent. Estimate challenged by: R-
- 2022: Estimate based on estimated MCV1. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2021: Estimate based on estimated MCV1. Inconsistent adjustments from reported administrative coverage from 2012. Estimate of 98 percent changed from previous revision value of 99 percent. GoC=Assigned by working group. No reported data.
- 2020: Estimate based on estimated MCV1. Inconsistent adjustments from reported administrative coverage from 2012. Estimate of 92 percent changed from previous revision value of 96 percent. Estimate challenged by: R-
- 2019: Estimate based on estimated MCV1. Fiji Multiple Indicator Cluster Survey 2021 results ignored by working group. Survey results may underestimate coverage based on recommended age of administration at 12 months. Inconsistent adjustments from reported administrative coverage from 2012. Estimate of 94 percent changed from previous revision value of 96 percent. Estimate challenged by: R-
- 2018: Estimate based on estimated MCV1. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2017: Estimate based on estimated MCV1. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2016: Estimate based on estimated MCV1. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2015: Estimate based on estimated MCV1. Inconsistent adjustments from reported administrative coverage from 2012. Estimate of 98 percent changed from previous revision value of 97 percent. Estimate challenged by: R-
- 2014: Estimate based on estimated MCV1. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: D-R-
- 2013: Estimate based on estimated MCV1. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: D-R-

	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	94	99	98	97	99	95	94	92	98	99	98	91
Estimate GoC	●	●	●	●	●	●	●	●	●	●	●	●●
Official	96	91	95	95	-	81	-	82	-	85	95	91
Administrative	80	86	85	84	88	81	83	82	-	100	95	95
Survey	-	-	-	-	-	95	90	-	-	-	-	-


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Fiji - MCV2

FJI - MCV2



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	92	86	94	83	86	89	72	71	78	84	83	75
Estimate GoC	●	●	●	●	●	●	●	●	●	●	●	●
Official	98	92	100	95	-	95	-	71	-	76	83	75
Administrative	98	92	100	89	105	95	72	71	-	84	83	83
Survey	-	-	-	-	-	-	80	46	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2024: Official estimate based on the 2024 National Immunization Coverage Survey results. WHO and UNICEF recommend a comprehensive review of reporting system and resultant coverage data. WHO and UNICEF are aware of the 2024 National Immunization Coverage Survey and await final report. Estimate challenged by: D-
- 2023: Estimate informed by reported data. GoC=R+ D+
- 2022: Estimate informed by reported administrative data. Programme reports two months vaccine stockout at the national level. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: D-
- 2021: Estimate informed by interpolation between reported data. Inconsistent adjustments from reported administrative coverage from 2012. GoC=Assigned by working group. No reported data.
- 2020: Estimate informed by reported administrative data. Fiji Multiple Indicator Cluster Survey 2021 results ignored by working group. Survey results inconsistent with other antigens. Unexplained decline in reported coverage from 2019. Estimated coverage likely an overestimate. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: D-
- 2019: Estimate informed by reported administrative data supported by survey. Survey evidence of 80 percent based on 1 survey(s). Unexplained decline in reported coverage from 2019. Estimated coverage likely an overestimate. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: D-
- 2018: Estimate of 89 percent assigned by working group. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2017: Reported data calibrated to 2007 and 2018 levels. Reported data excluded because 105 percent greater than 100 percent. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: D-R-
- 2016: Reported data calibrated to 2007 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2015: Reported data calibrated to 2007 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2014: Reported data calibrated to 2007 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-
- 2013: Reported data calibrated to 2007 and 2018 levels. Inconsistent adjustments from reported administrative coverage from 2012. Estimate challenged by: R-

Fiji - Survey Details

NOTE A survey to measure vaccination coverage for infants (i.e., children aged 0-11 months) will sample children aged 12-23 months at the time of survey to capture the youngest annual cohort of children who should have completed the vaccination schedule. Because WUENIC are for infant vaccinations, survey data in this report are presented to reflect the birth year of the youngest survey cohort. For example, results for a survey conducted during December 2020 among children aged 12-23 months at the time of the survey reflect the immunization experience of children born in 2019. Depending on the timing of survey field work, results may reflect the immunization experience of children born and vaccinated one or two years prior to the survey field work.

The survey results below present vaccination coverage estimates by antigen, confirmation method, and child's age at the time of the survey. Coverage based on **Recall** reflects information based upon a mother's or caregiver's memory. Coverage based on **Record** reflects information drawn from documented vaccination history in home- and/or facility-based records. **Evidence seen** reflects the percentage of children in the sample with documented evidence of vaccination history seen by the survey team.

2020 Fiji Multiple Indicator Cluster Survey 2021

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
MCV2	Recall	1.8	12-23 m	407	93
MCV2	Record	44.2	12-23 m	407	93
MCV2	Record or Recall	46.1	12-23 m	407	93
MCV2	Record or Recall<12m	1.1	12-23 m	407	93

2019 Fiji Multiple Indicator Cluster Survey 2021

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Recall	2.9	12-23 m	407	93
BCG	Record	94.2	12-23 m	407	93
BCG	Record or Recall	97	12-23 m	407	93
BCG	Record or Recall<12m	96.8	12-23 m	407	93
DTP1	Recall	2.6	12-23 m	407	93
DTP1	Record	94	12-23 m	407	93
DTP1	Record or Recall	96.7	12-23 m	407	93
DTP1	Record or Recall<12m	96	12-23 m	407	93
DTP3	Recall	1.9	12-23 m	407	93
DTP3	Record	93.6	12-23 m	407	93

DTP3	Record or Recall	95.4	12-23 m	407	93
DTP3	Record or Recall<12m	94.1	12-23 m	407	93
HEPB1	Recall	2.6	12-23 m	407	93
HEPB1	Record	94	12-23 m	407	93
HEPB1	Record or Recall	96.7	12-23 m	407	93
HEPB1	Record or Recall<12m	96	12-23 m	407	93
HEPB3	Recall	1.9	12-23 m	407	93
HEPB3	Record	93.6	12-23 m	407	93
HEPB3	Record or Recall	95.4	12-23 m	407	93
HEPB3	Record or Recall<12m	94.1	12-23 m	407	93
HEPBB	Recall	2.9	12-23 m	407	93
HEPBB	Record	94.2	12-23 m	407	93
HEPBB	Record or Recall	97	12-23 m	407	93
HEPBB	Record or Recall<12m	96.8	12-23 m	407	93
HIB1	Recall	2.6	12-23 m	407	93
HIB1	Record	94	12-23 m	407	93
HIB1	Record or Recall	96.7	12-23 m	407	93
HIB1	Record or Recall<12m	96	12-23 m	407	93
HIB3	Recall	1.9	12-23 m	407	93
HIB3	Record	93.6	12-23 m	407	93
HIB3	Record or Recall	95.4	12-23 m	407	93
HIB3	Record or Recall<12m	94.1	12-23 m	407	93
MCV1	Recall	2.9	12-23 m	407	93
MCV1	Record	87	12-23 m	407	93
MCV1	Record or Recall	89.9	12-23 m	407	93
MCV1	Record or Recall<12m	60	12-23 m	407	93
MCV2	Recall	2.3	24-35 m	405	-
MCV2	Record	77.7	24-35 m	405	-
MCV2	Record or Recall	80	24-35 m	405	-
MCV2	Record or Recall<12m	66.4	24-35 m	405	-
PCV1	Recall	2.3	12-23 m	407	93
PCV1	Record	94	12-23 m	407	93
PCV1	Record or Recall	96.3	12-23 m	407	93
PCV1	Record or Recall<12m	95.6	12-23 m	407	93
PCV3	Recall	1.3	12-23 m	407	93
PCV3	Record	93.6	12-23 m	407	93
PCV3	Record or Recall	94.9	12-23 m	407	93
PCV3	Record or Recall<12m	93.6	12-23 m	407	93
POL1	Recall	3.1	12-23 m	407	93
POL1	Record	94	12-23 m	407	93

Fiji - Survey Details

POL1	Record or Recall	97.2	12-23 m	407	93
POL1	Record or Recall<12m	96.5	12-23 m	407	93
RCV1	Recall	2.9	12-23 m	407	93
RCV1	Record	87	12-23 m	407	93
RCV1	Record or Recall	89.9	12-23 m	407	93
RCV1	Record or Recall<12m	60	12-23 m	407	93
ROTAC	Recall	2	12-23 m	407	93
ROTAC	Record	93.8	12-23 m	407	93
ROTAC	Record or Recall	95.8	12-23 m	407	93
ROTAC	Record or Recall<12m	94.5	12-23 m	407	93

2018 Fiji Multiple Indicator Cluster Survey 2021

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Recall	5.6	24-35 m	405	-
BCG	Record	90.2	24-35 m	405	-
BCG	Record or Recall	95.8	24-35 m	405	-
BCG	Record or Recall<12m	94.8	24-35 m	405	-
DTP1	Recall	5.6	24-35 m	405	-
DTP1	Record	89.7	24-35 m	405	-
DTP1	Record or Recall	95.3	24-35 m	405	-
DTP1	Record or Recall<12m	93.6	24-35 m	405	-
DTP3	Recall	1.5	24-35 m	405	-
DTP3	Record	89.3	24-35 m	405	-
DTP3	Record or Recall	90.8	24-35 m	405	-
DTP3	Record or Recall<12m	88	24-35 m	405	-
HEPB1	Recall	5.6	24-35 m	405	-
HEPB1	Record	89.7	24-35 m	405	-
HEPB1	Record or Recall	95.3	24-35 m	405	-
HEPB1	Record or Recall<12m	93.6	24-35 m	405	-
HEPB3	Recall	1.5	24-35 m	405	-
HEPB3	Record	89.3	24-35 m	405	-
HEPB3	Record or Recall	90.8	24-35 m	405	-
HEPB3	Record or Recall<12m	88	24-35 m	405	-
HEPB3	Record	5.9	24-35 m	405	-
HEPB3	Record	90.4	24-35 m	405	-
HEPB3	Record or Recall	96.2	24-35 m	405	-
HEPB3	Record or Recall<12m	95.5	24-35 m	405	-
HIB1	Recall	5.6	24-35 m	405	-

HIB1	Record	89.7	24-35 m	405	-
HIB1	Record or Recall	95.3	24-35 m	405	-
HIB1	Record or Recall<12m	93.6	24-35 m	405	-
HIB3	Recall	1.5	24-35 m	405	-
HIB3	Record	89.3	24-35 m	405	-
HIB3	Record or Recall	90.8	24-35 m	405	-
HIB3	Record or Recall<12m	88	24-35 m	405	-
MCV1	Recall	6	24-35 m	405	-
MCV1	Record	88.6	24-35 m	405	-
MCV1	Record or Recall	94.6	24-35 m	405	-
MCV1	Record or Recall<12m	91.6	24-35 m	405	-
PCV1	Recall	5.1	24-35 m	405	-
PCV1	Record	89.7	24-35 m	405	-
PCV1	Record or Recall	94.8	24-35 m	405	-
PCV1	Record or Recall<12m	93.1	24-35 m	405	-
PCV3	Recall	2.3	24-35 m	405	-
PCV3	Record	89.3	24-35 m	405	-
PCV3	Record or Recall	91.5	24-35 m	405	-
PCV3	Record or Recall<12m	88.7	24-35 m	405	-
POL1	Recall	6.1	24-35 m	405	-
POL1	Record	89.7	24-35 m	405	-
POL1	Record or Recall	95.8	24-35 m	405	-
POL1	Record or Recall<12m	94	24-35 m	405	-
RCV1	Recall	6	24-35 m	405	-
RCV1	Record	88.6	24-35 m	405	-
RCV1	Record or Recall	94.6	24-35 m	405	-
RCV1	Record or Recall<12m	91.6	24-35 m	405	-
ROTAC	Recall	2.6	24-35 m	405	-
ROTAC	Record	89.7	24-35 m	405	-
ROTAC	Record or Recall	92.4	24-35 m	405	-
ROTAC	Record or Recall<12m	89.2	24-35 m	405	-

2011 Fiji National Immunization Coverage Survey 2013

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Record	95.3	15-26 m	1209	95
BCG	Record or Recall	98.7	15-26 m	1209	95
DTP1	Record	95.3	15-26 m	1209	95
DTP1	Record or Recall	98.7	15-26 m	1209	95

DTP3	Record	94.9	15-26 m	1209	95
DTP3	Record or Recall	98.3	15-26 m	1209	95
HEPB1	Record	95.3	15-26 m	1209	95
HEPB1	Record or Recall	98.7	15-26 m	1209	95
HEPB3	Record	94.9	15-26 m	1209	95
HEPB3	Record or Recall	98.3	15-26 m	1209	95
HEPBB	Record	95.4	15-26 m	1209	95
HEPBB	Record or Recall	98.8	15-26 m	1209	95
HIB1	Record	95.3	15-26 m	1209	95
HIB1	Record or Recall	98.7	15-26 m	1209	95
HIB3	Record	94.9	15-26 m	1209	95
HIB3	Record or Recall	98.3	15-26 m	1209	95
MCV1	Record	92.3	15-26 m	1209	95
MCV1	Record or Recall	95.6	15-26 m	1209	95
POL1	Record	95.3	15-26 m	1209	95
POL1	Record or Recall	98.7	15-26 m	1209	95
POL3	Record	94.9	15-26 m	1209	95
POL3	Record or Recall	98.3	15-26 m	1209	95
RCV1	Record	92.3	15-26 m	1209	95
RCV1	Record or Recall	95.6	15-26 m	1209	95

2007 Fiji National Immunisation Coverage Survey 2008

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Record	79.9	15-26 m	1200	78
BCG	Record or Recall	100	15-26 m	1200	78
DTP1	Record	79.7	15-26 m	1200	78
DTP1	Record or Recall	99.8	15-26 m	1200	78
DTP3	Record	78.9	15-26 m	1200	78
DTP3	Record or Recall	98.8	15-26 m	1200	78
HEPB1	Record	79.7	15-26 m	1200	78
HEPB1	Record or Recall	99.8	15-26 m	1200	78
HEPB3	Record	78.9	15-26 m	1200	78

Further information and estimates for previous years are available at:
<https://data.unicef.org/topic/child-health/immunization/>
<https://immunizationdata.who.int/listing.html>

HEPB3	Record or Recall	98.8	15-26 m	1200	78
HIB1	Record	79.7	15-26 m	1200	78
HIB1	Record or Recall	99.8	15-26 m	1200	78
HIB3	Record	78.9	15-26 m	1200	78
HIB3	Record or Recall	98.8	15-26 m	1200	78
MCV1	Record	75.6	15-26 m	1200	78
MCV1	Record or Recall	93.6	15-26 m	1200	78
POL1	Record	79.7	15-26 m	1200	78
POL1	Record or Recall	99.8	15-26 m	1200	78
POL3	Record	79.2	15-26 m	1200	78
POL3	Record or Recall	99.3	15-26 m	1200	78

2004 Fiji Immunization Coverage Survey Report 2005

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Record	98.7	12-23 m	630	-
DTP3	Record	83.3	12-23 m	630	-
HEPB3	Record	91.9	12-23 m	630	-
MCV1	Record	79.6	12-23 m	630	-
POL3	Record	76.2	12-23 m	630	-

1998 Fiji National EPI Survey 1999

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Record or Recall	100	12-23 m	-	-
DTP1	Record or Recall	95.4	12-23 m	-	-
DTP3	Record or Recall	91.6	12-23 m	-	-
HEPB3	Record or Recall	93.5	12-23 m	-	-
MCV1	Record or Recall	92.3	12-23 m	-	-
POL3	Record or Recall	100	12-23 m	-	-