

Gambia: WHO and UNICEF estimates of immunization coverage: 2024 revision

BACKGROUND NOTE Each year WHO and UNICEF jointly review reports submitted by Member States regarding national immunization coverage, finalized survey reports as well as data from published and grey literature. Based on these data, with due consideration to potential biases and the views of local experts, WHO and UNICEF attempt to distinguish between situations where available empirical data accurately reflect immunization system performance and those where the data are likely compromised and present a misleading view of coverage.

WHO and UNICEF estimates are country-specific; that is to say, each country's data are reviewed individually, and data are not borrowed from other countries in the absence of data. Estimates are not based on ad hoc adjustments to reported data; in some instances empirical data are available from a single source, usually the nationally reported coverage data. In cases where no data are available for a given country/vaccine/year combination, data are considered from earlier and later years and interpolated to estimate coverage for the missing year(s). In cases where data sources are mixed and show large variation, an attempt is made to identify the most likely estimate with consideration of the possible biases in available data. For methods see:

* Burton et al. 2009. Bull World Health Organ. * Burton et al. 2012. PLoS One.
* Brown et al. 2013. Open Pub Health Journal. * Danovaro-Holliday et al. 2021. Gates Open Res.

DATA SOURCES

ADMINISTRATIVE coverage: Reported by national authorities and based on aggregated administrative reports from health service providers on the number of vaccinations administered during a given period (numerator data) and reported target population data (denominator data). May be biased by inaccurate numerator and/or denominator data.

OFFICIAL coverage: Estimated coverage reported by national authorities that reflects their assessment of the most likely coverage based on any combination of administrative coverage, survey-based estimates or other data sources or adjustments. Approaches to determine OFFICIAL coverage may differ across countries.

SURVEY coverage: Based on estimated coverage from population-based household surveys among children aged 6-11, 12-23 or 24-35 months following a review of survey methods and results. Information is based on the combination of vaccination history from documented evidence or caregiver recall. Survey results are considered for the appropriate birth cohort based on data collection period.

ABBREVIATIONS AND DEFINITIONS

BCG: percentage of births who received one dose of Bacillus Calmette Guerin vaccine.

DTP1 / DTP3: percentage of surviving infants who received the 1st / 3rd dose, respectively, of diphtheria and tetanus toxoid with pertussis containing vaccine.

POL3: percentage of surviving infants who received the 3rd dose of polio containing vaccine. May be either oral or inactivated polio vaccine.

IPV1: percentage of surviving infants who received at least one dose of inactivated polio vaccine. In countries utilizing an immunization schedule recommending either (i) a primary series of three doses of oral polio vaccine (OPV) plus at least one dose of IPV where OPV is included in routine immunization and/or campaign or (ii) a sequential schedule of IPV followed by OPV, WHO and UNICEF estimates for IPV1 reflect coverage with at least one routine dose of IPV among infants < 1 year of age. For countries utilizing IPV containing vaccine only, i.e., no recommended dose of OPV, WHO and UNICEF estimate for IPV1 corresponds to coverage for the 1st dose of IPV.

Production of IPV coverage estimates, which begins in 2015, results in no change of the estimated coverage levels for the 3rd dose of polio (POL3). For countries recommending routine immunization with a primary series of three doses of IPV alone, WHO and UNICEF estimated POL3 coverage is equivalent to estimated coverage with three doses of IPV. For countries with a sequential schedule, estimated POL3 coverage is based on that for the 3rd dose of polio vaccine regardless of vaccine type.

IPV2: percentage of surviving infants who received a 2nd dose of inactivated polio vaccine. IPV2 coverage estimates produced for OPV using countries.

MCV1: percentage of surviving infants who received the 1st dose of measles containing vaccine. In countries where the national schedule recommends the 1st dose of MCV at 12 months or later based on the epidemiology of disease in the country, coverage estimates reflect the percentage of children who received the 1st dose of MCV as recommended.

MCV2: percentage of children who received the 2nd dose of measles containing vaccine according to the nationally recommended schedule.

RCV1: percentage of surviving infants who received the 1st dose of rubella containing vaccine. Coverage estimates are based on WHO and UNICEF estimates of coverage for the dose of measles containing vaccine that corresponds to the first measles-rubella combination vaccine. Nationally reported coverage of RCV is not taken into consideration in the production of the estimate.

HEPB3: percentage of births which received a dose of hepatitis B vaccine within 24 hours of delivery. Estimates of hepatitis B birth dose coverage are produced only for countries with a universal birth dose policy. Estimates are not produced for countries that recommend a birth dose to infants born to HEPB virus-infected mothers only or where there is insufficient information to determine whether vaccination is within 24 hours of birth.

HEPB3: percentage of surviving infants who received the 3rd dose of hepatitis B containing vaccine following the birth dose.

HIB3: percentage of surviving infants who received the 3rd dose of Haemophilus influenzae type b containing vaccine.

ROTAC: percentage of surviving infants who received the final recommended dose of rotavirus vaccine, which can be either the 2nd or the 3rd dose depending on the vaccine.

PCV3: percentage of surviving infants who received the 3rd dose of pneumococcal conjugate vaccine. In countries where the national schedule recommends two doses during infancy and a booster dose at 12 months or later based on the epidemiology of disease in the country, coverage estimates may reflect the percentage of surviving infants who received two doses of PCV prior to the 1st birthday if coverage for the booster dose is not reported.


YFV: percentage of surviving infants who received one dose of yellow fever vaccine in countries where YFV is part of the national immunization schedule for children or is recommended in at risk areas; coverage estimates are annualized for the entire cohort of surviving infants.

MENGA: percentage of children who received one dose of meningococcal A conjugate vaccine. MENGA coverage estimates produced for countries in the meningitis belt of sub-Saharan Africa.

Disclaimer: All reasonable precautions have been taken by the World Health Organization and United Nations Children's Fund to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization or United Nations Children's Fund be liable for damages arising from its use.

Gambia - BCG

GMB - BCG



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	98	96	98	98	94	94	88	85	81	83	76	79
Estimate GoC	●●●	●●●	●●●	●●●	●	●	●	●	●●	●●	●	●●
Official	96	96	98	98	94	94	88	-	-	83	76	79
Administrative	98	96	98	98	94	94	88	-	81	83	76	79
Survey	-	-	97	98	98	99	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.


- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2024: Estimate informed by reported data. Unexplained decline of 5 percent in reported number of births and 8 percent in surviving infants between 2023 and 2024. No nationally representative household survey for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high-quality survey to verify reported levels of coverage. GoC=R+ D+
- 2023: Estimate informed by reported data. Estimate challenged by: D-
- 2022: Estimate informed by reported data. GoC=R+ D+
- 2021: Estimate informed by reported administrative data. GoC=R+ D+
- 2020: Estimate informed by interpolation between reported data. Estimate challenged by: S-
- 2019: Estimate informed by reported data. Estimate challenged by: D-S-
- 2018: Estimate informed by reported data supported by survey.Survey evidence of 99 percent based on 1 survey(s). Estimate challenged by: D-
- 2017: Estimate informed by reported data supported by survey.Survey evidence of 98 percent based on 1 survey(s). Estimate challenged by: D-
- 2016: Estimate informed by reported data supported by survey.Survey evidence of 98 percent based on 1 survey(s). GoC=R+ S+ D+
- 2015: Estimate informed by reported data supported by survey.Survey evidence of 97 percent based on 1 survey(s). GoC=R+ S+ D+
- 2014: Estimate informed by reported data. Target population estimates based on projections from average children vaccinated from 2004 to 2006 polio NIDs. GoC=R+ S+ D+
- 2013: Estimate informed by reported administrative data. Ministry of Health reports targets set in their national comprehensive multi-year plan as their estimate of coverage levels achieved. GoC=R+ S+ D+

Gambia - HEPBB



Description:

2024: Estimate informed by reported data. Unexplained decline of 5 percent in reported number of births and 8 percent in surviving infants between 2023 and 2024. No nationally representative household survey for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high-quality survey to verify reported levels of coverage. GoC=R+ D+

2023: Estimate informed by reported data. GoC=R+ D+

2022: Estimate informed by reported data. GoC=R+ D+

2021: Estimate informed by reported administrative data. Reporting of HepB birth dose started in 2000. Reporting of HepB doses administered within 24 hours of birth, for which WHO and UNICEF estimates are made, started in 2021. GoC=R+ D+

	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	-	-	-	-	-	-	-	-	25	26	41	37
Estimate GoC	-	-	-	-	-	-	-	-	••	••	••	••
Official	-	-	-	-	-	-	-	-	-	26	41	37
Administrative	-	-	-	-	-	-	-	-	25	26	41	37
Survey	-	-	85	95	98	99	-	-	-	-	-	-


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Gambia - DTP1

GMB - DTP1



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	99	98	99	99	93	94	93	88	82	85	84	82
Estimate GoC	●●●	●●●	●●●	●●●	●●●	●●●	●●●	●●	●●	●●	●	●●
Official	98	98	99	99	93	94	93	-	-	85	84	82
Administrative	101	98	99	99	93	94	93	-	82	85	84	82
Survey	-	-	95	97	97	98	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2024: Estimate informed by reported data. Unexplained decline of 5 percent in reported number of births and 8 percent in surviving infants between 2023 and 2024. No nationally representative household survey for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high-quality survey to verify reported levels of coverage. GoC=R+ D+
- 2023: Estimate informed by reported data. Estimate challenged by: D-
- 2022: Estimate informed by reported data. GoC=R+ D+
- 2021: Estimate informed by reported administrative data. GoC=R+ D+
- 2020: Estimate informed by interpolation between reported data. GoC=S+
- 2019: Estimate informed by reported data. GoC=R+ S+ D+
- 2018: Estimate informed by reported data supported by survey.Survey evidence of 98 percent based on 1 survey(s). GoC=R+ S+ D+
- 2017: Estimate informed by reported data supported by survey.Survey evidence of 97 percent based on 1 survey(s). GoC=R+ S+ D+
- 2016: Estimate informed by reported data supported by survey.Survey evidence of 97 percent based on 1 survey(s). GoC=R+ S+ D+
- 2015: Estimate informed by reported data supported by survey.Survey evidence of 95 percent based on 1 survey(s). GoC=R+ S+ D+
- 2014: Estimate informed by reported data. Target population estimates based on projections from average children vaccinated from 2004 to 2006 polio NIDs. GoC=R+ S+ D+
- 2013: Estimate informed by interpolation between reported data. Reported data excluded because 101 percent greater than 100 percent. Ministry of Health reports targets set in their national comprehensive multi-year plan as their estimate of coverage levels achieved. GoC=R+ S+ D+

Gambia - DTP3

GMB - DTP3



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	97	96	97	95	92	93	88	85	82	79	84	80
Estimate GoC	●●●	●●●	●●●	●●●	●●●	●●●	●●●	●●	●●	●●	●	●●
Official	98	96	97	95	92	93	88	-	-	79	84	80
Administrative	97	96	97	95	92	93	88	-	82	79	84	80
Survey	-	-	90	94	91	93	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

2024: Estimate informed by reported data. Unexplained decline of 5 percent in reported number of births and 8 percent in surviving infants between 2023 and 2024. No nationally representative household survey for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high-quality survey to verify reported levels of coverage. GoC=R+ D+

2023: Estimate informed by reported data. Estimate challenged by: D-

2022: Estimate informed by reported data. GoC=R+ D+

2021: Estimate informed by reported administrative data. GoC=R+ D+

2020: Estimate informed by interpolation between reported data. GoC=S+

2019: Estimate informed by reported data. GoC=R+ S+ D+

2018: Estimate informed by reported data supported by survey.Survey evidence of 95 percent based on 1 survey(s). The Gambia Demographic and Health Survey 2019-2020 record or recall results of 93 percent modified for recall bias to 95 percent based on 1st dose record or recall coverage of 98 percent, 1st dose record only coverage of 92 percent and 3rd dose record only coverage of 89 percent. GoC=R+ S+ D+

2017: Estimate informed by reported data supported by survey.Survey evidence of 94 percent based on 1 survey(s). The Gambia Demographic and Health Survey 2019-2020 record or recall results of 91 percent modified for recall bias to 94 percent based on 1st dose record or recall coverage of 97 percent, 1st dose record only coverage of 84 percent and 3rd dose record only coverage of 81 percent. GoC=R+ S+ D+

2016: Estimate informed by reported data supported by survey.Survey evidence of 95 percent based on 1 survey(s). The Gambia Multiple Indicator Cluster Survey 2018 record or recall results of 94 percent modified for recall bias to 95 percent based on 1st dose record or recall coverage of 97 percent, 1st dose record only coverage of 94 percent and 3rd dose record only coverage of 92 percent. GoC=R+ S+ D+


2015: Estimate informed by reported data supported by survey.Survey evidence of 93 percent based on 1 survey(s). The Gambia Multiple Indicator Cluster Survey 2018 record or recall results of 90 percent modified for recall bias to 93 percent based on 1st dose record or recall coverage of 95 percent, 1st dose record only coverage of 84 percent and 3rd dose record only coverage of 82 percent. GoC=R+ S+ D+

2014: Estimate informed by reported data. Target population estimates based on projections from average children vaccinated from 2004 to 2006 polio NIDs. GoC=R+ S+ D+

2013: Estimate informed by reported administrative data. Ministry of Health reports targets set in their national comprehensive multi-year plan as their estimate of coverage levels achieved. GoC=R+ S+ D+

Gambia - HEPB3

GMB - HEPB3



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	97	96	97	95	92	93	88	85	82	79	84	80
Estimate GoC	●●●	●●●	●●●	●●●	●●●	●●●	●●	●●	●●	●●	●	●
Official	97	96	97	95	92	93	-	-	-	79	84	80
Administrative	97	96	97	95	92	93	-	-	82	79	84	80
Survey	-	-	90	94	91	93	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2024: Estimate is based on DTP3, as DTP-Hib-HepB vaccine is used. Unexplained decline of 5 percent in reported number of births and 8 percent in surviving infants between 2023 and 2024. No nationally representative household survey for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high-quality survey to verify reported levels of coverage. Estimate challenged by: R-
- 2023: Estimate informed by reported data. Estimate challenged by: D-
- 2022: Estimate informed by reported data. GoC=R+ D+
- 2021: Estimate informed by reported administrative data. GoC=R+ D+
- 2020: Estimate informed by estimated DTP3 coverage. GoC=S+
- 2019: Estimate informed by estimated DTP3 level. GoC=S+
- 2018: Estimate informed by reported data supported by survey.Survey evidence of 95 percent based on 1 survey(s). The Gambia Demographic and Health Survey 2019-2020 record or recall results of 93 percent modified for recall bias to 95 percent based on 1st dose record or recall coverage of 98 percent, 1st dose record only coverage of 92 percent and 3rd dose record only coverage of 89 percent. GoC=R+ S+ D+
- 2017: Estimate informed by reported data supported by survey.Survey evidence of 94 percent based on 1 survey(s). The Gambia Demographic and Health Survey 2019-2020 record or recall results of 91 percent modified for recall bias to 94 percent based on 1st dose record or recall coverage of 97 percent, 1st dose record only coverage of 84 percent and 3rd dose record only coverage of 81 percent. GoC=R+ S+ D+
- 2016: Estimate informed by reported data supported by survey.Survey evidence of 95 percent based on 1 survey(s). The Gambia Multiple Indicator Cluster Survey 2018 record or recall results of 94 percent modified for recall bias to 95 percent based on 1st dose record or recall coverage of 97 percent, 1st dose record only coverage of 94 percent and 3rd dose record only coverage of 92 percent. GoC=R+ S+ D+
- 2015: Estimate informed by reported data supported by survey.Survey evidence of 93 percent based on 1 survey(s). The Gambia Multiple Indicator Cluster Survey 2018 record or recall results of 90 percent modified for recall bias to 93 percent based on 1st dose record or recall coverage of 95 percent, 1st dose record only coverage of 84 percent and 3rd dose record only coverage of 82 percent. GoC=R+ S+ D+
- 2014: Estimate informed by reported data. Target population estimates based on projections from average children vaccinated from 2004 to 2006 polio NIDs. GoC=R+ S+ D+
- 2013: Estimate informed by reported administrative data. Ministry of Health reports targets set in their national comprehensive multi-year plan as their estimate of coverage levels achieved. GoC=R+ S+ D+

Gambia - Hib3

GMB - Hib3



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	97	96	97	95	92	93	88	85	82	79	84	80
Estimate GoC	●●●	●●●	●●●	●●●	●●●	●●●	●●●	●●	●●	●●	●	●
Official	98	96	97	95	92	93	88	-	-	79	84	80
Administrative	97	96	97	95	92	93	88	-	82	79	84	80
Survey	-	-	90	94	91	93	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2024: Estimate is based on DTP3, as DTP-Hib-HepB vaccine is used. Unexplained decline of 5 percent in reported number of births and 8 percent in surviving infants between 2023 and 2024. No nationally representative household survey for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high-quality survey to verify reported levels of coverage. Estimate challenged by: R-
- 2023: Estimate informed by reported data. Estimate challenged by: D-
- 2022: Estimate informed by reported data. GoC=R+ D+
- 2021: Estimate informed by reported administrative data. GoC=R+ D+
- 2020: Estimate informed by interpolation between reported data. GoC=S+
- 2019: Estimate informed by reported data. GoC=R+ S+ D+
- 2018: Estimate informed by reported data supported by survey.Survey evidence of 95 percent based on 1 survey(s). The Gambia Demographic and Health Survey 2019-2020 record or recall results of 93 percent modified for recall bias to 95 percent based on 1st dose record or recall coverage of 98 percent, 1st dose record only coverage of 92 percent and 3rd dose record only coverage of 89 percent. GoC=R+ S+ D+
- 2017: Estimate informed by reported data supported by survey.Survey evidence of 94 percent based on 1 survey(s). The Gambia Demographic and Health Survey 2019-2020 record or recall results of 91 percent modified for recall bias to 94 percent based on 1st dose record or recall coverage of 97 percent, 1st dose record only coverage of 84 percent and 3rd dose record only coverage of 81 percent. GoC=R+ S+ D+
- 2016: Estimate informed by reported data supported by survey.Survey evidence of 95 percent based on 1 survey(s). The Gambia Multiple Indicator Cluster Survey 2018 record or recall results of 94 percent modified for recall bias to 95 percent based on 1st dose record or recall coverage of 97 percent, 1st dose record only coverage of 94 percent and 3rd dose record only coverage of 92 percent. GoC=R+ S+ D+
- 2015: Estimate informed by reported data supported by survey.Survey evidence of 93 percent based on 1 survey(s). The Gambia Multiple Indicator Cluster Survey 2018 record or recall results of 90 percent modified for recall bias to 93 percent based on 1st dose record or recall coverage of 95 percent, 1st dose record only coverage of 84 percent and 3rd dose record only coverage of 82 percent. GoC=R+ S+ D+
- 2014: Estimate informed by reported data. Target population estimates based on projections from average children vaccinated from 2004 to 2006 polio NIDs. GoC=R+ S+ D+
- 2013: Estimate informed by reported administrative data. Ministry of Health reports targets set in their national comprehensive multi-year plan as their estimate of coverage levels achieved. GoC=R+ S+ D+

Gambia - ROTAC

GMB - ROTAC



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	7	92	97	95	93	93	90	85	79	82	83	80
Estimate GoC	•	•••	•••	•••	•••	•••	•••	•	••	••	•	••
Official	90	92	97	95	93	93	90	-	-	82	83	80
Administrative	7	92	97	95	93	93	90	-	79	82	83	80
Survey	-	-	88	83	94	95	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

2024: Estimate informed by reported data. Unexplained decline of 5 percent in reported number of births and 8 percent in surviving infants between 2023 and 2024. No nationally representative household survey for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high-quality survey to verify reported levels of coverage. GoC=R+ D+

2023: Estimate informed by reported data. Estimate challenged by: D-

2022: Estimate informed by reported data. GoC=R+ D+

2021: Estimate informed by reported administrative data. GoC=R+ D+

2020: Estimate informed by interpolation between reported data. Estimate challenged by: S-

2019: Estimate informed by reported data. GoC=R+ S+ D+

2018: Estimate informed by reported data supported by survey.Survey evidence of 96 percent based on 1 survey(s). The Gambia Demographic and Health Survey 2019-2020 record or recall results of 95 percent modified for recall bias to 96 percent based on 1st dose record or recall coverage of 98 percent, 1st dose record only coverage of 92 percent and 3rd dose record only coverage of 90 percent. GoC=R+ S+ D+

2017: Estimate informed by reported data supported by survey.Survey evidence of 96 percent based on 1 survey(s). The Gambia Demographic and Health Survey 2019-2020 record or recall results of 94 percent modified for recall bias to 96 percent based on 1st dose record or recall coverage of 97 percent, 1st dose record only coverage of 83 percent and 3rd dose record only coverage of 82 percent. GoC=R+ S+ D+

2016: Estimate informed by reported data. The Gambia Multiple Indicator Cluster Survey 2018 results ignored by working group. Survey results inconsistent with results for other antigens. It is possible that children sampled during the survey had home-based records that were not updated at introduction to include a recording area for Rotavirus vaccine. The Gambia Multiple Indicator Cluster Survey 2018 record or recall results of 83 percent modified for recall bias to 84 percent based on 1st dose record or recall coverage of 97 percent, 1st dose record only coverage of 94 percent and 3rd dose record only coverage of 81 percent. GoC=R+ S+ D+


2015: Estimate informed by reported data supported by survey.Survey evidence of 90 percent based on 1 survey(s). The Gambia Multiple Indicator Cluster Survey 2018 record or recall results of 88 percent modified for recall bias to 90 percent based on 1st dose record or recall coverage of 93 percent, 1st dose record only coverage of 82 percent and 3rd dose record only coverage of 79 percent. GoC=R+ S+ D+

2014: Estimate informed by reported data. Target population estimates based on projections from average children vaccinated from 2004 to 2006 polio NIDs. GoC=R+ S+ D+

2013: Estimate informed by reported administrative data. Rotavirus vaccine introduced in August 2013. Ministry of Health reports targets set in their national comprehensive multi-year plan as their estimate of coverage levels achieved. Estimate challenged by: S-

Gambia - PCV3

GMB - PCV3



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	96	96	97	95	90	93	87	83	78	75	80	80
Estimate GoC	●●●	●●●	●●●	●●●	●●●	●●●	●●●	●	●●	●●	●	●●
Official	96	96	97	95	90	93	87	-	-	75	80	80
Administrative	96	96	97	95	90	93	87	-	78	75	80	80
Survey	-	-	90	94	89	92	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

2024: Estimate informed by reported data. Unexplained decline of 5 percent in reported number of births and 8 percent in surviving infants between 2023 and 2024. No nationally representative household survey for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high-quality survey to verify reported levels of coverage. GoC=R+ D+

2023: Estimate informed by reported data. Estimate challenged by: D-

2022: Estimate informed by reported data. GoC=R+ D+

2021: Estimate informed by reported administrative data. GoC=R+ D+

2020: Estimate informed by interpolation between reported data. Estimate challenged by: S-

2019: Estimate informed by reported data. GoC=R+ S+ D+

2018: Estimate informed by reported data supported by survey. Survey evidence of 96 percent based on 1 survey(s). The Gambia Demographic and Health Survey 2019-2020 record or recall results of 92 percent modified for recall bias to 96 percent based on 1st dose record or recall coverage of 99 percent, 1st dose record only coverage of 92 percent and 3rd dose record only coverage of 89 percent. GoC=R+ S+ D+

2017: Estimate informed by reported data supported by survey. Survey evidence of 92 percent based on 1 survey(s). The Gambia Demographic and Health Survey 2019-2020 record or recall results of 89 percent modified for recall bias to 92 percent based on 1st dose record or recall coverage of 97 percent, 1st dose record only coverage of 84 percent and 3rd dose record only coverage of 80 percent. GoC=R+ S+ D+

2016: Estimate informed by reported data supported by survey. Survey evidence of 94 percent based on 1 survey(s). GoC=R+ S+ D+


2015: Estimate informed by reported data supported by survey. Survey evidence of 92 percent based on 1 survey(s). The Gambia Multiple Indicator Cluster Survey 2018 record or recall results of 90 percent modified for recall bias to 92 percent based on 1st dose record or recall coverage of 95 percent, 1st dose record only coverage of 84 percent and 3rd dose record only coverage of 81 percent. GoC=R+ S+ D+

2014: Estimate informed by reported data. Target population estimates based on projections from average children vaccinated from 2004 to 2006 polio NIDs. GoC=R+ S+ D+

2013: Estimate informed by reported administrative data. Ministry of Health reports targets set in their national comprehensive multi-year plan as their estimate of coverage levels achieved. GoC=R+ S+ D+

Gambia - POL3

GMB - POL3



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	96	97	96	95	92	93	88	89	89	69	86	80
Estimate GoC	●●●	●●●	●●●	●●●	●●●	●●●	●●●	●●	●●	●●	●●	●●
Official	98	97	96	95	92	93	88	-	-	69	86	80
Administrative	96	97	96	95	92	93	88	-	89	69	86	80
Survey	-	-	86	93	87	90	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2024: Estimate informed by reported data. Unexplained decline of 5 percent in reported number of births and 8 percent in surviving infants between 2023 and 2024. No nationally representative household survey for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high-quality survey to verify reported levels of coverage. GoC=R+ D+
- 2023: Estimate informed by reported data. Number of doses administered has recovered from prior year supply disruption. Estimate challenged by: D-
- 2022: Estimate informed by reported data. Programme reports one month vaccine stockout at the national level. GoC=R+ D+
- 2021: Estimate informed by reported administrative data. GoC=R+ D+
- 2020: Estimate informed by interpolation between reported data. GoC=S+
- 2019: Estimate informed by reported data. GoC=R+ S+ D+
- 2018: Estimate informed by reported data supported by survey.Survey evidence of 94 percent based on 1 survey(s). The Gambia Demographic and Health Survey 2019-2020 record or recall results of 90 percent modified for recall bias to 94 percent based on 1st dose record or recall coverage of 98 percent, 1st dose record only coverage of 92 percent and 3rd dose record only coverage of 88 percent. GoC=R+ S+ D+
- 2017: Estimate informed by reported data supported by survey.Survey evidence of 94 percent based on 1 survey(s). The Gambia Demographic and Health Survey 2019-2020 record or recall results of 87 percent modified for recall bias to 94 percent based on 1st dose record or recall coverage of 97 percent, 1st dose record only coverage of 84 percent and 3rd dose record only coverage of 81 percent. GoC=R+ S+ D+
- 2016: Estimate informed by reported data supported by survey.Survey evidence of 95 percent based on 1 survey(s). The Gambia Multiple Indicator Cluster Survey 2018 record or recall results of 93 percent modified for recall bias to 95 percent based on 1st dose record or recall coverage of 97 percent, 1st dose record only coverage of 94 percent and 3rd dose record only coverage of 92 percent. GoC=R+ S+ D+
- 2015: Estimate informed by reported data supported by survey.Survey evidence of 93 percent based on 1 survey(s). The Gambia Multiple Indicator Cluster Survey 2018 record or recall results of 86 percent modified for recall bias to 93 percent based on 1st dose record or recall coverage of 95 percent, 1st dose record only coverage of 84 percent and 3rd dose record only coverage of 82 percent. GoC=R+ S+ D+
- 2014: Estimate informed by reported data. Target population estimates based on projections from average children vaccinated from 2004 to 2006 polio NIDs. GoC=R+ S+ D+
- 2013: Estimate informed by reported administrative data. Ministry of Health reports targets set in their national comprehensive multi-year plan as their estimate of coverage levels achieved. GoC=R+ S+ D+

Gambia - IPV1

GMB - IPV1



Description:

- 2024: Estimate informed by reported data. Unexplained decline of 5 percent in reported number of births and 8 percent in surviving infants between 2023 and 2024. No nationally representative household survey for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high-quality survey to verify reported levels of coverage. GoC=R+ D+
- 2023: Estimate informed by reported data. Estimate challenged by: D-
- 2022: Estimate informed by reported data. GoC=R+ D+
- 2021: Estimate informed by reported administrative data. GoC=R+ D+
- 2020: Estimate informed by estimated DTP3 level. GoC=No accepted empirical data
- 2019: Estimate informed by estimated DTP3 level. Estimate challenged by: R-
- 2018: Estimate informed by reported data. The Gambia Demographic and Health Survey 2019-2020 results ignored by working group. Survey likely did not capture vaccine stockout. Inactivated polio vaccine introduced in Q2 2018 after the global shortage. Programme reports four months vaccine stockout at national level. GoC=R+ D+
- 2017: Estimate informed by reported data. The Gambia Demographic and Health Survey 2019-2020 results ignored by working group. Survey likely did not capture vaccine stockout. Programme reports nine months stockout due to global shortage. GoC=R+ D+
- 2016: Estimate informed by reported data. Estimated is based on reported data following introduction. GoC=R+ D+
- 2015: Estimate informed by reported data. Inactivated polio vaccine during 2015. GoC=R+ D+

	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	-	-	71	95	20	61	88	88	82	78	84	80
Estimate GoC	-	-	••	••	••	••	•	•	••	••	•	••
Official	-	-	71	95	20	61	88	-	-	78	84	80
Administrative	-	-	71	95	20	61	88	-	82	78	84	80
Survey	-	-	-	-	57	92	-	-	-	-	-	-


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Gambia - IPV2

GMB - IPV2



Description:

2024: Estimate based on estimated IPV1 coverage. Unexplained decline of 5 percent in reported number of births and 8 percent in surviving infants between 2023 and 2024. No nationally representative household survey for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high-quality survey to verify reported levels of coverage. Estimate challenged by: R-

2023: Estimate informed by reported data. GoC=R+ D+

2022: Estimate informed by reported data. GoC=R+ D+


2021: Estimate informed by reported administrative data. Second dose of inactivated polio vaccine introduced in 2021. GoC=R+ D+

	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	-	-	-	-	-	-	-	-	17	69	80	80
Estimate GoC	-	-	-	-	-	-	-	-	••	••	••	•
Official	-	-	-	-	-	-	-	-	-	69	80	82
Administrative	-	-	-	-	-	-	-	-	17	69	80	82
Survey	-	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	96	96	97	97	90	91	85	82	79	74	80	83
Estimate GoC	●●●	●●●	●●●	●●●	●●●	●●●	●●●	●●	●●	●●	●	●●
Official	94	96	97	97	90	91	85	-	-	74	80	83
Administrative	96	96	97	97	90	91	85	-	79	74	80	83
Survey	-	-	90	87	92	90	-	-	-	-	-	-


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2024: Estimate informed by reported data. Unexplained decline of 5 percent in reported number of births and 8 percent in surviving infants between 2023 and 2024. No nationally representative household survey for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high-quality survey to verify reported levels of coverage. GoC=R+ D+
- 2023: Estimate informed by reported data. Estimate challenged by: D-
- 2022: Estimate informed by reported data. GoC=R+ D+
- 2021: Estimate informed by reported administrative data. GoC=R+ D+
- 2020: Estimate informed by interpolation between reported data. GoC=S+
- 2019: Estimate informed by reported data. GoC=R+ S+ D+
- 2018: Estimate informed by reported data supported by survey.Survey evidence of 90 percent based on 1 survey(s). GoC=R+ S+ D+
- 2017: Estimate informed by reported data supported by survey.Survey evidence of 92 percent based on 1 survey(s). GoC=R+ S+ D+
- 2016: Estimate informed by reported data supported by survey.Survey evidence of 87 percent based on 1 survey(s). GoC=R+ S+ D+
- 2015: Estimate informed by reported data supported by survey.Survey evidence of 90 percent based on 1 survey(s). GoC=R+ S+ D+
- 2014: Estimate informed by reported data. Target population estimates based on projections from average children vaccinated from 2004 to 2006 polio NIDs. GoC=R+ S+ D+
- 2013: Estimate informed by reported administrative data. Ministry of Health reports targets set in their national comprehensive multi-year plan as their estimate of coverage levels achieved. GoC=R+ S+ D+



Description:

2024: Estimate based on estimated MCV1. Unexplained decline of 5 percent in reported number of births and 8 percent in surviving infants between 2023 and 2024. No nationally representative household survey for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high-quality survey to verify reported levels of coverage. GoC=R+ D+

2023: Estimate based on estimated MCV1. Estimate challenged by: D-

2022: Estimate based on estimated MCV1. GoC=R+ D+

2021: Estimate based on estimated MCV1. GoC=R+ D+

2020: Estimate based on estimated MCV1. GoC=S+

2019: Estimate based on estimated MCV1. GoC=R+ S+ D+

2018: Estimate based on estimated MCV1. GoC=R+ S+ D+

2017: Estimate based on estimated MCV1. Programme reports introduction of RCV1 as MR in 2017. GoC=R+ S+ D+

	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	-	-	-	-	90	91	85	82	79	74	80	83
Estimate GoC	-	-	-	-	•••	•••	•••	••	••	••	•	••
Official	-	-	-	-	90	91	85	-	-	74	80	83
Administrative	-	-	-	-	90	91	-	-	79	74	80	83
Survey	-	-	-	-	92	90	-	-	-	-	-	-


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Gambia - MCV2

GMB - MCV2



Description:

- 2024: Estimate informed by reported data. Unexplained decline of 5 percent in reported number of births and 8 percent in surviving infants between 2023 and 2024. No nationally representative household survey for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high-quality survey to verify reported levels of coverage. GoC=R+ D+
- 2023: Estimate informed by reported data. Number of doses administered has recovered from decline reported in 2022. GoC=R+ D+
- 2022: Estimate informed by reported data. Decline in coverage consistent with other vaccine doses. Decline is likely overestimated due to unusually large increase in target population compared to that reported for 2021. GoC=R+ D+
- 2021: Estimate informed by 2019 coverage estimate. Reported data excluded. Decline in reported target population for MCV2 in 2021 inconsistent with denominator trends for other vaccine doses. Estimate challenged by: R-
- 2020: Estimate informed by 2019 coverage estimate. GoC=S+
- 2019: Estimate informed by reported data. GoC=R+ S+ D+
- 2018: Estimate informed by reported data supported by survey. Survey evidence of 71 percent based on 1 survey(s). GoC=R+ S+ D+
- 2017: Estimate informed by reported data. Reported decline of 11 percent from 2016. GoC=R+ S+ D+
- 2016: Estimate informed by reported data. The Gambia Multiple Indicator Cluster Survey 2018 results ignored by working group. Survey results inconsistent with results for other antigens. GoC=R+ S+ D+
- 2015: Estimate informed by reported data. Estimate of 77 percent changed from previous revision value of 81 percent. GoC=R+ D+
- 2014: Estimate informed by reported data. Target population estimates based on projections from average children vaccinated from 2004 to 2006 polio NIDs. GoC=R+ D+
- 2013: Estimate informed by reported administrative data. Increase in coverage the result of expanding second dose of measles vaccine. Ministry of Health reports targets set in their national comprehensive multi-year plan as their estimate of coverage levels achieved. GoC=R+ D+

	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	53	73	77	79	68	71	61	61	61	52	73	83
Estimate GoC	••	••	••	•••	•••	•••	•••	••	•	••	••	••
Official	53	73	77	79	68	71	61	-	-	52	73	83
Administrative	53	73	77	79	68	71	61	-	67	52	73	83
Survey	-	-	-	67	-	71	-	-	-	-	-	-


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Gambia - YFV

GMB - YFV



	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	97	96	97	84	90	91	87	83	78	73	78	84
Estimate GoC	●●●	●	●	●	●●●	●●●	●●●	●●	●●	●●	●●	●●
Official	97	96	97	97	90	91	87	-	-	73	78	84
Administrative	97	96	97	97	90	91	87	-	78	73	78	84
Survey	-	-	90	84	92	90	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

2024: Estimate informed by reported data. Unexplained decline of 5 percent in reported number of births and 8 percent in surviving infants between 2023 and 2024. No nationally representative household survey for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high-quality survey to verify reported levels of coverage. GoC=R+ D+

2023: Estimate informed by reported data. GoC=R+ D+

2022: Estimate informed by reported data. Programme reports a 0.5 month stockout at the national level. GoC=R+ D+

2021: Estimate informed by reported administrative data. GoC=R+ D+

2020: Estimate informed by interpolation between reported data. GoC=S+

2019: Estimate informed by reported data. GoC=R+ S+ D+

2018: Estimate informed by reported data supported by survey.Survey evidence of 90 percent based on 1 survey(s). GoC=R+ S+ D+

2017: Estimate informed by reported data supported by survey.Survey evidence of 92 percent based on 1 survey(s). GoC=R+ S+ D+


2016: Survey evidence does not support reported data. Estimate based on survey result. Survey evidence of 84 percent based on 1 survey(s). Estimate challenged by: D-R-

2015: Estimate informed by reported data supported by survey.Survey evidence of 90 percent based on 1 survey(s). Estimate challenged by: S-

2014: Estimate informed by reported data. Target population estimates based on projections from average children vaccinated from 2004 to 2006 polio NIDs. Estimate challenged by: S-

2013: Estimate informed by reported administrative data. Ministry of Health reports targets set in their national comprehensive multi-year plan as their estimate of coverage levels achieved. GoC=R+ S+ D+

Gambia - MENGA



Description:

- 2024: Estimate informed by reported data. Unexplained decline of 5 percent in reported number of births and 8 percent in surviving infants between 2023 and 2024. No nationally representative household survey for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high-quality survey to verify reported levels of coverage. GoC=R+ D+
- 2023: Estimate informed by reported data. GoC=R+ D+
- 2022: Estimate informed by reported data. GoC=R+ D+
- 2021: Estimate informed by reported administrative data. GoC=R+ D+
- 2020: Estimate informed by interpolation between reported data. GoC=No accepted empirical data
- 2019: Estimate informed by reported data. Meningitis A vaccine introduced in 2019. Reported data from April 2019 may reflect doses administered to children aged 12-24 months. GoC=R+ D+

	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
Estimate	-	-	-	-	-	-	35	54	73	66	86	91
Estimate GoC	-	-	-	-	-	-	••	•	••	••	••	••
Official	-	-	-	-	-	-	35	-	-	66	86	91
Administrative	-	-	-	-	-	-	35	-	73	66	86	91
Survey	-	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Gambia - Survey Details

NOTE A survey to measure vaccination coverage for infants (i.e., children aged 0-11 months) will sample children aged 12-23 months at the time of survey to capture the youngest annual cohort of children who should have completed the vaccination schedule. Because WUENIC are for infant vaccinations, survey data in this report are presented to reflect the birth year of the youngest survey cohort. For example, results for a survey conducted during December 2020 among children aged 12-23 months at the time of the survey reflect the immunization experience of children born in 2019. Depending on the timing of survey field work, results may reflect the immunization experience of children born and vaccinated one or two years prior to the survey field work.

The survey results below present vaccination coverage estimates by antigen, confirmation method, and child's age at the time of the survey. Coverage based on **Recall** reflects information based upon a mother's or caregiver's memory. Coverage based on **Record** reflects information drawn from documented vaccination history in home- and/or facility-based records. **Evidence seen** reflects the percentage of children in the sample with documented evidence of vaccination history seen by the survey team.

2018 The Gambia Demographic and Health Survey 2019-2020

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Recall	6.3	12-23 m	99	93
BCG	Record	92.7	12-23 m	1356	93
BCG	Record or Recall	99	12-23 m	1456	93
BCG	Record or Recall<12m	98.8	12-23 m	1456	93
DTP1	Recall	6.1	12-23 m	99	93
DTP1	Record	92.3	12-23 m	1356	93
DTP1	Record or Recall	98.3	12-23 m	1456	93
DTP1	Record or Recall<12m	98.2	12-23 m	1456	93
DTP3	Recall	3.9	12-23 m	99	93
DTP3	Record	88.8	12-23 m	1356	93
DTP3	Record or Recall	92.8	12-23 m	1456	93
DTP3	Record or Recall<12m	92.1	12-23 m	1456	93
HEPB1	Recall	6.1	12-23 m	99	93
HEPB1	Record	92.3	12-23 m	1356	93
HEPB1	Record or Recall	98.3	12-23 m	1456	93
HEPB1	Record or Recall<12m	98.2	12-23 m	1456	93
HEPB3	Recall	3.9	12-23 m	99	93
HEPB3	Record	88.8	12-23 m	1356	93
HEPB3	Record or Recall	92.8	12-23 m	1456	93

HEPB3	Record or Recall<12m	92.1	12-23 m	1456	93
HEPBB	Recall	6.4	12-23 m	99	93
HEPBB	Record	92.5	12-23 m	1356	93
HEPBB	Record or Recall	98.9	12-23 m	1456	93
HEPBB	Record or Recall<12m	98.9	12-23 m	1456	93
HIB1	Recall	6.1	12-23 m	99	93
HIB1	Record	92.3	12-23 m	1356	93
HIB1	Record or Recall	98.3	12-23 m	1456	93
HIB1	Record or Recall<12m	98.2	12-23 m	1456	93
HIB3	Recall	3.9	12-23 m	99	93
HIB3	Record	88.8	12-23 m	1356	93
HIB3	Record or Recall	92.8	12-23 m	1456	93
HIB3	Record or Recall<12m	92.1	12-23 m	1456	93
IPV1	Recall	6.1	12-23 m	99	93
IPV1	Record	86	12-23 m	1356	93
IPV1	Record or Recall	92.1	12-23 m	1456	93
IPV1	Record or Recall<12m	91	12-23 m	1456	93
MCV1	Recall	4.7	12-23 m	99	93
MCV1	Record	85.4	12-23 m	1356	93
MCV1	Record or Recall	90.1	12-23 m	1456	93
MCV1	Record or Recall<12m	85.2	12-23 m	1456	93
MCV2	Recall	7.8	24-35 m	229	-
MCV2	Record	62.8	24-35 m	1203	-
MCV2	Record or Recall	70.5	24-35 m	1432	-
MCV2	Record or Recall<12m	66	24-35 m	1432	-
PCV1	Recall	6.2	12-23 m	99	93
PCV1	Record	92.3	12-23 m	1356	93
PCV1	Record or Recall	98.5	12-23 m	1456	93
PCV1	Record or Recall<12m	98.4	12-23 m	1456	93
PCV3	Recall	3.2	12-23 m	99	93
PCV3	Record	89.1	12-23 m	1356	93
PCV3	Record or Recall	92.3	12-23 m	1456	93
PCV3	Record or Recall<12m	91.6	12-23 m	1456	93
POL1	Recall	5.2	12-23 m	99	93
POL1	Record	92.3	12-23 m	1356	93
POL1	Record or Recall	97.5	12-23 m	1456	93
POL1	Record or Recall<12m	97.4	12-23 m	1456	93
POL3	Recall	2.1	12-23 m	99	93
POL3	Record	88.3	12-23 m	1356	93
POL3	Record or Recall	90.4	12-23 m	1456	93

Gambia - Survey Details

POL3	Record or Recall<12m	89.8	12-23 m	1456	93	HEPBB	Record or Recall	98.1	24-35 m	1432	-
RCV1	Recall	4.7	12-23 m	99	93	HEPBB	Record or Recall<12m	98.1	24-35 m	1432	-
RCV1	Record	85.4	12-23 m	1356	93	HIB1	Recall	13.6	24-35 m	229	-
RCV1	Record or Recall	90.1	12-23 m	1456	93	HIB1	Record	83.6	24-35 m	1203	-
RCV1	Record or Recall<12m	85.2	12-23 m	1456	93	HIB1	Record or Recall	97.2	24-35 m	1432	-
ROTAC	Recall	4.5	12-23 m	99	93	HIB1	Record or Recall<12m	97.2	24-35 m	1432	-
ROTAC	Record	90.2	12-23 m	1356	93	HIB3	Recall	9.4	24-35 m	229	-
ROTAC	Record or Recall	94.7	12-23 m	1456	93	HIB3	Record	81.4	24-35 m	1203	-
ROTAC	Record or Recall<12m	94.3	12-23 m	1456	93	HIB3	Record or Recall	90.8	24-35 m	1432	-
YFV	Recall	4.9	12-23 m	99	93	HIB3	Record or Recall<12m	89.8	24-35 m	1432	-
YFV	Record	84.9	12-23 m	1356	93	IPV1	Recall	14.4	24-35 m	229	-
YFV	Record or Recall	89.8	12-23 m	1456	93	IPV1	Record	43	24-35 m	1203	-
YFV	Record or Recall<12m	84.4	12-23 m	1456	93	IPV1	Record or Recall	57.4	24-35 m	1432	-

2017 The Gambia Demographic and Health Survey 2019-2020

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen						
BCG	Recall	14.6	24-35 m	229	-	MCV1	Recall	12.2	24-35 m	229	-
BCG	Record	83.5	24-35 m	1203	-	MCV1	Record	80.2	24-35 m	1203	-
BCG	Record or Recall	98	24-35 m	1432	-	MCV1	Record or Recall	92.4	24-35 m	1432	-
BCG	Record or Recall<12m	97.9	24-35 m	1432	-	MCV1	Record or Recall<12m	85.1	24-35 m	1432	-
DTP1	Recall	13.6	24-35 m	229	-	PCV1	Recall	13.5	24-35 m	229	-
DTP1	Record	83.6	24-35 m	1203	-	PCV1	Record	83.6	24-35 m	1203	-
DTP1	Record or Recall	97.2	24-35 m	1432	-	PCV1	Record or Recall	97.1	24-35 m	1432	-
DTP1	Record or Recall<12m	97.2	24-35 m	1432	-	PCV1	Record or Recall<12m	97	24-35 m	1432	-
DTP3	Recall	9.4	24-35 m	229	-	PCV3	Recall	8.9	24-35 m	229	-
DTP3	Record	81.4	24-35 m	1203	-	PCV3	Record	80	24-35 m	1203	-
DTP3	Record or Recall	90.8	24-35 m	1432	-	PCV3	Record or Recall	88.9	24-35 m	1432	-
DTP3	Record or Recall<12m	89.8	24-35 m	1432	-	PCV3	Record or Recall<12m	87.7	24-35 m	1432	-
HEPB1	Recall	13.6	24-35 m	229	-	POL1	Recall	13.5	24-35 m	229	-
HEPB1	Record	83.6	24-35 m	1203	-	POL1	Record	83.6	24-35 m	1203	-
HEPB1	Record or Recall	97.2	24-35 m	1432	-	POL1	Record or Recall	97.1	24-35 m	1432	-
HEPB1	Record or Recall<12m	97.2	24-35 m	1432	-	POL1	Record or Recall<12m	97	24-35 m	1432	-
HEPB3	Recall	9.4	24-35 m	229	-	POL3	Recall	5.9	24-35 m	229	-
HEPB3	Record	81.4	24-35 m	1203	-	POL3	Record	80.7	24-35 m	1203	-
HEPB3	Record or Recall	90.8	24-35 m	1432	-	POL3	Record or Recall	86.6	24-35 m	1432	-
HEPB3	Record or Recall<12m	89.8	24-35 m	1432	-	POL3	Record or Recall<12m	85.7	24-35 m	1432	-
HEPBB	Recall	14.7	24-35 m	229	-	RCV1	Recall	12.2	24-35 m	229	-
HEPBB	Record	83.4	24-35 m	1203	-	RCV1	Record	80.2	24-35 m	1203	-
						RCV1	Record or Recall	92.4	24-35 m	1432	-
						RCV1	Record or Recall<12m	85.1	24-35 m	1432	-
						ROTAC	Recall	12	24-35 m	229	-
						ROTAC	Record	82	24-35 m	1203	-

Gambia - Survey Details

ROTAC	Record or Recall	93.9	24-35 m	1432	-
ROTAC	Record or Recall<12m	93.4	24-35 m	1432	-
YFV	Recall	12.9	24-35 m	229	-
YFV	Record	79.4	24-35 m	1203	-
YFV	Record or Recall	92.2	24-35 m	1432	-
YFV	Record or Recall<12m	85.5	24-35 m	1432	-

2016 The Gambia Multiple Indicator Cluster Survey 2018

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Recall	3	12-23 m	1880	96
BCG	Record	94.9	12-23 m	1880	96
BCG	Record or Recall	97.9	12-23 m	1880	96
BCG	Record or Recall<12m	97.9	12-23 m	1880	96
DTP1	Recall	2.9	12-23 m	1880	96
DTP1	Record	93.7	12-23 m	1880	96
DTP1	Record or Recall	96.6	12-23 m	1880	96
DTP1	Record or Recall<12m	96.3	12-23 m	1880	96
DTP3	Recall	2.3	12-23 m	1880	96
DTP3	Record	91.8	12-23 m	1880	96
DTP3	Record or Recall	94.1	12-23 m	1880	96
DTP3	Record or Recall<12m	93.3	12-23 m	1880	96
HEPB1	Recall	2.9	12-23 m	1880	96
HEPB1	Record	93.7	12-23 m	1880	96
HEPB1	Record or Recall	96.6	12-23 m	1880	96
HEPB1	Record or Recall<12m	96.3	12-23 m	1880	96
HEPB3	Recall	2.3	12-23 m	1880	96
HEPB3	Record	91.8	12-23 m	1880	96
HEPB3	Record or Recall	94.1	12-23 m	1880	96
HEPB3	Record or Recall<12m	93.3	12-23 m	1880	96
HEPB3	Recall	0	12-23 m	1880	96
HEPB3	Record	94.8	12-23 m	1880	96
HEPB3	Record or Recall	94.8	12-23 m	1880	96
HEPB3	Record or Recall<12m	94.8	12-23 m	1880	96
HIB1	Recall	2.9	12-23 m	1880	96
HIB1	Record	93.7	12-23 m	1880	96
HIB1	Record or Recall	96.6	12-23 m	1880	96
HIB1	Record or Recall<12m	96.3	12-23 m	1880	96
HIB3	Recall	2.3	12-23 m	1880	96

HIB3	Record	91.8	12-23 m	1880	96
HIB3	Record or Recall	94.1	12-23 m	1880	96
HIB3	Record or Recall<12m	93.3	12-23 m	1880	96
MCV1	Recall	2.5	12-23 m	1880	96
MCV1	Record	84.3	12-23 m	1880	96
MCV1	Record or Recall	86.8	12-23 m	1880	96
MCV1	Record or Recall<12m	82.4	12-23 m	1880	96
MCV2	Recall	10.1	24-35 m	1998	-
MCV2	Record	57	24-35 m	1998	-
MCV2	Record or Recall	67.1	24-35 m	1998	-
MCV2	Record or Recall<12m	64.1	24-35 m	1998	-
PCV1	Recall	2.6	12-23 m	1880	96
PCV1	Record	93.7	12-23 m	1880	96
PCV1	Record or Recall	96.4	12-23 m	1880	96
PCV1	Record or Recall<12m	96.1	12-23 m	1880	96
PCV3	Recall	2.1	12-23 m	1880	96
PCV3	Record	91.9	12-23 m	1880	96
PCV3	Record or Recall	94	12-23 m	1880	96
PCV3	Record or Recall<12m	93.1	12-23 m	1880	96
POL1	Recall	2.5	12-23 m	1880	96
POL1	Record	94.2	12-23 m	1880	96
POL1	Record or Recall	96.6	12-23 m	1880	96
POL1	Record or Recall<12m	96.6	12-23 m	1880	96
POL3	Recall	0.8	12-23 m	1880	96
POL3	Record	92	12-23 m	1880	96
POL3	Record or Recall	92.7	12-23 m	1880	96
POL3	Record or Recall<12m	92.1	12-23 m	1880	96
ROTAC	Recall	1.9	12-23 m	1880	96
ROTAC	Record	80.8	12-23 m	1880	96
ROTAC	Record or Recall	82.7	12-23 m	1880	96
ROTAC	Record or Recall<12m	81.9	12-23 m	1880	96
YFV	Recall	2.2	12-23 m	1880	96
YFV	Record	82.2	12-23 m	1880	96
YFV	Record or Recall	84.4	12-23 m	1880	96
YFV	Record or Recall<12m	79.1	12-23 m	1880	96

2015 The Gambia Multiple Indicator Cluster Survey 2018

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
---------	---------------------	----------	------------	--------	---------------

Gambia - Survey Details

BCG	Recall	11.7	24-35 m	1998	-	PCV3	Recall	9	24-35 m	1998	-
BCG	Record	84.8	24-35 m	1998	-	PCV3	Record	81.4	24-35 m	1998	-
BCG	Record or Recall	96.5	24-35 m	1998	-	PCV3	Record or Recall	90.4	24-35 m	1998	-
BCG	Record or Recall<12m	96.5	24-35 m	1998	-	PCV3	Record or Recall<12m	88.6	24-35 m	1998	-
DTP1	Recall	10.7	24-35 m	1998	-	POL1	Recall	10.5	24-35 m	1998	-
DTP1	Record	84.1	24-35 m	1998	-	POL1	Record	84	24-35 m	1998	-
DTP1	Record or Recall	94.8	24-35 m	1998	-	POL1	Record or Recall	94.5	24-35 m	1998	-
DTP1	Record or Recall<12m	94.4	24-35 m	1998	-	POL1	Record or Recall<12m	94.2	24-35 m	1998	-
DTP3	Recall	8.4	24-35 m	1998	-	POL3	Recall	4.5	24-35 m	1998	-
DTP3	Record	81.5	24-35 m	1998	-	POL3	Record	81.8	24-35 m	1998	-
DTP3	Record or Recall	89.9	24-35 m	1998	-	POL3	Record or Recall	86.3	24-35 m	1998	-
DTP3	Record or Recall<12m	87.6	24-35 m	1998	-	POL3	Record or Recall<12m	85	24-35 m	1998	-
HEPB1	Recall	10.7	24-35 m	1998	-	ROTAC	Recall	8.9	24-35 m	1998	-
HEPB1	Record	84.1	24-35 m	1998	-	ROTAC	Record	79.4	24-35 m	1998	-
HEPB1	Record or Recall	94.8	24-35 m	1998	-	ROTAC	Record or Recall	88.3	24-35 m	1998	-
HEPB1	Record or Recall<12m	94.4	24-35 m	1998	-	ROTAC	Record or Recall<12m	86.1	24-35 m	1998	-
HEPB3	Recall	8.4	24-35 m	1998	-	YFV	Recall	9.8	24-35 m	1998	-
HEPB3	Record	81.5	24-35 m	1998	-	YFV	Record	79.7	24-35 m	1998	-
HEPB3	Record or Recall	89.9	24-35 m	1998	-	YFV	Record or Recall	89.5	24-35 m	1998	-
HEPB3	Record or Recall<12m	87.6	24-35 m	1998	-	YFV	Record or Recall<12m	80.4	24-35 m	1998	-
HEPBB	Recall	0.1	24-35 m	1998	-	2011 Gambia 2011 EPI Cluster Survey					
HEPBB	Record	84.6	24-35 m	1998	-						
HEPBB	Record or Recall	84.7	24-35 m	1998	-	Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
HEPBB	Record or Recall<12m	84.6	24-35 m	1998	-	BCG	Record or Recall	99	12-23 m	1641	99
HIB1	Recall	10.7	24-35 m	1998	-	BCG	Scar	94	12-23 m	1641	99
HIB1	Record	84.1	24-35 m	1998	-	DTP1	Record or Recall	97	12-23 m	1641	99
HIB1	Record or Recall	94.8	24-35 m	1998	-	DTP3	Record or Recall	95	12-23 m	1641	99
HIB1	Record or Recall<12m	94.4	24-35 m	1998	-	HEPB1	Record or Recall	97	12-23 m	1641	99
HIB3	Recall	8.4	24-35 m	1998	-	HEPB3	Record or Recall	95	12-23 m	1641	99
HIB3	Record	81.5	24-35 m	1998	-	HEPBB	Record or Recall	99	12-23 m	1641	99
HIB3	Record or Recall	89.9	24-35 m	1998	-	HIB1	Record or Recall	97	12-23 m	1641	99
HIB3	Record or Recall<12m	87.6	24-35 m	1998	-	HIB3	Record or Recall	95	12-23 m	1641	99
MCV1	Recall	9.9	24-35 m	1998	-	MCV1	Record or Recall	90	12-23 m	1641	99
MCV1	Record	80.3	24-35 m	1998	-	PCV1	Record or Recall	97	12-23 m	1641	99
MCV1	Record or Recall	90.3	24-35 m	1998	-	PCV3	Record or Recall	93	12-23 m	1641	99
MCV1	Record or Recall<12m	82.4	24-35 m	1998	-	POL1	Record or Recall	97	12-23 m	1641	99
PCV1	Recall	10.8	24-35 m	1998	-	POL3	Record or Recall	94	12-23 m	1641	99
PCV1	Record	84	24-35 m	1998	-	YFV	Record or Recall	90	12-23 m	1641	99
PCV1	Record or Recall	94.8	24-35 m	1998	-						
PCV1	Record or Recall<12m	94.5	24-35 m	1998	-						

Gambia - Survey Details

2011 The Gambia Demographic and Health Survey 2013

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Record	90	12-23 m	1496	90
BCG	Record or Recall	98.9	12-23 m	1660	90
BCG	Record or Recall<12m	98.6	12-23 m	1660	90
DTP1	Record	89.7	12-23 m	1496	90
DTP1	Record or Recall	98.1	12-23 m	1660	90
DTP1	Record or Recall<12m	97.5	12-23 m	1660	90
DTP3	Record	82.1	12-23 m	1496	90
DTP3	Record or Recall	87.7	12-23 m	1660	90
DTP3	Record or Recall<12m	86.2	12-23 m	1660	90
HEPB1	Record	89.7	12-23 m	1496	90
HEPB1	Record or Recall	98.1	12-23 m	1660	90
HEPB1	Record or Recall<12m	97.5	12-23 m	1660	90
HEPB3	Record	82.1	12-23 m	1496	90
HEPB3	Record or Recall	87.7	12-23 m	1660	90
HEPB3	Record or Recall<12m	86.2	12-23 m	1660	90
HIB1	Record	89.7	12-23 m	1496	90
HIB1	Record or Recall	98.1	12-23 m	1660	90
HIB1	Record or Recall<12m	97.5	12-23 m	1660	90
HIB3	Record	82.1	12-23 m	1496	90
HIB3	Record or Recall	87.7	12-23 m	1660	90
HIB3	Record or Recall<12m	86.2	12-23 m	1660	90
MCV1	Record	79.3	12-23 m	1496	90
MCV1	Record or Recall	87.8	12-23 m	1660	90
MCV1	Record or Recall<12m	78.8	12-23 m	1660	90
POL1	Record	85.5	12-23 m	1496	90
POL1	Record or Recall	97.8	12-23 m	1660	90
POL1	Record or Recall<12m	97.2	12-23 m	1660	90
POL3	Record	87.3	12-23 m	1496	90
POL3	Record or Recall	90	12-23 m	1660	90
POL3	Record or Recall<12m	88.6	12-23 m	1660	90

2009 The Gambia Multiple Indicator Cluster Survey 2010

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Recall	5.5	12-23 m	-	94
BCG	Record	93.6	12-23 m	-	94
BCG	Record or Recall	99.2	12-23 m	2415	94
BCG	Record or Recall<12m	98.9	12-23 m	-	94
DTP1	Recall	5.2	12-23 m	-	94
DTP1	Record	92.7	12-23 m	-	94
DTP1	Record or Recall	97.9	12-23 m	2415	94
DTP1	Record or Recall<12m	96.5	12-23 m	-	94
DTP3	Recall	3.7	12-23 m	-	94
DTP3	Record	89.5	12-23 m	-	94
DTP3	Record or Recall	93.2	12-23 m	2415	94
DTP3	Record or Recall<12m	89.3	12-23 m	-	94
HEPB1	Record or Recall	53.8	12-23 m	2415	94
HEPB3	Record or Recall	32	12-23 m	2415	94
HEPBB	Recall	2.1	12-23 m	-	94
HEPBB	Record	85.1	12-23 m	-	94
HEPBB	Record or Recall	87.2	12-23 m	2415	94
HEPBB	Record or Recall<12m	86.2	12-23 m	-	94
MCV1	Recall	4.9	12-23 m	-	94
MCV1	Record	90	12-23 m	-	94
MCV1	Record or Recall	94.9	12-23 m	2415	94
MCV1	Record or Recall<12m	87.6	12-23 m	-	94
PCV1	Recall	3.4	12-23 m	-	94
PCV1	Record	50.4	12-23 m	-	94
PCV1	Record or Recall	53.8	12-23 m	2415	94
PCV1	Record or Recall<12m	49.1	12-23 m	-	94
PCV3	Recall	1	12-23 m	-	94
PCV3	Record	31	12-23 m	-	94
PCV3	Record or Recall	32	12-23 m	2415	94
PCV3	Record or Recall<12m	25	12-23 m	-	94
POL1	Recall	5.8	12-23 m	-	94
POL1	Record	92.1	12-23 m	-	94
POL1	Record or Recall	97.9	12-23 m	2415	94
POL1	Record or Recall<12m	97.2	12-23 m	-	94
POL3	Recall	4.3	12-23 m	-	94
POL3	Record	90.8	12-23 m	-	94
POL3	Record or Recall	95.2	12-23 m	2415	94
POL3	Record or Recall<12m	93.4	12-23 m	-	94
YFV	Recall	4.9	12-23 m	-	94

Gambia - Survey Details

YFV	Record	89.6	12-23 m	-	94
YFV	Record or Recall	94.5	12-23 m	2415	94
YFV	Record or Recall<12m	87.5	12-23 m	-	94

2005 The Gambia Immunisation Survey for 2004

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Record or Recall	98.3	12-23 m	1470	-
DTP3	Record or Recall	95.1	12-23 m	1470	-
HEPB3	Record or Recall	95.4	12-23 m	1470	-
HIB3	Record or Recall	95.1	12-23 m	1470	-
MCV1	Record or Recall	90.9	12-23 m	1470	-
POL3	Record or Recall	93.8	12-23 m	1470	-
YFV	Record or Recall	90.7	12-23 m	1470	-

2005 The Gambia Multiple Indicator Cluster Survey 2005/2006

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Recall	9	12-23 m	1486	91
BCG	Record	89.7	12-23 m	1486	91
BCG	Record or Recall	98.7	12-23 m	1486	91
BCG	Record or Recall<12m	97.6	12-23 m	1486	91
DTP1	Recall	8.3	12-23 m	1486	91
DTP1	Record	87.7	12-23 m	1486	91
DTP1	Record or Recall	96.1	12-23 m	1486	91
DTP1	Record or Recall<12m	93.1	12-23 m	1486	91
DTP3	Recall	5.2	12-23 m	1486	91
DTP3	Record	81.6	12-23 m	1486	91
DTP3	Record or Recall	86.8	12-23 m	1486	91
DTP3	Record or Recall<12m	82.4	12-23 m	1486	91
HEPB1	Recall	0.1	12-23 m	1486	91
HEPB1	Record	85.5	12-23 m	1486	91
HEPB1	Record or Recall	85.6	12-23 m	1486	91
HEPB1	Record or Recall<12m	83.8	12-23 m	1486	91
HEPB3	Recall	0	12-23 m	1486	91
HEPB3	Record	79	12-23 m	1486	91
HEPB3	Record or Recall	79	12-23 m	1486	91

HEPB3	Record or Recall<12m	75.4	12-23 m	1486	91
MCV1	Recall	8.6	12-23 m	1486	91
MCV1	Record	83.8	12-23 m	1486	91
MCV1	Record or Recall	92.4	12-23 m	1486	91
MCV1	Record or Recall<12m	84.9	12-23 m	1486	91
POL1	Recall	8.9	12-23 m	1486	91
POL1	Record	86.6	12-23 m	1486	91
POL1	Record or Recall	95.5	12-23 m	1486	91
POL1	Record or Recall<12m	92.8	12-23 m	1486	91
POL3	Recall	3.6	12-23 m	1486	91
POL3	Record	84.1	12-23 m	1486	91
POL3	Record or Recall	87.6	12-23 m	1486	91
POL3	Record or Recall<12m	83.3	12-23 m	1486	91
YFV	Recall	0	12-23 m	1486	91
YFV	Record	83.5	12-23 m	1486	91
YFV	Record or Recall	83.5	12-23 m	1486	91
YFV	Record or Recall<12m	76.9	12-23 m	1486	91

2004 The Gambia Immunisation Survey for 2003

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Record or Recall	99.2	12-23 m	1470	99
DTP3	Record or Recall	92.2	12-23 m	1470	99
HEPB3	Record or Recall	94.9	12-23 m	1470	99
MCV1	Record or Recall	89.3	12-23 m	1470	99
POL3	Record or Recall	91.6	12-23 m	1470	99
YFV	Record or Recall	88.7	12-23 m	1470	99

2001 Gambia Immunization Coverage Survey for 2000

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Record or Recall	99.6	12-23 m	1470	-
DTP3	Record or Recall	86.7	12-23 m	1470	-
HEPB3	Record or Recall	91.5	12-23 m	1470	-
HIB3	Record or Recall	86.7	12-23 m	1470	-
MCV1	Record or Recall	88.7	12-23 m	1470	-
POL3	Record or Recall	60.3	12-23 m	1470	-

YFV	Record or Recall	84	12-23 m	1470	-
1999 The Gambia 2000 Multiple Indicator Cluster Survey					
Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Recall	5.5	12-23 m	835	91
BCG	Record	87.4	12-23 m	835	91
BCG	Record or Recall	92.9	12-23 m	835	91
BCG	Record or Recall<12m	98.8	12-23 m	835	91
DTP1	Recall	4.4	12-23 m	835	91
DTP1	Record	87.4	12-23 m	835	91
DTP1	Record or Recall	91.8	12-23 m	835	91
DTP1	Record or Recall<12m	97.2	12-23 m	835	91
DTP3	Recall	1.4	12-23 m	835	91

DTP3	Record	70.8	12-23 m	835	91
DTP3	Record or Recall	72.2	12-23 m	835	91
DTP3	Record or Recall<12m	90.3	12-23 m	835	91
MCV1	Recall	5	12-23 m	835	91
MCV1	Record	83	12-23 m	835	91
MCV1	Record or Recall	88	12-23 m	835	91
MCV1	Record or Recall<12m	87.9	12-23 m	835	91
POL1	Recall	5.5	12-23 m	835	91
POL1	Record	88.5	12-23 m	835	91
POL1	Record or Recall	94	12-23 m	835	91
POL1	Record or Recall<12m	97.2	12-23 m	835	91
POL3	Recall	2.8	12-23 m	835	91
POL3	Record	77.9	12-23 m	835	91
POL3	Record or Recall	80.7	12-23 m	835	91
POL3	Record or Recall<12m	88.3	12-23 m	835	91

Further information and estimates for previous years are available at:
<https://data.unicef.org/topic/child-health/immunization/>
<https://immunizationdata.who.int/listing.html>