



Colombia

Administrative Data Quality Review Report, 2025



Administrative Data Quality Review

This report presents a systematic review of immunization administrative data quality. It is designed to support country-level data review discussions. Administrative (“admin”) data can be affected by reporting errors, denominator inconsistencies, and supply disruptions. This report helps identify where data quality issues may exist and why admin coverage may diverge from the WHO/UNICEF Estimates of National Immunization Coverage (WUENIC), survey, and official government estimates.

This report covers the following data quality components:

Schedule & Supply Context

Vaccine schedule, introduction years, and recorded stockouts

Coverage Overview

WUENIC, admin, official government, and survey coverage across all vaccines and years.

Admin Coverage Flags

Years where admin coverage exceeds 100% or changes by more than ± 10 percentage points.

Admin vs. Estimates

Gaps between admin and WUENIC estimates; gaps between admin and official government estimates.

Numerator Checks

Percent change from the previous year in the number of children vaccinated; co-administration consistency checks.

Denominator Checks

Percent change from the previous year in target population size; live births vs. surviving infants over time.

Admin Data Availability Heatmap

Heatmap showing which vaccines have missing or present administrative data by year.

Admin Data Comments

Country-reported explanations for numerator accuracy, denominator source, and denominator accuracy.

Flags in this report indicate areas that warrant further review — they do not necessarily indicate errors. Country context, schedule changes, and reporting system updates should be considered alongside these findings.

The electronic Joint Reporting Form (eJRF)

Since 1998, in an effort to strengthen collaboration and minimize the reporting burden of countries, WHO and UNICEF have jointly collected immunization system and related information through a standard questionnaire (the Joint Reporting Form) sent to all Member States. In 2021, the form was updated to a cloud-based solution known as the electronic Joint Reporting Form (eJRF).

The eJRF serves three core functions:

Mission-Critical Data

Serves as the primary data source for tracking the **Immunization Agenda 2030 (IA2030)** and the Sustainable Development Goals (SDGs).

Strategic Utility

Informs WUENIC estimates, guides global funding decisions, and populates the UNICEF *State of the World's Children* reports.

Comprehensive Scope

Captures national and subnational coverage, vaccination schedules, vaccine stockouts, and disease trends.

All data in this presentation is sourced from the eJRF.

Definitions of immunization terms

Vaccine coverage

Percentage of infants (children under one year of age) who received certain vaccine-doses. For example, coverage of DTP3 is the percentage of infants who received all three doses of diphtheria, tetanus, and pertussis (DTP) vaccine.

Unvaccinated

An infant that did not receive the first dose of a vaccine series. The term zero-dose is used to describe children unvaccinated with DTP1.

Under-vaccinated

An infant who received some but not all the recommended vaccine-doses in the national schedule.

Vaccine-Doses

- Bacillus Calmette-Guerin (BCG): vaccine against tuberculosis
- Hepatitis B birth dose, given within 24 hours after birth (HepBB)
- Diphtheria, tetanus, and pertussis vaccine, first dose (DTP1) and third dose (DTP3)
- Hepatitis B vaccine, third dose (HepB3)
- Haemophilus influenzae type b vaccine, third dose (Hib3)
- Inactivated polio vaccine, first dose (IPV1) and last dose (IPVC)
- Measles containing vaccine, first dose (MCV1) and second dose (MCV2)
- Rotavirus vaccine, last dose (RotaC)
- Pneumococcal vaccine, last dose (PCVC)
- Yellow Fever vaccine (YFV)
- Meningococcal A vaccine (MengA)
- Human papillomavirus vaccine, first dose (HPV1) and last dose (HPVc): vaccine to protect against certain types of human papillomavirus that can lead to cancer or genital warts

The Immunization Agenda 2030 (IA2030)

The IA2030 is a global strategy endorsed by the World Health Assembly aiming to ensure everyone, everywhere, at every age benefits from vaccines for improved health and well-being by 2030. It focuses on increasing vaccine coverage, equity, sustainability and pandemic preparedness while promoting life-course immunization and integrating immunization with other health services.

Data Sources Presented

This report presents data from the following sources:

WUENIC

WHO/UNICEF Estimates of National Immunization Coverage (WUENIC) provides annual country-level immunization coverage estimates produced jointly by WHO and UNICEF. These estimates are derived from a systematic review of all available data sources and are adjusted to account for data quality issues.

Administrative ("Admin")

Reported by national authorities and based on aggregated administrative reports from health service providers on the number of vaccinations administered during a given period (numerator) and reported target population data (denominator).

Official

Estimated coverage reported by national authorities that reflects their assessment of the most likely coverage based on any combination of administrative coverage, survey-based estimates, or other data sources or adjustments.

Survey

Based on estimated coverage from population-based household surveys among children aged 12–23 months or 24–35 months. Survey results are considered for the appropriate birth cohort based on the period of data collection. Coverage information is based on the combination of vaccination history from documented evidence or caregiver recall.

Vaccine Schedule

Level	Vaccine	Dose number and age administered				
		1	2	3	4	5
National	BCG	Birth				
National	DTP	2 months	4 months	6 months		
National	DTWPHIBHEPB (booster)				18 months	
National	HEPB (pediatric)	Birth				
National	HPV (females and males)	9 to 17 years				
National	IPV	2 months	4 months	6 months	18 months	5 years
National	MCV	1 year	18 months			
Subnational	MR	6 months				
National	PCV	2 months	4 months	12 months		
National	RotaC	2 months	4 months			
National	YF	9 to 12 months				

This table shows the 2025 national immunization schedule for routine services in Colombia, reported through the WUENIC Joint Reporting Form on Immunization (JRF).

Each row corresponds to a vaccine or combination vaccine, indicating whether it is delivered at the national or subnational level. The schedule outlines the number of doses and the recommended ages for administration. Only childhood and adolescent vaccines relevant to WUENIC are included.

Vaccine Introductions

Vaccine	National introduction	Partial introduction	Risk groups	Risk areas
HPV (Human papillomavirus) vaccine	2012			
HepB birth dose	2000			
Hepatitis B vaccine	1994			
Hib (Haemophilus influenzae type B) vaccine	1998			
IPV (Inactivated polio vaccine)	2015			
IPV (Inactivated polio vaccine) 2nd dose	2018			
Malaria vaccine	Not introduced			
Measles-containing vaccine 2nd dose	1997			
Meningococcal meningitis vaccines (any strain)	Not introduced			2016
Mumps vaccine	1995			
PCV (Pneumococcal conjugate vaccine)	2011	2009	2007	
RSV (Respiratory syncytial virus) immunization strategy	2025			
Rotavirus vaccine	2009		2008	
Rubella vaccine	1995			
Typhoid conjugate vaccine	Not introduced			
YF (Yellow fever) vaccine	2003	2002		

Year in which each vaccine was introduced nationally, partially, for risk groups, or risk areas.

We present the vaccination introductions table here to contextualize the data availability heatmap on the following slide.

Admin Data Availability Heatmap by Vaccine, Colombia, 2010–2025



Heatmap showing whether admin data are present (green), missing (red), or not applicable because the vaccine had not yet been introduced or reporting had not started (white), by vaccine and year.

Admin Data Comments Summary: 2025


Comment Type	Comment
Denominator Accuracy	The Ministry of Health and Social Protection has identified a statistical discrepancy when comparing population projections for children under one (1) year of age with DANE’s live birth data series. While the former suggest an upward trend, the latter show a sustained decline; this technical discrepancy is the main cause of atypical coverage rates exceeding 100% in various territorial entities. Given the need for a more precise denominator, the MSPS has been implementing a multi-source estimation methodology since 2012. This technique consolidates historical projection data, live birth records, the peak production of the pentavalent vaccine, and historical data on administered doses, thereby enabling the establishment of a program target that more accurately reflects the country’s demographic reality.
Denominator Source	In Colombia, the “denominator” data is obtained from two main sources: Children under 6 and Pregnant Women: The Ministry of Health provides the official denominator based on live birth records and historical databases from the PAI, as well as statistical analyses of population mortality in these groups. For the denominators of 9-year-old boys and girls (VPH) and older adults: Since these groups consist of larger cohorts or are difficult to identify by name initially, the DANE Population Projections (based on the 2018 Census) are used. These projections estimate how many people of that specific age reside in each municipality.
Numerator Accuracy	To mitigate the accuracy limitation in the numerator, the Ministry of Health and Social Protection, through the PAI, has implemented data collection and validation strategies aimed at ensuring the integrity of data on administered doses. Currently, two monthly quality verification cycles are routinely conducted, involving departments, municipalities, and IPSs. This data cleansing process, carried out in a cascading manner at each administrative level, minimizes inconsistencies and ensures reporting consistency with the private network, thereby strengthening the program’s individual-level traceability.

Summary of all admin data comment fields for the most recent year with available data (2025).

Admin Coverage Flags

Admin Coverage Flags by Vaccine and Year, Colombia, 2010–2025

Orange = coverage > 100% | Red = ± 10 pp



Flag Type ● ± 10 pp change ● $\leq 100\%$


Gaps in line indicate missing admin data for that year.

Admin coverage flagged where values exceed 100% (orange) or change by more than ± 10 percentage points from the previous year (red), 2010–2025.

Two types of data quality issues are highlighted: coverage values above 100%, which suggest errors in the reported number of vaccinations or the denominator used, and year-on-year changes greater than 10 percentage points, which may reflect inconsistent reporting rather than true changes in vaccination coverage.

DTP1, DTP3, and MCV1 Admin Coverage Flags by Year, Colombia, 2010–2025

Orange = coverage > 100% | Red = ± 10pp



Gaps in line indicate missing admin data for that year.

Same flag logic applied to DTP1, DTP3, and MCV1 only, 2010–2025.

Two types of data quality issues are highlighted: coverage values above 100%, which suggest errors in the reported number of vaccinations or the denominator used, and year-on-year changes greater than 10 percentage points, which may reflect inconsistent reporting rather than true changes in vaccination coverage.


Numerator Checks

Admin Data Comments: Numerator Accuracy (2021–2025)

Year	Comment
2025	To mitigate the accuracy limitation in the numerator, the Ministry of Health and Social Protection, through the PAI, has implemented data collection and validation strategies aimed at ensuring the integrity of the data on administered doses. Currently, two monthly quality verification cycles are routinely conducted, involving departments, municipalities, and IPSs. This data cleansing process, carried out in a cascading manner at each administrative level, minimizes inconsistencies and ensures reporting consistency with the private network, thereby strengthening the program's individual-level traceability.
2024	Given the limitations on the accuracy of the numerator, the Ministry of Health and Social Protection, through its Expanded Program on Immunization (EPI), has been working on strategies to ensure the quality of data collection on monthly doses administered, and as a result, it routinely conducts two quality checks per month on the data submitted by departments, municipalities, and vaccination facilities. This process is carried out at each administrative level, thereby reducing any inaccuracies in the data.
2023	The factors that limit the accuracy of the numerator are the consistency of the data at each stage of data collection and compilation across the three levels of information.
2022	The factors that limit the accuracy of the numerator are the consistency of the data at each stage of data collection and compilation across the three levels of information.
2021	The factors that limit the accuracy of the numerator are data consistency at each stage of data collection and compilation across the three levels of information.

Factors limiting the accuracy of the numerator as reported by Colombia.


Number of Children Vaccinated by Vaccine and Year,
Colombia, 2021–2025



This chart shows number of children vaccinated (numerator) by vaccine and year.

Black diagonal lines indicate years with a national- or subnational-level vaccine stockout, which may explain any drops in the number of children vaccinated.

Number of Children Vaccinated by Vaccine and Year (DTP1, DTP3, MCV1),
Colombia, 2021–2025




Number of children vaccinated (numerator) by vaccine (DTP1, DTP3, and MCV1 only) and year.

Black diagonal lines indicate years with a vaccine stockout, which may explain any drops in the number of children vaccinated.

Number of Children Vaccinated by Vaccine and Year, Colombia, 2021–2025


WUENIC vaccines administered at 2 months of age



Number of children vaccinated with vaccines co-administered at the 2 months visit per the national schedule.


Number of Children Vaccinated by Vaccine and Year, Colombia, 2021–2025

WUENIC vaccines administered at 4 months of age



Number of children vaccinated with vaccines co-administered at the 4 months visit per the national schedule.

Number of Children Vaccinated by Vaccine and Year,
Colombia, 2010–2025



Raw counts of children vaccinated (numerator) by vaccine and year. Points are colored by the percent change from previous year in the number of children vaccinated.

Green point = stable year-to-year count of children vaccinated.

Orange/red point = high fluctuation in number of children vaccinated, which may indicate data quality issues.

Black point = first year of available numerator data for that vaccine.

Denominator Checks

Admin Data Comments:

Denominator Source (2021–2025)

Year	Comment
2025	In Colombia, the “denominator” data is obtained from two main sources: Children under 6 and Pregnant Women: The Ministry of Health provides the official denominator based on live birth records and historical databases from the PAI, as well as statistical analyses of population mortality in these groups. For the denominators of 9-year-old boys and girls (VPH) and older adults: Since these groups consist of larger cohorts or are difficult to identify by name initially, the DANE Population Projections (based on the 2018 Census) are used. These projections estimate how many people of that specific age reside in each municipality.
2024	The Ministry of Health and Social Protection uses the population of children under 6 years of age and pregnant women as the denominator for vaccination efforts. For 9-year-old children receiving the HPV vaccine and older adults, the denominator is based on DANE population projections.
2023	The denominator was provided by the Ministry of Health and Social Protection
2022	The denominator was provided by the Ministry of Health and Social Protection
2021	Numerator: number of children vaccinated / denominator: number of children per age group as defined by the Ministry of Health's program targets.

Explanation of how the denominators (target population) are obtained.


Admin Data Comments:

Denominator Accuracy (2021–2025)

Year	Comment
2025	The Ministry of Health and Social Protection has identified a statistical discrepancy when comparing population projections for children under one (1) year of age with DANE’s live birth data series. While the former suggest an upward trend, the latter show a sustained decline; this technical discrepancy is the main cause of atypical coverage rates exceeding 100% in various territorial entities. Given the need for a more precise denominator, the MSPS has been implementing a multi-source estimation methodology since 2012. This technique consolidates historical projection data, live birth records, the peak production of the pentavalent vaccine, and historical data on administered doses, thereby enabling the establishment of a program target that more accurately reflects the country’s demographic reality.
2024	The Ministry of Health and Social Protection, upon comparing the data from the population projections for children under one (1) year of age with the DANE’s live births data, identified a contradictory trend: while the population projections for children under one (1) year of age show an upward trend, whereas the live births data show a downward trend. Among other issues, this results in some municipalities and departments having vaccination coverage rates exceeding 100%. Therefore, the Ministry of Health and Social Protection (MSPS) believes that the target population to be vaccinated should be estimated using a more reliable method. Consequently, in 2012, data obtained from various sources have been analyzed, including historical records of the projected population of children under one (1) year of age; live births; maximum pentavalent vaccine production for the period; and doses of the vaccines administered to children under one (1) year of age, among others—and uses this information to calculate the program’s denominator.
2023	The factors that limit the accuracy of the numerator are the consistency of the data with population changes in the territory.
2022	Numerator: number of children vaccinated / denominator: number of children per age group as defined by the Ministry of Health's program targets.
2021	The factors that limit the accuracy of the denominator are the consistency of the data at each stage of data collection and compilation across the three levels of information.

Factors limiting the accuracy of the denominator as reported by Colombia.

Number of Children in Target Population by Vaccine and Year,
Colombia, 2010–2025




Target population (denominator) by vaccine and year. Points are colored by the magnitude of year-on-year change: green for less than 5%, orange for 5–10%, and red for greater than 10%. Black points indicate there was no denominator data in the previous year (unable to calculate percent change). Light blue shading highlights years where the direction of change switches unexpectedly.

Target populations should follow a smooth, steady trajectory. Sudden directional switches are demographically unnatural and typically indicate administrative errors, shifting census boundaries, or changes in reporting sources.

Genuine switches are rare and generally limited to extreme disruptions such as humanitarian crises, cross-border migrations, or very small island populations.

Live Births & Surviving Infants (UNPD) vs. Admin Denominators, Colombia, 2010–2025



Comparison of trends in live births and surviving infants, 2010–2025.


Live births is used as the denominator for BCG and HepBB.

Surviving infants is used as the denominator for other vaccines given in the first year of life.

Admin target populations are reported by the country, while the United Nations Population Division (UNPD) produces the World Population Prospects (WPP) data.

UNPD is the United Nations Population Division.

Admin Denominator Stability Check, Colombia, 2010–2025



Gaps in line indicate missing admin data for that year.

Number of children in the live births (BCG) and surviving infants (DTP1) administrative populations by year. Points are colored by the magnitude of year-on-year change: green for less than 5%, orange for 5–10%, and red for greater than 10%. Black points indicate there was no denominator data in the previous year (unable to calculate percent change). Light blue shading highlights years where the direction of change switches unexpectedly.

Under normal circumstances, target populations should follow a smooth, steady trajectory rather than fluctuating. Sudden switches in direction, such as an increasing population abruptly decreasing the following year, are demographically unnatural and typically indicate administrative errors, shifting census boundaries, or changes in reporting data sources without historic time series adjustment.


Genuine switches in growth direction are rare and generally limited to extreme disruptions like humanitarian refugee crises, cross-border migrations, or very small island populations.



WUENIC 2025 revision


Coverage of Vaccines Recommended at the Same Age

Admin Coverage of Vaccines Administered at 2 months,
Colombia, 2010–2025



Admin coverage of WUENIC vaccines co-administered at the 2 months visit per the national schedule.

Admin Coverage of Vaccines Administered at 4 months,
Colombia, 2010–2025




Admin coverage of WUENIC vaccines
co-administered at the 4 months visit
per the national schedule.

Vaccine Dropout

Key Vaccine Dropout, Colombia, 2010–2025

Circles = Admin Coverage | Triangles = Dropout %



Admin coverage for key vaccine pairs (DTP1→DTP3, DTP1→MCV1) with dropout rate shown as triangles. High dropout may indicate supply, access, or demand barriers.

A normal dropout rate means more children received DTP1 than DTP3 or MCV1, which is expected. A negative dropout rate means more children received DTP3/MCV1 than DTP1.

For DTP1–DTP3, negative dropout almost certainly reflects data quality issues, as a child cannot receive the third dose without first receiving the first dose.

While a child can receive MCV1 without DTP1, negative dropout is generally unusual as MCV1 is recommended later in infancy. Negative dropout may occur in instance of outbreak response, but campaigns often include older children, which may contaminate the numerator and lead to misinterpretation.

$\text{Dropout \%} = (\text{Dose 1} - \text{Dose 2}) / \text{Dose 1} * 100$

Coverage Comparison Between WUENIC, Admin, and Official Estimates

Coverage Trends by Vaccine and Source, Colombia, 2010–2025



WUENIC HPV coverage estimates not included.
White = not yet introduced or not reported. Grey = missing data.
Survey panel not presented as Colombia reported no survey data.

Coverage by vaccine and data source (WUENIC, Admin, Official, Survey) for the most recent 5 years.

Coverage vs. WUENIC Estimates by Source, Colombia, 2021–2025

	WUENIC					Admin					Official (Government Estimate)				
BCG	87	87	87	85	94	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0
HepBB	87	85	77	76	86	-22	+0	+0	+0	+0	-22	+0	+0	+0	+0
DTP1	91	91	90	89	94	+0	+0	+0	-1	+0	+0	+0	-1	+0	+0
DTP3	87	87	90	89	92	-1	+0	+0	+0	+0	+0	+0	+0	+0	+0
Hib3	87	87	90	89	92	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0
HepB3	87	87	90	89	92	+1	+0	+0	+0	+0	+0	+0	+0	+0	+0
PCVC	84	85	90	91	89	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0
RotaC	86	85	86	86	91	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0
IPV1	90	89	90	88	94	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0
IPVC	86	86	90	88	92	+0	+0	+0	+1	+0	+0	+0	+1	+0	+0
MCV1	86	88	93	93	91	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0
RCV1	86	88	93	93	91	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0
MCV2	86	84	84	86	86	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0
YFV	86	75	86	90	96	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0
	2021	2022	2023	2024	2025	2021	2022	2023	2024	2025	2021	2022	2023	2024	2025

WUENIC coverage 75 80 85 90 95

Difference in pp vs. WUENIC -1pp -0.5pp 0 +0.5pp +1pp


WUENIC panel shows absolute coverage. All other panels show percentage point difference vs. WUENIC estimate.

White = not yet introduced or not reported. Grey = missing data.
Survey panel not presented as Colombia reported no survey data.

Difference in percentage points between administrative, official, and survey coverage and WUENIC estimates (e.g., Admin - WUENIC) for the most recent 5 years.

A difference of zero indicates that the coverage source and WUENIC estimate are identical, usually indicating that source informed the WUENIC estimate.

Coverage Trends by Vaccine and Source, Colombia, 2010–2025



Coverage trends for DTP1, DTP3, and MCV1 by data source, 2010–2025.

Actionable Health Analytics for Decision-making (AHEAD)

AHEAD is a UNICEF initiative that strengthens the quality and use of routine immunization data by working closely with Ministries of Health and national Expanded Programme on Immunization (EPI) teams.

AHEAD begins with a systematic review of routine immunization data to identify and address data quality issues, including missing or inconsistent reporting, internal inconsistencies, implausible year-to-year fluctuations, and inaccuracies in target population denominators. Through a collaborative process with national teams, reported data are reviewed, cleaned, and validated, while alternative denominator sources are assessed to improve the accuracy and interpretation of vaccination coverage estimates.

Building on these strengthened data, AHEAD produces timely subnational immunization analytics at regional, district, and health facility levels to identify priority areas, monitor trends, and support evidence-based planning and targeted interventions.

Please contact UNICEF for more information at: data@unicef.org

AHEAD

