

WUENIC Talking Points: Guyana

Revision Year: 2025

Contents

Overview	2
DTP1: Reaching zero-dose children	3
DTP3: A marker of routine immunization service delivery to children	4
MCV: Canary in the coal mine	5
HPV	6
Regional Comparison	7
Additional Vaccines	8
Appendix	9

Guyana in the 'Americas' region



Overview

- A total of 14 childhood vaccines are tracked for Guyana; of these, 14 reached the 90% coverage target or higher in 2025.
- Coverage of the first dose of diphtheria-tetanus-pertussis-containing vaccine (DTP1) was the same in 2025 as it was in 2024 (99%), coverage of the third dose of DTP-containing vaccine (DTP3) was the same in 2025 as it was in 2024 (99%), and coverage of the first dose of the measles-containing vaccine (MCV1) was the same in 2025 as it was in 2024 (99%) in 2025.
- In 2025, the number of zero-dose children for DTP in Guyana (<200) was approximately 27% higher than the annual number proposed to achieve the IA2030 target of halving zero-dose children for DTP by 2030 (<200), based on a linear trajectory of decline.


Vaccine coverage (%), Guyana, 2000–2025

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
BCG	93	95	91	95	94	96	96	97	96	98	98	97	98	98	99	99	95	97	99	99	94	90	99	99	99	99
HepBB																				35	49	58	57	84	97	93
DTP1	97	98	96	93	97	93	95	96	94	99	99	97	99	98	99	96	97	97	99	99	99	98	99	99	99	99
DTP3	88	85	91	90	91	93	93	94	93	98	95	93	97	98	98	95	97	97	95	99	99	98	99	99	99	99
Hib3		85	91	90	91	93	93	94	93	98	95	93	97	98	98	95	97	97	95	99	99	98	99	99	99	99
HepB3		85	91	90	91	93	93	94	93	98	95	93	97	98	98	95	97	97	95	99	99	98	99	99	99	99
PCVC												50	90	96	97	94	92	97	91	98	89	99	95	97	98	99
RotaC										39	77	91	94	95	96	96	97	91	99	97	93	99	99	94	99	99
IPV1																31	98	94	97	99	99	98	99	99	99	99
IPVC																					94	96	98	99	99	99
MCV1	86	92	93	89	88	92	90	96	95	97	95	98	99	99	99	99	99	99	98	98	98	95	97	98	99	99
RCV1	86	92	93	89	88	92	90	96	95	97	95	98	99	99	99	99	99	99	98	98	98	95	97	98	99	99
MCV2		88	80	71	63	72	74	90	84	84	82	84	90	95	91	95	94	93	84	92	97	83	99	99	97	97
YFV	83	90	90	89	89	91	90	96	97	97	94	97	99	99	99	99	99	99	96	94	95	94	96	98	99	99
HPVc													2	9	4	3	9	13	15	14	22	1	11	40	71	71



Source: WHO/UNICEF estimates of national immunization coverage, 2025 revision.

Estimated number of zero-dose children, 2000–2025 and target by 2030, Guyana




Source: WHO/UNICEF estimates of national immunization coverage, 2025 revision.
 Note: The Immunization Agenda 2030 (IA2030) calls on all countries to reduce the number of zero-dose children in 2019 in half by 2030.
 Dark blue bars are the estimated number of zero-dose children in 2000–2025, light blue bar is the target number of zero-dose children by 2030.
 The line and points show the yearly progress and trajectory to meet the target by 2030, based on a linear decline.

DTP1: Reaching zero-dose children

- Coverage of DTP1 stood at 99% in 2025. This is the same as in 2019 (99%) and the same as in 2024 (99%).
- The percentage of zero-dose children was 27 percentage points higher than the IA2030 target in 2025. There were approximately <200 zero-dose children in 2025, fewer than the <200 in 2019 and fewer than the <200 in 2024.
- Coverage of DTP1 in Guyana (99%) was higher than the Latin America and the Caribbean regional average of 89% in 2025.
- DTP1-to-DTP3 dropout in 2025 was 0%, the same as in 2019. Low DTP dropout rates imply good ability to provide a complete vaccine series early in life.

DTP1 coverage and zero-dose children over time, Guyana, 2000–2025




Dotted line shows the IA2030 target of 90% coverage
Source: WHO/UNICEF estimates of national immunization coverage, 2025 revision.

DTP3: A marker of routine immunization service delivery to children

- Coverage of DTP3 stood at 99% in 2025. This is the same as in 2019 (99%) and the same as in 2024 (99%).
- The number of children vaccinated with DTP3 decreased from 17,000 in 2019 to 16,000 in 2025.
- In 2025, there were <200 children un- or under-vaccinated in Guyana.
- In 2025, 0% of children who received DTP1 did not receive DTP3. This 0% dropout rate was the same as in 2019 (0%) and the same as the 2024 dropout rate (0%).
- Coverage of DTP3 in Guyana (99%) was higher than the Latin America and the Caribbean regional average of 83% in 2025.


DTP3 coverage and un- or under-vaccinated children over time, Guyana, 2000–2025



Dotted line shows the IA2030 target of 90% coverage
Source: WHO/UNICEF estimates of national immunization coverage, 2025 revision.

MCV: Canary in the coal mine


- Coverage of MCV1 stood at 99% in 2025. This is higher than in 2019 (98%) and the same as in 2024 (99%).
- Coverage of the second dose of the measles-containing vaccine (MCV2) increased from 92% in 2019 to 97% in 2025. This still leaves <200 children without any protection against measles and another <500 with only partial protection.
- In 2025, 0% of children who received DTP1 did not receive MCV1. This 0% dropout rate was 1 percentage points lower than in 2019 (1%) and the same as the 2024 dropout rate (0%).
- Guyana has achieved MCV1 coverage above 80% over all of the last 3 years.
- Coverage of MCV1 in Guyana (99%) was higher than the Latin America and the Caribbean regional average of 86% in 2025.



Dotted line shows the IA2030 target of 90% coverage
 Source: WHO/UNICEF estimates of national immunization coverage, 2025 revision.

HPV

- Programme coverage of HPV1 among females remained constant at 71% between 2024 and 2025, and coverage of the last dose (HPVc) also remained constant at 71%.
- HPVc coverage remains well below the IA2030 target of 90%.
- In 2025, approximately 2,000 females in Guyana did not receive any HPV vaccination (un-vaccinated).
- Among Latin America and the Caribbean region peers, Guyana ranked 12 out of 31 countries in HPVc coverage in 2025.




Dotted line shows the IA2030 target of 90% coverage
Source: WHO/UNICEF estimates of national immunization coverage, 2025 revision.

Regional Comparison

The chart below shows how Guyana compares to other countries in the Latin America and the Caribbean region on DTP1, DTP3, MCV1, and HPVc coverage in 2025. The dashed line represents the regional average for each vaccine.

Coverage comparison: Guyana vs. LACR peers, 2025

Dashed line = regional average



Source: WHO/UNICEF estimates of national immunization coverage, 2025 revision.

Additional Vaccines

- Coverage of BCG stood at 99% in 2025. This is the same as in 2019 (99%) and the same as in 2024 (99%).
- Coverage of HepB3 stood at 99% in 2025. This is the same as in 2019 (99%) and the same as in 2024 (99%).
- Coverage of Hib3 stood at 99% in 2025. This is the same as in 2019 (99%) and the same as in 2024 (99%).
- Coverage of IPV1 stood at 99% in 2025. This is the same as in 2019 (99%) and the same as in 2024 (99%).
- Coverage of PCVC stood at 99% in 2025. This is higher than in 2019 (98%) and higher than in 2024 (98%).
- Coverage of RotaC stood at 99% in 2025. This is the same as in 2019 (99%) but higher than in 2024 (94%).

Additional vaccine coverage (%), Guyana, 2000–2025

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
BCG	93	95	91	95	94	96	96	97	96	98	98	97	98	98	99	99	95	97	99	99	94	90	99	99	99	99
HepB3		85	91	90	91	93	93	94	93	98	95	93	97	98	98	95	97	97	95	99	99	98	99	99	99	99
Hib3		85	91	90	91	93	93	94	93	98	95	93	97	98	98	95	97	97	95	99	99	98	99	99	99	99
IPV1																31	98	94	97	99	99	98	99	99	99	99
PCVC												50	90	96	97	94	92	97	91	98	89	99	95	97	98	99
RotaC											39	77	91	94	95	96	96	97	91	99	97	93	99	99	94	99



Source: WHO/UNICEF estimates of national immunization coverage, 2025 revision.

Appendix

WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Each year, WHO and UNICEF review national immunization data from Member States, including administrative and official coverage, survey estimates and contextual information, and use rules-based data triangulation approach to assess coverage. Estimates are produced independently, without borrowing data from other countries, and are not based on ad hoc adjustments. In some cases, they rely on a single source, typically nationally reported coverage. When data for a specific country-vaccine-year are unavailable, values from adjacent years are interpolated or extrapolated, and conflicting sources are assessed to determine the most reliable estimate, considering potential biases and expert opinion.

Methods:

- [Burton et al. 2009. WHO and UNICEF estimates of national infant immunization coverage: methods and processes](#)
- [Burton et al. 2012. A formal representation of the WHO and UNICEF estimates of national immunization coverage: a computational logic approach](#)
- [Brown et al. 2013. An introduction to the grade of confidence used to characterize uncertainty around the WHO and UNICEF estimates of national immunization coverage](#)

These talking points present the latest WUENIC estimates (published 15 July 2026).

Definitions of immunization terms:

- Bacillus Calmette-Guerin (BCG): vaccine against tuberculosis
- Hepatitis B birth dose, given within 24 hours after birth (HepBB)
- Diphtheria, tetanus, and pertussis vaccine, first dose (DTP1) and third dose (DTP3)
- Hepatitis B vaccine, third dose (HepB3)
- Haemophilus influenzae type B vaccine, third dose (Hib3)
- Inactivated polio vaccine, first dose (IPV1) and last dose (IPVC)
- Measles containing vaccine, first dose (MCV1) and second dose (MCV2)
- Rotavirus vaccine, last dose (RotaC)
- Pneumococcal vaccine, last dose (PCV)
- Yellow Fever vaccine (YFV)
- Meningococcal A vaccine (MengA)
- Human Papillomavirus vaccine, first dose (HPV1) and last dose (HPVc)

Additional resources: <https://data.unicef.org/resources/immunization/>