

Contents

Overview	2
DTP1: Reaching zero-dose children	3
DTP3: A marker of routine immunization service delivery to children	4
MCV: Canary in the coal mine	5
HPV	6
Regional Comparison	7
Additional Vaccines	8
Appendix	9

United States in the 'Americas' region



Overview

- A total of 12 childhood vaccines are tracked for the United States; of these, 9 reached the 90% coverage target or higher in 2025.
- Coverage of the first dose of diphtheria-tetanus-pertussis-containing vaccine (DTP1) was the same in 2025 as it was in 2024 (98%), coverage of the third dose of DTP-containing vaccine (DTP3) was the same in 2025 as it was in 2024 (94%), and coverage of the first dose of the measles-containing vaccine (MCV1) was the same in 2025 as it was in 2024 (92%) in 2025.
- In 2025, the number of zero-dose children for DTP in the United States (73,000) was approximately 11% lower than the annual number proposed to achieve the IA2030 target of halving zero-dose children for DTP by 2030 (82,000), based on a linear trajectory of decline.


Vaccine coverage (%), United States, 2000–2025

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
HepBB			21	39	48	50	50	53	55	61	64	69	72	74	72	72	64	63	66	67	69	72	75	75	75	75
DTP1	99	98	97	99	99	99	99	99	99	98	98	98	97	98	98	98	98	97	97	97	97	97	98	98	98	98
DTP3	94	94	94	96	96	96	96	96	96	95	95	96	94	94	95	95	95	94	94	94	93	94	94	94	94	94
Hib3	93	93	93	94	94	94	93	93	91	84	90	94	93	93	93	93	93	92	92	91	91	91	92	92	92	92
HepB3	90	89	88	92	92	93	93	93	94	92	92	91	90	91	92	92	93	91	91	91	91	92	93	93	93	93
PCVC									93	93	93	94	92	92	93	93	93	92	92	92	82	82	84	84	84	84
RotaC									44	59	67	69	73	72	72	73	74	73	74	74	75	76	77	77	77	77
IPV1																97	97	97	96	97	96	97	97	97	97	97
IPVC																						93	93	93	93	93
MCV1	91	91	91	93	93	92	92	92	92	90	92	92	91	92	92	92	92	91	92	90	91	92	92	92	92	92
RCV1	91	91	91	93	93	92	92	92	92	90	92	92	91	92	92	92	92	91	92	90	91	92	92	92	92	92
MCV2	85	86	86	86	86	86	86	86	87	88	89	90	91	91	92	93	94	94	94	94	95	95	95	95	95	95
HPVc																										



Source: WHO/UNICEF estimates of national immunization coverage, 2025 revision.

Estimated number of zero-dose children, 2000–2025 and target by 2030, the United States




Source: WHO/UNICEF estimates of national immunization coverage, 2025 revision.
 Note: The Immunization Agenda 2030 (IA2030) calls on all countries to reduce the number of zero-dose children in 2019 in half by 2030.
 Dark blue bars are the estimated number of zero-dose children in 2000–2025, light blue bar is the target number of zero-dose children by 2030.
 The line and points show the yearly progress and trajectory to meet the target by 2030, based on a linear decline.

DTP1: Reaching zero-dose children

- Coverage of DTP1 stood at 98% in 2025. This is higher than in 2019 (97%) and the same as in 2024 (98%).
- The percentage of zero-dose children was 11 percentage points lower than the IA2030 target in 2025. There were approximately 73,000 zero-dose children in 2025, fewer than the 113,000 in 2019 but more than the 73,000 in 2024.
- Coverage of DTP1 in the United States (98%) was higher than the Non-programme regional average of 96% in 2025.
- DTP1-to-DTP3 dropout in 2025 was 4%, 1 percentage point higher than in 2019 (3%). Low DTP dropout rates imply good ability to provide a complete vaccine series early in life.


DTP1 coverage and zero-dose children over time, United States, 2000–2025



Dotted line shows the IA2030 target of 90% coverage
Source: WHO/UNICEF estimates of national immunization coverage, 2025 revision.

DTP3: A marker of routine immunization service delivery to children


- Coverage of DTP3 stood at 94% in 2025. This is the same as in 2019 (94%) and the same as in 2024 (94%).
- The number of children vaccinated with DTP3 decreased from 3.5 million in 2019 to 3.4 million in 2025.
- In 2025, there were 219,000 children un- or under-vaccinated in the United States.
- In 2025, 4% of children who received DTP1 did not receive DTP3. This 4% dropout rate was 1 percentage points higher than in 2019 (3%) and the same as the 2024 dropout rate (4%).
- Coverage of DTP3 in the United States (94%) was the same as the Non-programme regional average of 94% in 2025.



Dotted line shows the IA2030 target of 90% coverage
Source: WHO/UNICEF estimates of national immunization coverage, 2025 revision.

MCV: Canary in the coal mine


- Coverage of MCV1 stood at 92% in 2025. This is higher than in 2019 (90%) and the same as in 2024 (92%).
- Coverage of the second dose of the measles-containing vaccine (MCV2) remained relatively stable, within 1 percentage point of the 2019 level. This still leaves 292,000 children without any protection against measles and another -106,000 with only partial protection.
- In 2025, 6% of children who received DTP1 did not receive MCV1. This 6% dropout rate was 1 percentage points lower than in 2019 (7%) and the same as the 2024 dropout rate (6%).
- The United States has achieved MCV1 coverage above 80% over all of the last 3 years.
- Coverage of MCV1 in the United States (92%) was lower than the Non-programme regional average of 93% in 2025.



Dotted line shows the IA2030 target of 90% coverage
Source: WHO/UNICEF estimates of national immunization coverage, 2025 revision.

HPV

- Programme coverage of HPV1 among females remained constant at 73% between 2024 and 2025, and coverage of the last dose (HPVc) also remained constant at 51%.
- HPVc coverage remains well below the IA2030 target of 90%.
- In 2025, approximately 574,000 females in the United States did not receive any HPV vaccination (unvaccinated).
- Among Non-programme region peers, the United States ranked 34 out of 40 countries in HPVc coverage in 2025.




Source: WHO/UNICEF estimates of national immunization coverage, 2025 revision.

Regional Comparison

The chart below shows how the United States compares to other countries in the Non-programme region on DTP1, DTP3, MCV1, and HPVc coverage in 2025. The dashed line represents the regional average for each vaccine.

Coverage comparison: United States vs. Non-programme peers, 2025

Dashed line = regional average



Source: WHO/UNICEF estimates of national immunization coverage, 2025 revision.

Additional Vaccines

- Coverage of HepB3 stood at 93% in 2025. This is higher than in 2019 (91%) and the same as in 2024 (93%).
- Coverage of Hib3 stood at 92% in 2025. This is higher than in 2019 (91%) and the same as in 2024 (92%).
- Coverage of IPV1 stood at 97% in 2025. This is the same as in 2019 (97%) and the same as in 2024 (97%).
- Coverage of PCVC stood at 84% in 2025. This is lower than in 2019 (92%) and the same as in 2024 (84%).
- Coverage of RotaC stood at 77% in 2025. This is higher than in 2019 (74%) and the same as in 2024 (77%).

Additional vaccine coverage (%), United States, 2000–2025

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
HepB3	90	89	88	92	92	93	93	93	94	92	92	91	90	91	92	92	93	91	91	91	91	92	93	93	93	93
Hib3	93	93	93	94	94	94	93	93	91	84	90	94	93	93	93	93	93	92	92	91	91	91	92	92	92	92
IPV1																97	97	97	96	97	96	97	97	97	97	97
PCVC									93	93	93	94	92	92	93	93	93	92	92	92	82	82	84	84	84	84
RotaC									44	59	67	69	73	72	72	73	74	73	74	74	75	76	77	77	77	77



Source: WHO/UNICEF estimates of national immunization coverage, 2025 revision.

Appendix

WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Each year, WHO and UNICEF review national immunization data from Member States, including administrative and official coverage, survey estimates and contextual information, and use rules-based data triangulation approach to assess coverage. Estimates are produced independently, without borrowing data from other countries, and are not based on ad hoc adjustments. In some cases, they rely on a single source, typically nationally reported coverage. When data for a specific country-vaccine-year are unavailable, values from adjacent years are interpolated or extrapolated, and conflicting sources are assessed to determine the most reliable estimate, considering potential biases and expert opinion.

Methods:

- [Burton et al. 2009. WHO and UNICEF estimates of national infant immunization coverage: methods and processes](#)
- [Burton et al. 2012. A formal representation of the WHO and UNICEF estimates of national immunization coverage: a computational logic approach](#)
- [Brown et al. 2013. An introduction to the grade of confidence used to characterize uncertainty around the WHO and UNICEF estimates of national immunization coverage](#)

These talking points present the latest WUENIC estimates (published 15 July 2026).

Definitions of immunization terms:

- Bacillus Calmette-Guerin (BCG): vaccine against tuberculosis
- Hepatitis B birth dose, given within 24 hours after birth (HepBB)
- Diphtheria, tetanus, and pertussis vaccine, first dose (DTP1) and third dose (DTP3)
- Hepatitis B vaccine, third dose (HepB3)
- Haemophilus influenzae type B vaccine, third dose (Hib3)
- Inactivated polio vaccine, first dose (IPV1) and last dose (IPVC)
- Measles containing vaccine, first dose (MCV1) and second dose (MCV2)
- Rotavirus vaccine, last dose (RotaC)
- Pneumococcal vaccine, last dose (PCV)
- Yellow Fever vaccine (YFV)
- Meningococcal A vaccine (MengA)
- Human Papillomavirus vaccine, first dose (HPV1) and last dose (HPVc)

Additional resources: <https://data.unicef.org/resources/immunization/>