

World Bank Fragile, conflict and violence (FCV) countries

WUENIC 2025 revision,
Published 15 July 2026



WHO/UNICEF Estimates of National Immunization Coverage (WUENIC), 2025 revision

Every year, WHO and UNICEF jointly review submissions from Member States on national immunization coverage, including annual administrative and official coverage, finalized survey reports and data from both published and grey literature. The data is triangulated with consideration of potential biases and local expert opinions to differentiate between accurately reflective empirical data and potentially misleading data, to assess the most likely coverage levels for each country.

WHO and UNICEF produce country-specific estimates by reviewing each country's data independently, without borrowing from other countries when data are missing. The estimates are not ad hoc adjustments to reported figures and may rely on a single empirical source, typically nationally reported coverage. When no data exist for a specific country-vaccine-year, earlier and later data are interpolated. If sources conflict or vary widely, the most plausible estimate is selected after considering potential biases.

This slide deck presents the latest WUENIC estimates (published 15 July 2026), using UNPD World Population Prospects (WPP 2024) for population-weighted averages and to derive absolute numbers of vaccinated and unvaccinated/zero-dose children.

Methods: • [Burton et al. 2009. WHO and UNICEF estimates of national infant immunization coverage: methods and processes.](#)

- [Burton et al. 2012. A formal representation of the WHO and UNICEF estimates of national immunization coverage: a computational logic approach.](#)
- [Brown et al. 2013. An introduction to the grade of confidence used to characterize uncertainty around the WHO and UNICEF estimates of national immunization coverage.](#)
- [Danovaro-Holliday et al. 2021. Compliance of WUENIC with Guidelines for Accurate and Transparent Health Estimates Reporting \(GATHER\) criteria.](#)

Definitions of immunization terms

Vaccine coverage

Percentage of infants (children under one year of age) who received certain vaccine-doses. For example, coverage of DTP3 is the percentage of infants who received all three doses of diphtheria, tetanus, and pertussis (DTP) vaccine.

Unvaccinated

An infant that did not receive the first dose of a vaccine series. The term zero-dose is used to describe children unvaccinated with DTP1.

Under-vaccinated

An infant who received some but not all the recommended vaccine-doses in the national schedule.

Vaccine-Doses

- Bacillus Calmette-Guerin (BCG): vaccine against tuberculosis
- Hepatitis B birth dose, given within 24 hours after birth (HepBB)
- Diphtheria, tetanus, and pertussis vaccine, first dose (DTP1) and third dose (DTP3)
- Hepatitis B vaccine, third dose (HepB3)
- Haemophilus influenzae type b vaccine, third dose (Hib3)
- Inactivated polio vaccine, first dose (IPV1) and last dose (IPVC)
- Measles containing vaccine, first dose (MCV1) and second dose (MCV2)
- Rotavirus vaccine, last dose (RotaC)
- Pneumococcal vaccine, last dose (PCVC)
- Yellow Fever vaccine (YFV)
- Meningococcal A vaccine (MengA)
- Human papillomavirus vaccine, first dose (HPV1) and last dose (HPVc): vaccine to protect against certain types of human papillomavirus that can lead to cancer or genital warts

The Immunization Agenda 2030 (IA2030)

The IA2030 is a global strategy endorsed by the World Health Assembly aiming to ensure everyone, everywhere, at every age benefits from vaccines for improved health and well-being by 2030. It focuses on increasing vaccine coverage, equity, sustainability and pandemic preparedness while promoting life-course immunization and integrating immunization with other health services.

Key concepts


- The World Health Organization (WHO) provides global vaccine recommendations, which are adapted by countries based on local needs. Only DTP, polio and measles-containing vaccines are used in all countries.
- DTP1 is a marker of access to routine immunization services, and when not received, serves as a proxy for identifying children who have not received any vaccinations, also known as "zero-dose" children. High DTP1 coverage indicates good access to immunization services, while low coverage suggests challenges in reaching children with essential vaccines.
- DTP3 is a widely used indicator of immunization programme performance. It reflects a country's ability to deliver routine immunization services and ensures children are protected against serious disease. DTP3 is tracked globally and serves as a key measure of a nation's vaccination efforts.
- DTP1-DTP3 drop-out measures the percentage of children who received DTP1 but not DTP3, and highlights where children are lost along the vaccination pathway, highlighting potential weaknesses in service delivery and follow-up.
- MCV1 (usually recommended between 9-12 months) assesses the ability to deliver vaccines later in infancy. It serves as a tracer for protection against measles and is a good indicator of health system performance.
- HPV vaccine protects against specific types of human papilloma virus (HPV), and is used to measure life cycle vaccination.
- Other key indicators include PCVC and MCV2, which are used to monitor the Sustainable Development Goals (SDGs).
- Together, these indicators provide a consistent and comparable way to track immunization progress, identify missed communities and monitor global targets, including those under the Immunization Agenda 2030 (IA2030) and Sustainable Development Goals (SDGs).

Overview

- DTP1 coverage increased 2 percentage points from 77% in 2024 to 79% in 2025.
- DTP3 coverage increased 2 percentage points from 69% in 2024 to 71% in 2025.
- In WB FCV countries, there were 579,000 fewer zero-dose children compared to in 2024. This leaves 5.7 million children without vaccination, vulnerable to vaccine-preventable diseases and a further 2.1 million with only partial protection.
- In WB FCV countries, 2 countries* accounted for over half (50.3%) of all zero-dose children.
- There were 5 (21%) countries that achieved DTP3 coverage of at least 90% (IA2030 target).
- MCV1 coverage increased 1 percentage point from 67% in 2024 to 68% in 2025. There were 8.7 million children who missed out on the first measles vaccination.
- MCV2 coverage increased 2 percentage points from 52% in 2024 to 54% in 2025.
- Last dose coverage of HPV vaccination (HPVc) among girls remained constant at 36% in 2025.

*Nigeria (38.1%) and Yemen (12.2%)

Vaccine coverage (%), by year, WB FCV countries, 2000-2025



Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision

Vaccine coverage and progress varies between antigens and over time.

This heatmap shows vaccine coverage trends in WB FCV countries since 2000, with green cells indicating coverage of 90% or more.

In 2015, none of the 14 (0%) vaccines with data achieved coverage of 90% or more.

In 2025, none of the 16 (0%) vaccines achieved coverage of 90% or more.

Since 2006, estimates have been made for 6 new vaccines. IPVC is the newest vaccine being reported (2021), which achieved 62% coverage in 2025.

WUENIC 2025 revision

Vaccine coverage, by country, WB FCV countries, 2025

	BCG	HepBB	DTP1	DTP3	Hib3	HepB3	PCVC	RotaC	IPV1	IPVC	MCV1	RCV1	MCV2	YFV	MengA	HPVc
State of Palestine	98	98	99	99	99	99	99	83	98	98	98	98	99			
Ukraine	92	74	95	94	90	91			91	89	96	96	94			
Iran	96	91	99	98	98	98	54	57	98	98	99	99	98			
Burkina Faso	98	75	95	91	91	91	91	86	91	85	88	88	65	85	66	95
Libya	97		97	90	90	90	92	86	90	90	93	93	85			28
Niger	88		95	87	87	87	87	91	87	83	82		80	82	82	
Iraq	99	52	96	84	84	84	82	70	90	85	95	95	79			
Congo	88		93	85	85	85	85	74	84	54	85	85	63	81		
Ethiopia	79		84	81	81	81	81	79	82	76	77		72			51
Cameroon	93		86	83	83	83	82	80	81	71	75	75	66	75		30
Mali	88		90	84	84	84	81	80	76	69	68	68	52	70	68	64
Mozambique	93		90	70	70	70	70	70	70	65	65	65	44			74
Myanmar	79	20	76	71	71	71	71	67	73		71	71	68			94
Sudan	74		83	71	71	71	74	65	81	72	68	42	56	70	72	
Lebanon		80	88	52	52	52	67	65	88	63	67	67	59			
Syria	82	24	75	60	60	60			75	67	69	69	62			
Afghanistan	73	64	67	61	61	61	63	60	62	50	56		42			
Haiti	66		78	58	58	58	39	52	71		62	62	48			
Somalia	74		77	72	72	72	20	23	70	51	61		31			
South Sudan	72		76	73	73	73	27	22	67	34	72		7			
Nigeria	68	17	70	62	62	62	62	47	69	57	56	9	35	54	53	60
CAR	66		59	46	46	46	45		45		44			41	40	
Yemen	48		49	39	39	39	39	40	42	35	41	41	38			
Papua New Guinea	48	27	49	43	43	43	44		46	15	45	45	28			



Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
 Note: Countries ordered based on descending crude average coverage across all vaccines.

This heatmap shows vaccine coverage by country and vaccine in 2025.


In 2025, 12 out of 24 countries achieved coverage of 90% or higher in at least one vaccine.

State of Palestine had the highest percentage of vaccines (92%) in the national immunization schedule with coverage of at least 90%, followed by Iran (85%).

12 countries had not achieved 90% coverage of any vaccine (Afghanistan, CAR, Ethiopia, Haiti, Lebanon, Nigeria, Papua New Guinea, Somalia, South Sudan, Sudan, Syria, and Yemen).

DTP1

In 2025, DTP1 coverage was 79% and DTP3 was 71%, leaving 7.8 million children un- or under-vaccinated, including 5.7 million zero-dose and 2.1 million with only partial protection.



Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Note: There may be discrepancies due to rounding.

The key goal of the Immunization Agenda 2030 is to make vaccination available to everyone, everywhere, by 2030.

This chart shows diphtheria, tetanus and pertussis-containing vaccine first (DTP1) and third dose (DTP3) coverage trends, the number of zero-dose children and DTP drop-out.


In 2025, DTP1 coverage increased at 79%. The number of children missing out on any vaccination (zero-dose children) improved from 6,288,000 in 2024 to 5,709,000 in 2025.

DTP3 coverage increased at 71% in 2025, leaving 7,764,000 children vulnerable to vaccine-preventable diseases.



WUENIC 2025 revision

In 2025, DTP1 coverage was 79%: 21.3 million children received at least one dose of DTP-containing vaccine, but 5.7 million remain unreached.



DTP1 coverage in 2025 (79%) was the same as in 2019 (79%).

The number of children vaccinated with DTP1 increased 6% from 20.1 million in 2019 to 21.3 million in 2025.


The number of surviving infants increased approximately 6% from 25.4 million in 2019 to 27 million in 2025.

In 2025, 1.2 million more children were vaccinated than in 2019.

In 2025, there were 1.6 million more surviving infants (target population) than in 2019.

For vaccine coverage to increase, the number of children vaccinated must increase at a faster rate than the population increases.

Countries ranked by number of zero-dose children, WB FCV countries, 2021-2025



This chart compares the ranking of countries in WB FCV countries based on the absolute number of zero-dose children, with rank 1 representing the country in the region with the most zero-dose children.


In 2021, Nigeria had the highest number of zero-dose children (2,980,000), followed by Ethiopia (1,013,000).

In 2025, Nigeria had the highest number of zero-dose children (2,174,000), followed by Yemen (696,000).

There was some change in the top 3 countries between 2021 and 2025.

Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
 Note: Number in parentheses is the number of zero-dose children.
 Zero-dose children are those who did not receive DTP1.

DTP coverage (%), number of children fully, partially and unvaccinated for DTP 2000-2025 and projections to 2030 based on IA2030 target , WB FCV countries




IA2030 calls on all countries to reduce the number of zero dose children in 2019 by half by 2030. This chart shows the annual number of children required to be vaccinated to reach the ZD target.

WB FCV countries are projected to have a moderate increase (400,000-1 million) in the number of surviving infants by 2030. Therefore, maintaining current coverage requires vaccinating an increasing number of children.

To achieve the IA2030 ZD target, more (~3.7%) children need to be vaccinated with DTP1 each year. This will require increases in immunization programme and health system capacity.

Sources: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision; United Nations, Department of Economic and Social Affairs, Population Division (2024), World Population Prospects 2024, Online Edition. Note: The Immunization Agenda 2030 (IA2030) calls on all countries to reduce the number of zero dose children in 2019 by half by 2030.

In 2025, the number of zero-dose children was 43% above the annual IA2030 milestone, putting the 2030 goal at serious risk without accelerated action.




The Immunization Agenda 2030 (IA2030) aims to leave no one behind with immunization and calls on all countries to reduce the number of zero dose children by half by 2030.

- This chart shows:
- Estimated number of zero-dose children in 2000-2024 (dark blue bars)
 - Zero-dose target by 2030 (light blue bar)
 - Trajectory to reach the 2030 target based on a linear decline (points)

In 2025, the number of zero-dose children was approximately 43% higher than the annual milestone to reach the target.

Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Note: The Immunization Agenda 2030 (IA2030) calls on all countries to reduce the number of zero dose children in 2019 by half by 2030. The line and points show the yearly progress and trajectory to meet the target by 2030, based on a linear decline.



DTP1 coverage, by country, WB FCV countries, 2000-2025



Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Note: Countries ordered based on descending coverage in 2025

This heatmap shows DTP1 coverage, by region and year. Red indicates low coverage (<60%) and green indicates high coverage (≥90%). The changing colour gradient can be used to tracked changes in coverage over time and recovery from pandemic-related disruptions where applicable.

DTP1 coverage has improved since 2000 in all regions and exceeded pre-pandemic levels in some regions, but progress is uneven and gaps in zero-dose children persist.






In 2025, WB FCV countries ranked number 2 out of 2 WB_FCV regions, with DTP1 coverage of 79%.

DTP1 coverage (79%) was the same as in 2019 (79%).

This equates to 5.7 million zero-dose children in 2025 compared to 5.3 million zero-dose children in 2019.

Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Note: Coverage difference compared to 2019 - values above zero indicate coverage higher than in 2019 and values below zero indicate coverage lower than in 2019.
There may be discrepancies in total Zero-dose children (millions) due to rounding.

DTP1 coverage improved between 2024 and 2025 in some regions and exceeded pre-pandemic levels in some regions, but progress is uneven and gaps in zero-dose children persist.



In 2025, WB FCV countries ranked number 2 out of 2 WB_FCV regions, with DTP1 coverage of 79%.


DTP1 coverage (79%) was the same as in 2019 (79%).

This equates to 5.7 million zero-dose children in 2025 compared to 5.3 million zero-dose children in 2019.

Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Note: Coverage difference compared to 2019 - values above zero indicate coverage higher than in 2019 and values below zero indicate coverage lower than in 2019.
There may be discrepancies in total Zero-dose children (millions) due to rounding.

In 2025, 10 countries achieved at least 90% DTP1 coverage, while 4 had coverage below 70%.

DTP1 Coverage (%), WB FCV countries, 2025




Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Note: This map is stylized and based on an approximate scale. This map does not reflect a position by UNICEF or WHO on the legal status of any country or territory or the delimitation of any frontiers.

In WB FCV countries, 4 out of 24 (17%) countries had DTP1 coverage below 70% in 2025. These are Afghanistan, CAR, Papua New Guinea, and Yemen.

These countries account for approximately 3.3 million (12%) of the total annual cohort of surviving infants in the region.

There were 10 (42%) countries that achieved DTP1 of 90% or higher, accounting for 6.9 million (26%) of the total cohort.

Coverage of DTP1, by country, WB FCV countries, 2018-2025
Showing top 20 countries with the lowest coverage in 2025



Among the 20 countries with the lowest DTP1 coverage in 2025, Burkina Faso, Niger, and Ukraine had the highest coverage (95%), while Papua New Guinea and Yemen had the lowest coverage (49%).


DTP1 coverage increased in 7 out of these 20 countries between 2024 and 2025. The largest increase was 35 percentage points in Sudan from 48% to 83%.

6 countries saw a decrease in coverage (Afghanistan, Mali, Nigeria, Somalia, Syria, and Yemen). The largest decline was 6% points in Syria from 81% to 75%. Coverage remained constant between 2024 and 2025 in the remaining 7 countries.

In 2025, 6 out of these 20 countries had achieved DTP1 coverage of at least 90%.

Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Note: Dark grey line displays regional coverage for reference

DTP1 coverage difference compared to 2019, by country, WB FCV countries, 2018-2025




This chart shows the difference in DTP1 coverage compared to 2019, for the 20 countries with the largest declines in coverage between 2019 and 2025. Among the 20 countries with the largest declines in DTP1 coverage between 2019 and 2025, Coverage was higher in 2025 compared to 2019 in 8 of these 20 countries (CAR, Ethiopia, Iraq, Mali, Niger, Papua New Guinea, South Sudan, and Ukraine). The largest increase in coverage was 9% points in CAR from 50% in 2019 to 59% in 2025 and Ethiopia from 75% in 2019 to 84% in 2025. Coverage was lower than in 2019 in 8 of these 20 countries (Afghanistan, Haiti, Lebanon, Myanmar, Nigeria, Sudan, Syria, and Yemen). The largest decline in coverage was 17% points in Myanmar from 93% in 2019 to 76% in 2025. Coverage was unchanged in 4 of these 20 countries (Burkina Faso, Iran, Mozambique, and State of Palestine).

Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision

Note: Dark grey line displays regional coverage difference for reference

ence compared to 2019, values above zero indicate coverage n percentage points higher than in 2019 and values below zero indicate coverage n percentage points lower than in 2019

DTP1 coverage, by country, WB FCV countries, 2019-2025



Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision

Note: The grey bar spans vaccine coverage across all years 2019-2025 and the dots represent coverage in specific years. Countries are arranged by high to low coverage in 2025 and coloured based on if coverage is lower (red), the same as (blue) or higher (green) than in 2019. An asterisk (*) indicates countries aiming to catch-up children missed since 2019 through a Big Catch-up Plan, supported by financing from The Gavi Alliance.


This chart shows the range of DTP1 coverage across years 2019 to 2025 (grey bars), and coverage in specific years (dots), by country. The chart can be used for assessing recovery to pre-pandemic levels and progress beyond 2019.

In 2024, 7 (out of 24) countries had lower coverage than in 2019.

In 2025, 7 countries had lower DTP1 coverage than in 2024.

In 2025, 8 countries had lower coverage than in 2019.

Between 2019 and 2025, DTP1 coverage increased in 12 countries and decreased in eight countries.




This chart shows DTP1 coverage in 2019 and 2025, and change in coverage between the two years.

Overall, 8 out of 24 (33%) countries in WB FCV countries had a decline in coverage. The largest decline was in Myanmar (-17 percentage points), followed by Sudan and Yemen (-16 percentage points).

There were 12 (50%) countries with an increase in DTP1 coverage. Coverage remained the same in 4 countries between 2019 and 2025.

Between 2024 and 2025, DTP1 coverage increased in nine countries and decreased in seven countries.




This chart shows DTP1 coverage in 2024 and 2025, and change in coverage between the two years.

Overall, 7 out of 24 (29%) countries in WB FCV countries had a decline in coverage. The largest decline was in Syria (-6 percentage points), followed by Yemen (-4 percentage points).

There were 9 (38%) countries with an increase in DTP1 coverage. Coverage remained the same in 8 countries between 2024 and 2025.

In 2025, Yemen, Papua New Guinea, and CAR had the lowest DTP1 coverage. Yemen was also among the countries with the highest number of zero-dose children, along with Papua New Guinea, CAR, and Nigeria.



This chart shows DTP1 coverage in countries in WB FCV countries from lowest to highest coverage, and the rank of the top 10 countries with the most zero-dose children, based on absolute numbers.

In 2025, DTP1 coverage ranged from 49% in Yemen and Papua New Guinea to 99% in Iran and State of Palestine.

10 out of 24 (42%) countries had coverage of at least 90%.


Nigeria had DTP1 coverage of 70% and the highest absolute number of zero-dose children in the region, followed by Yemen.

Large cohort countries may have high numbers of zero-dose children despite high vaccine coverage. It is advantageous to look at both coverage and absolute numbers of unvaccinated children to ensure vulnerable countries with small birth cohorts are not missed.

Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Note: Bars are ranked by ascending coverage.
Numbers in bubbles display top 10 rank based on absolute number of zero-dose children. Number in parentheses shows number of zero-dose children.

In 2025, 2 countries accounted for over half of all zero-dose children in WB FCV countries, with Nigeria contributing the highest share.

DTP1 unvaccinated (% of total unvaccinated)




Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Note: Number in legend corresponds to region ranking based on highest to lowest absolute number of unvaccinated children and reflects order of pie slices.

In 2025, 2 countries accounted for over half (50.3%) of all zero-dose children in WB FCV countries.

Nigeria had the highest number of children who did not receive DTP1 (n=2.2 million), which is approximately 38.1% of all zero-dose children in WB FCV countries (n=5.7 million).

The number of unvaccinated children is influenced by both the birth cohort size and programme performance. As a result, countries with large birth cohorts may still have a high number of unvaccinated children, even if coverage rates are high. At the same time, countries with high coverage will also have a greater absolute number of children who are vaccinated. Please refer to the heatmaps for country-specific coverage.

Approximately 75% of zero-dose children in WB FCV countries live in just 6 countries, highlighting where intensified efforts could have the greatest regional impact on zero-dose numbers.




Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision

This chart shows the number of zero-dose children in 2025, by country in WB FCV countries. Bars are coloured based on DTP1 coverage.

In 2025, Nigeria had the highest absolute number of zero-dose children, with 70% DTP1 coverage.

The number of unvaccinated children is influenced by both the birth cohort size and programme performance. As a result, countries with large birth cohorts may still have a high number of unvaccinated children, even if coverage rates are high. At the same time, countries with high coverage will also have a greater absolute number of children who are vaccinated. Please refer to the heatmaps for country-specific coverage.

Country trends in zero-dose children were heterogeneous, reinforcing the need to target resources and strategies to countries where the burden is increasing while sustaining gains elsewhere.



This chart shows the absolute change in number of zero-dose children, by country.


Overall, 14 countries had an increase in zero-dose children and 10 countries saw the number of zero-dose children decline between 2024 and 2025.

The three countries with the largest increase were: Nigeria (2.1m $\Rightarrow$ 2.2m [+95,000]), Yemen (637,000 $\Rightarrow$ 696,000 [+58,000]), Syria (107,000 $\Rightarrow$ 148,000 [+41,000]).

Sudan had the largest decline in the number of zero-dose children from 838,000 in 2024 to 273,000 in 2025 (-565,000).

DTP3

In 2025, DTP3 coverage was 71%: 19.3 million children received three doses of DTP-containing vaccine, but 7.8 million remain un- or under-vaccinated.



Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
United Nations, Department of Economic and Social Affairs, Population Division (2024). World Population Prospects 2024, Online Edition.
Note: Unvaccinated includes zero-dose and undervaccinated children.

DTP3 coverage in 2025 (71%) was lower than in 2019 (73%).

The number of children vaccinated with DTP3 increased 3% from 18.6 million in 2019 to 19.3 million in 2025.


The number of surviving infants increased approximately 6% from 25.4 million in 2019 to 27 million in 2025.

In 2025, 624,000 more children were vaccinated than in 2019.

In 2025, there were 1.6 million more surviving infants (target population) than in 2019.

For vaccine coverage to increase, the number of children vaccinated must increase at a faster rate than the population increases.


DTP3 coverage, by country, WB FCV countries, 2000-2025



Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Note: Countries ordered based on descending coverage in 2025

This heatmap shows DTP1 coverage, by region and year. Red indicates low coverage (<60%) and green indicates high coverage (≥90%). The changing colour gradient can be used to tracked changes in coverage over time and recovery from pandemic-related disruptions where applicable.


DTP3 coverage has improved since 2000 in all regions and exceeded pre-pandemic levels in some regions, but progress is uneven and gaps in undervaccinated children persist.



In 2025, WB FCV countries ranked number 2 out of 2 WB_FCV regions, with DTP3 coverage of 71%.




DTP3 coverage (71%) was 2 percentage points lower than in 2019 (73%).

This equates to 7.8 million undervaccinated children in 2025 compared to 6.8 million undervaccinated children in 2019.



Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Note: Coverage difference compared to 2019 - values above zero indicate coverage higher than in 2019 and values below zero indicate coverage lower than in 2019.
There may be discrepancies in total Undervaccinated children (millions) due to rounding.

DTP3 coverage improved between 2024 and 2025 in some regions and exceeded pre-pandemic levels in some regions, but progress is uneven and gaps in undervaccinated children persist.



In 2025, WB FCV countries ranked number 2 out of 2 WB_FCV regions, with DTP3 coverage of 71%.


DTP3 coverage (71%) was 2 percentage points lower than in 2019 (73%).

This equates to 7.8 million undervaccinated children in 2025 compared to 6.8 million undervaccinated children in 2019.

Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Note: Coverage difference compared to 2019 - values above zero indicate coverage higher than in 2019 and values below zero indicate coverage lower than in 2019.
There may be discrepancies in total Undervaccinated children (millions) due to rounding.

In 2025, 5 countries achieved at least 90% DTP3 coverage, while 8 had coverage below 70%.

DTP3 Coverage (%), WB FCV countries, 2025




Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Note: This map is stylized and based on an approximate scale. This map does not reflect a position by UNICEF or WHO on the legal status of any country or territory or the delimitation of any frontiers.

In WB FCV countries, 8 out of 24 (33%) countries had DTP3 coverage below 70% in 2025. These are Afghanistan, CAR, Haiti, Lebanon, Nigeria, Papua New Guinea, Syria, and Yemen.

These countries account for approximately 11.5 million (42%) of the total annual cohort of surviving infants in the region.

There were 5 (21%) countries that achieved DTP3 of 90% or higher, accounting for 2.3 million (9%) of the total cohort.

Coverage of DTP3, by country, WB FCV countries, 2018-2025
Showing top 20 countries with the lowest coverage in 2025



Among the 20 countries with the lowest DTP3 coverage in 2025, Libya had the highest coverage (90%), while Yemen had the lowest coverage (39%).


DTP3 coverage increased in 11 out of these 20 countries between 2024 and 2025. The largest increase was 32 percentage points in Sudan from 39% to 71%.

6 countries saw a decrease in coverage (Afghanistan, Haiti, Iraq, Nigeria, Syria, and Yemen). The largest decline was 13% points in Syria from 73% to 60%. Coverage remained constant between 2024 and 2025 in the remaining 3 countries.

In 2025, 1 out of these 20 countries had achieved DTP3 coverage of at least 90%.

Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Note: Dark grey line displays regional coverage for reference

DTP3 coverage difference compared to 2019, by country, WB FCV countries, 2018-2025




This chart shows the difference in DTP3 coverage compared to 2019, for the 20 countries with the largest declines in coverage between 2019 and 2025. Among the 20 countries with the largest declines in DTP3 coverage between 2019 and 2025, Coverage was higher in 2025 compared to 2019 in 8 of these 20 countries (CAR, Congo, Ethiopia, Haiti, Mali, Niger, Papua New Guinea, and South Sudan). The largest increase in coverage was 12% points in South Sudan from 61% in 2019 to 73% in 2025. Coverage was lower than in 2019 in 9 of these 20 countries (Afghanistan, Iran, Lebanon, Mozambique, Myanmar, Nigeria, Sudan, Syria, and Yemen). The largest decline in coverage was 31% points in Lebanon from 83% in 2019 to 52% in 2025. Coverage was unchanged in 3 of these 20 countries (Burkina Faso, Iraq, and State of Palestine).

Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision

Note: Dark grey line displays regional coverage difference for reference

ence compared to 2019, values above zero indicate coverage n percentage points higher than in 2019 and values below zero indicate coverage n percentage points lower than in 2019

DTP3 coverage, by country, WB FCV countries, 2019-2025



Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision

Note: The grey bar spans vaccine coverage across all years 2019-2025 and the dots represent coverage in specific years. Countries are arranged by high to low coverage in 2025 and coloured based on if coverage is lower (red), the same as (blue) or higher (green) than in 2019. An asterisk (*) indicates countries aiming to catch-up children missed since 2019 through a Big Catch-up Plan, supported by financing from The Gavi Alliance.


This chart shows the range of DTP3 coverage across years 2019 to 2025 (grey bars), and coverage in specific years (dots), by country. The chart can be used for assessing recovery to pre-pandemic levels and progress beyond 2019.

In 2024, 8 (out of 24) countries had lower coverage than in 2019.

In 2025, 6 countries had lower DTP3 coverage than in 2024.

In 2025, 9 countries had lower coverage than in 2019.

Between 2019 and 2025, DTP3 coverage increased in 12 countries and decreased in nine countries.




This chart shows DTP3 coverage in 2019 and 2025, and change in coverage between the two years.

Overall, 9 out of 24 (38%) countries in WB FCV countries had a decline in coverage. The largest decline was in Lebanon (-31 percentage points), followed by Sudan (-22 percentage points).

There were 12 (50%) countries with an increase in DTP3 coverage. Coverage remained the same in 3 countries between 2019 and 2025.

Between 2024 and 2025, DTP3 coverage increased in 12 countries and decreased in six countries.




This chart shows DTP3 coverage in 2024 and 2025, and change in coverage between the two years.

Overall, 6 out of 24 (25%) countries in WB FCV countries had a decline in coverage. The largest decline was in Syria (-13 percentage points), followed by Iraq (-6 percentage points).

There were 12 (50%) countries with an increase in DTP3 coverage. Coverage remained the same in 6 countries between 2024 and 2025.

Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Note: Change in coverage between 2024 and 2025 indicated to the right.

In 2025, Yemen and Papua New Guinea had the lowest DTP3 coverage and were also among the countries with the highest number of un- and undervaccinated children.



This chart shows DTP3 coverage in countries in WB FCV countries from lowest to highest coverage, and the rank of the top 10 countries with the most un- and undervaccinated children, based on absolute numbers.

In 2025, DTP3 coverage ranged from 39% in Yemen to 99% in State of Palestine.

5 out of 24 (21%) countries had coverage of at least 90%.


Nigeria had DTP3 coverage of 62% and the highest absolute number of un- and undervaccinated children in the region, followed by Yemen.

Large cohort countries may have high numbers of un- and undervaccinated children despite high vaccine coverage. It is advantageous to look at both coverage and absolute numbers of unvaccinated children to ensure vulnerable countries with small birth cohorts are not missed.

Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Note: Bars are ranked by ascending coverage.
Numbers in bubbles display top 10 rank based on absolute number of un- and undervaccinated children. Number in parentheses shows number of un- and undervaccinated children.

In 2025, 3 countries accounted for over half of all un- and under-vaccinated children in WB FCV countries, with Nigeria contributing the highest share.

DTP3 unvaccinated (% of total unvaccinated)



In 2025, 3 countries accounted for over half (56.1%) of all un- and under-vaccinated children in WB FCV countries.


Nigeria had the highest number of children who did not receive DTP3 (n=2.8 million), which is approximately 35.5% of all un- and under-vaccinated children in WB FCV countries (n=7.8 million).

The number of unvaccinated children is influenced by both the birth cohort size and programme performance. As a result, countries with large birth cohorts may still have a high number of unvaccinated children, even if coverage rates are high. At the same time, countries with high coverage will also have a greater absolute number of children who are vaccinated. Please refer to the heatmaps for country-specific coverage.

Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Note: Number in legend corresponds to region ranking based on highest to lowest absolute number of unvaccinated children and reflects order of pie slices.

MCV1

MCV1 coverage remained relatively constant 67% in 2025, leaving 8.7 million children without any protection against measles. MCV2 coverage increased to 54% in 2025.



Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Note: There may be discrepancies due to rounding.


Measles, because of its high transmissibility, acts as a 'canary in the coalmine', quickly exposing any immunity gaps in the population. The coverage of measles containing vaccine (MCV) is thus often used as a tracer for protection.

The percentage of children receiving MCV1 – typically at 9 or 12 months – remained relatively constant at 68%. This is similar to in 2019, where coverage was 69%.

8.7 million children missed their routine first dose of measles vaccine.

MCV2 is typically administered to children between 18 months and five years old. MCV2 coverage increased at 54% in 2025.

In 2025, MCV1 coverage was 68%: 18.3 million children received the measles vaccine, but 8.7 million remain unvaccinated against the highly contagious disease.



Sources: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision; United Nations, Department of Economic and Social Affairs, Population Division (2024). World Population Prospects 2024, Online Edition.

MCV1 coverage in 2025 (68%) was within 1% of coverage in 2019 (69%).

The number of children vaccinated with MCV1 increased 4% from 17.6 million in 2019 to 18.3 million in 2025.


The number of surviving infants increased approximately 6% from 25.4 million in 2019 to 27 million in 2025.

In 2025, 754,000 more children were vaccinated than in 2019.

In 2025, there were 1.6 million more surviving infants (target population) than in 2019.

For vaccine coverage to increase, the number of children vaccinated must increase at a faster rate than the population increases.




MCV1 coverage, by country, WB FCV countries, 2000-2025



Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Note: Countries ordered based on descending coverage in 2025

This heatmap shows MCV1 coverage, by region and year. Red indicates low coverage (<60%) and green indicates high coverage (≥90%). The changing colour gradient can be used to tracked changes in coverage over time and recovery from pandemic-related disruptions where applicable.

MCV1 coverage has improved since 2000 in all regions and exceeded pre-pandemic levels in some regions, but progress is uneven and gaps in unvaccinated children persist.






In 2025, WB FCV countries ranked number 2 out of 2 WB_FCV regions, with MCV1 coverage of 68%.

MCV1 coverage (68%) was 1 percentage point lower than in 2019 (69%).

This equates to 8.7 million unvaccinated children in 2025 compared to 7.9 million unvaccinated children in 2019.

Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Note: Coverage difference compared to 2019 - values above zero indicate coverage higher than in 2019 and values below zero indicate coverage lower than in 2019.
There may be discrepancies in total Unvaccinated children (millions) due to rounding.

MCV1 coverage improved between 2024 and 2025 in some regions and exceeded pre-pandemic levels in some regions, but progress is uneven and gaps in unvaccinated children persist.




In 2025, WB FCV countries ranked number 2 out of 2 WB_FCV regions, with MCV1 coverage of 68%.

MCV1 coverage (68%) was 1 percentage point lower than in 2019 (69%).

This equates to 8.7 million unvaccinated children in 2025 compared to 7.9 million unvaccinated children in 2019.

Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Note: Coverage difference compared to 2019 - values above zero indicate coverage higher than in 2019 and values below zero indicate coverage lower than in 2019.
There may be discrepancies in total Unvaccinated children (millions) due to rounding.

Trends in the number of measles cases and MCV coverage, 2012-2025



Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision;
Reported measles and rubella cases and incidence rates by WHO Member States, as of 12 June 2026.
Provisional data based on monthly data reported to WHO (Geneva) as of 12 June 2026.

This chart shows trends in the number of measles cases and MCV coverage (WB FCV countries).


In 2025, there were 87,151 confirmed measles cases - a decrease from 125,913 in 2024.

Measles cases were reported in 21 countries (Burkina Faso, Cameroon, CAR, Congo, Ethiopia, Mali, Mozambique, Niger, Nigeria, South Sudan, Afghanistan, Iran, Iraq, Lebanon, Libya, Somalia, Sudan, Syria, Yemen, Ukraine, and Myanmar). Yemen reported the highest number of cases (n=32,448), accounting for 37% of total cases in the region.

Very high vaccination coverage is necessary to interrupt measles transmission due to the virus's high transmissibility. The WHO recommends a minimum of 95% coverage with two doses of MCV through routine immunization services.

In 2025, 5 countries achieved at least 90% MCV1 coverage, while 12 had coverage below 70%.

MCV1 Coverage (%), WB FCV countries, 2025



Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Note: This map is stylized and based on an approximate scale. This map does not reflect a position by UNICEF or WHO on the legal status of any country or territory or the delimitation of any frontiers.


In WB FCV countries, 12 out of 24 (50%) countries had MCV1 coverage below 70% in 2025. These are Afghanistan, CAR, Haiti, Lebanon, Mali, Mozambique, Nigeria, Papua New Guinea, Somalia, Sudan, Syria, and Yemen.

These countries account for approximately 16.1 million (59%) of the total annual cohort of surviving infants in the region.

There were 5 (21%) countries that achieved MCV1 of 90% or higher, accounting for 2.8 million (10%) of the total cohort.

Coverage of MCV1, by country, WB FCV countries, 2018-2025

Showing top 20 countries with the lowest coverage in 2025



Among the 20 countries with the lowest MCV1 coverage in 2025, Libya had the highest coverage (93%), while Yemen had the lowest coverage (41%).


MCV1 coverage increased in 8 out of these 20 countries between 2024 and 2025. The largest increase was 22 percentage points in Sudan from 46% to 68%.

6 countries saw a decrease in coverage (Afghanistan, Haiti, Mali, Nigeria, Somalia, and Syria). The largest decline was 15% points in Haiti from 77% to 62%. Coverage remained constant between 2024 and 2025 in the remaining 6 countries.

In 2025, 1 out of these 20 countries had achieved MCV1 coverage of at least 90%.

Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Note: Dark grey line displays regional coverage for reference

MCV1 coverage difference compared to 2019, by country, WB FCV countries, 2018-2025




This chart shows the difference in MCV1 coverage compared to 2019, for the 20 countries with the largest declines in coverage between 2019 and 2025. Among the 20 countries with the largest declines in MCV1 coverage between 2019 and 2025, Coverage was higher in 2025 compared to 2019 in 7 of these 20 countries (CAR, Iraq, Niger, Papua New Guinea, Somalia, South Sudan, and Ukraine). The largest increase in coverage was 9% points in Iraq from 86% in 2019 to 95% in 2025 and Somalia from 52% in 2019 to 61% in 2025. Coverage was lower than in 2019 in 11 of these 20 countries (Afghanistan, Haiti, Lebanon, Mali, Mozambique, Myanmar, Nigeria, State of Palestine, Sudan, Syria, and Yemen). The largest decline in coverage was 22% points in Sudan from 90% in 2019 to 68% in 2025. Coverage was unchanged in 2 of these 20 countries (Burkina Faso and Iran).

Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision

Note: Dark grey line displays regional coverage difference for reference compared to 2019, values above zero indicate coverage n percentage points higher than in 2019 and values below zero indicate coverage n percentage points lower than in 2019

MCV1 coverage, by country, WB FCV countries, 2019-2025



Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision

Note: The grey bar spans vaccine coverage across all years 2019-2025 and the dots represent coverage in specific years. Countries are arranged by high to low coverage in 2025 and coloured based on if coverage is lower (red), the same as (blue) or higher (green) than in 2019. An asterisk (*) indicates countries aiming to catch-up children missed since 2019 through a Big Catch-up Plan, supported by financing from The Gavi Alliance.


This chart shows the range of MCV1 coverage across years 2019 to 2025 (grey bars), and coverage in specific years (dots), by country. The chart can be used for assessing recovery to pre-pandemic levels and progress beyond 2019.

In 2024, 7 (out of 24) countries had lower coverage than in 2019.

In 2025, 8 countries had lower MCV1 coverage than in 2024.

In 2025, 11 countries had lower coverage than in 2019.

In 2025, Yemen and CAR had the lowest MCV1 coverage, while Nigeria and Ethiopia had the highest number of unvaccinated children, highlighting the need to consider both coverage and absolute numbers to identify all vulnerable populations.



This chart shows MCV1 coverage in countries in WB FCV countries from lowest to highest coverage, and the rank of the top 10 countries with the most unvaccinated children, based on absolute numbers.

In 2025, MCV1 coverage ranged from 41% in Yemen to 99% in Iran.

5 out of 24 (21%) countries had coverage of at least 90%.


Nigeria had MCV1 coverage of 56% and the highest absolute number of unvaccinated children in the region, followed by Ethiopia.

Large cohort countries may have high numbers of unvaccinated children despite high vaccine coverage. It is advantageous to look at both coverage and absolute numbers of unvaccinated children to ensure vulnerable countries with small birth cohorts are not missed.

Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Note: Bars are ranked by ascending coverage.
Numbers in bubbles display top 10 rank based on absolute number of unvaccinated children. Number in parentheses shows number of unvaccinated children.

In 2025, 3 countries accounted for over half of all children unprotected against measles in WB FCV countries, with Nigeria contributing the highest share.

MCV1 unvaccinated (% of total unvaccinated)



In 2025, 3 countries accounted for over half (56.8%) of all children unprotected against measles in WB FCV countries.

Nigeria had the highest number of children who did not receive MCV1 (n=3.2 million), which is approximately 36.7% of all children unprotected against measles in WB FCV countries (n=8.7 million).



The number of unvaccinated children is influenced by both the birth cohort size and programme performance. As a result, countries with large birth cohorts may still have a high number of unvaccinated children, even if coverage rates are high. At the same time, countries with high coverage will also have a greater absolute number of children who are vaccinated. Please refer to the heatmaps for country-specific coverage.

Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Note: Number in legend corresponds to region ranking based on highest to lowest absolute number of unvaccinated children and reflects order of pie slices.

Childhood immunization: Additional charts

In 2025, DTP1-DTP3 drop-out was moderate (10%) and DTP1-MCV1 drop-out was high (14%) in WB FCV countries

Vaccine drop-out, WB FCV countries, 2000-2025



Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Drop-out classification: <5% = low, 5-10% = medium, >10% = high

Drop-out rates show the % of children who received DTP1, but not DTP3/MCV1. Low drop-out rates indicate high retention of children in immunization programmes.


This chart shows trends in drop-out rates between DTP1 and DTP3, and DTP1 and MCV1.

In 2025, 10% of children who received DTP1 did not receive DTP3 (left), and 14% of children who received DTP1 did not receive MCV1 (right).

The medium DTP drop-out rates imply moderate ability to provide a complete series of vaccines early in life. The high DTP-MCV drop-out rates imply poor retention in immunization programmes and ability to provide a full course of vaccines in infancy (up to one year).

In 2025, WB FCV countries DTP drop-out was higher and DTP-MCV drop-out was higher than global drop-out rates, respectively.

Drop-out between DTP1 and DTP3 (%), by country, WB FCV countries, 2018-2025



This chart shows trends in drop-out rates between DTP1 and DTP3 by country.


In 2025, Lebanon had the highest drop-out with 41% of children who received DTP1 not receiving DTP3.

State of Palestine had the lowest DTP drop-out (0%). Zero drop-out indicates that near enough all children that received DTP1 also received DTP3.

10 countries had DTP drop-out of more than 10%.

Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
 Note: Dark grey line displays regional dropout for reference
 Drop-out classification: <5% = low, 5-10% = medium, >10% = high

Drop-out between DTP1 and MCV1 (%), by country, WB FCV countries, 2018-2025



This chart shows trends in drop-out rates between DTP1 and MCV1 by country.

In 2025, Mozambique had the highest drop-out with 28% of children who received DTP1 not receiving MCV1.

Iran had the lowest DTP-MCV drop-out (0%).

12 countries had DTP-MCV drop-out of more than 10%.#n

There were 1 countries with negative DTP-MCV dropout (ie. more children received MCV1 than DTP1).

Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision


Note: Dark grey line displays regional dropout for reference

Drop-out classification: <5% = low, 5-10% = medium, >10% = high



WUENIC 2025 revision

Coverage of selected routine vaccines, WB FCV countries, 2000-2025




This chart shows coverage trends for 9 core routine vaccines recommended in childhood.

The steep increasing trends in coverage of IPV, MCV2, PCVC and RotaC is in-part related to increasing introduction in countries, along with improved coverage.

In 2025, MCV2 had the lowest coverage of all vaccines (54%), followed by ROTAC (59%).

Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision

Breadth of Protection, WB FCV countries, 2000-2025



Breadth of protection (BOP) is a combination of the number of vaccines in a country's national immunization programme and the coverage achieved for each vaccine.


The radar chart displays the BOP (shaded area) and vaccine coverage (points), by year.

BOP increased from 18% in 2000 to 62% in 2025. This increase since 2000 is a result of incremental improvement in introducing new vaccines and expanding vaccination services to previously missed populations.

Enhancing BOP now depends partly on improving the coverage of RCV1, HPV, MCV2, ROTAC, IPVc, PCVC, MCV1, DTP3, HEPB3, HIB3, and IPV1 - vaccines with coverage less than 80% in 2025.

Breadth of protection = ((DTP3 x 3) + HepB3 + Hib3 + IPV1 + IPVc + MCV1 + MCV2 + PCV3 + RCV1 + RotaC + HPV) / 13

Breadth of protection with all recommended antigens has more than doubled since 2000, but reaching the next gains depends on closing coverage gaps in newer vaccines still below 62%.



Breadth of protection (BOP) is a combination of the number of vaccines in a country's national immunization programme and the coverage achieved for each vaccine.


The radar chart displays the BOP (shaded area) and vaccine coverage (points), by year.

BOP increased from 18% in 2000 to 62% in 2025. This increase since 2000 is a result of incremental improvement in introducing new vaccines and expanding vaccination services to previously missed populations.

Enhancing BOP now depends partly on improving the coverage of RCV1, HPV, MCV2, ROTAC, IPVc, PCVC, MCV1, DTP3, HEPB3, HIB3, and IPV1 - vaccines with coverage less than 80% in 2025.


Regional average coverage masks variation between countries across all vaccines, highlighting heterogeneity in immunization performance and the need for targeted, country-specific strategies to reach underserved populations.

Vaccine coverage (%), by country, WB FCV countries, 2025



Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Note: Countries are ranked within each region. Country ISO codes displayed. Regional average coverage is shown in the headers and by the dashed line.

Trends in number of countries with WUENIC estimates and coverage, WB FCV countries, 2006-2025



This chart coverage progress of selected vaccines alongside number of countries with introductions to aid understanding of progress.

WUENIC starts producing estimates from the first year a country reports data. For new vaccines, this is often the year of, or the year year after a vaccine in introduced. As such, the numbers serve as a proxy for year of introduction.

As WUENIC has evolved and SAGE recommendations updated, more vaccines have been added to the estimation process. Where estimates were started after 2006, the first year of estimation is indicated by the vertical dashed line.


The total number of countries that are recommended for each vaccine is indicated by the dashed horizontal line and corresponding value.

Countries without the vaccine are included in aggregates as 0.

HPV vaccination

Methods: • [Bruni et al. 2021, HPV vaccination introduction worldwide and WHO and UNICEF estimates of national HPV immunization coverage 2010–2019 \(supplementary materials\).](#)

In 2025, HPV last dose coverage among girls remained the same at 36% and coverage among boys remained the same at 1%



Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Note: Number of countries with HPV vaccination are indicated in parentheses. Countries without introduction are included in aggregates using a value of zero for the estimate.

HPV programme coverage is assessed according to the national schedule, and is used for short-term performance monitoring and SDG reporting.

In 2025, first dose (HPV1) coverage among girls remained the same at 36% and last dose (HPVc) coverage remained the same at 36%.


HPV1 coverage among boys remained the same at 1% and HPVc coverage remained the same at 1%.

HPV vaccine was available in 9* (out of 24) countries for girls and 1 for boys. Countries that have not introduced are included in aggregates with coverage of 0%.

Increasing coverage relies on reaching more girls and boys in existing programmes and introducing HPV vaccine in countries that have not yet introduced it.

*Includes partial introductions

HPVc programme coverage, girls, by country, WB FCV countries, 2010-2025



Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
Note: Only countries with HPV introduction and where estimates were made are displayed.
Countries without HPV vaccination are included in the aggregate with a value of 0.
Countries are ordered based on descending coverage in 2025.

The 'HPVc programme coverage' indicator is defined as the target population who received the last dose of HPV vaccine in the reporting year.


This heatmap shows HPVc programme coverage among girls, by country and year. The colour gradient is based on the best performing country.

In 2025, Burkina Faso had the highest HPVc coverage (95%), and Libya had the lowest coverage (28%).

Countries without HPV vaccine in 2025 (n=16): Afghanistan, CAR, Congo, Haiti, Iran, Iraq, Lebanon, Niger, Papua New Guinea, Somalia, South Sudan, State of Palestine, Sudan, Syria, Ukraine, and Yemen.

SDG 3.b.1

SDG 3.b.1: Proportion of the target population covered by all vaccines included in their national programme, 2000-2025



Source: WHO/UNICEF Estimates of National Immunization Coverage, 2025 revision
 Note: The four vaccination coverage indicators contribute to SDG indicator 3.b.1 are: DTP3, MCV2, PCVC and HPVc
 The global target is 90% coverage of all four antigens by 2030

Four vaccination coverage indicators contribute to Sustainable Development Goal 3, indicator b.1: DTP3, PCVC, MCV2 and HPVc (females).

The IA2030 global target is 90% coverage of all four antigens by 2030.


In 2025, WB FCV countries had achieved at least 90% coverage of 0 out of the 4 vaccines.

Additional resources

[illegible]

	A	B	C	D	E	F	G	H	I	J
1	unicef_regio	isoc3c	country	vaccine	year	target_grp	coverage	vaccinated	unvaccinated	target
2	ROSA	AFG	Afghanistan bcg		1982	births	10	57,000	514,000	571,000
3	ROSA	AFG	Afghanistan bcg		1983	births	10	56,000	503,000	539,000
4	ROSA	AFG	Afghanistan bcg		1984	births	11	62,000	501,000	563,000
5	ROSA	AFG	Afghanistan bcg		1985	births	17	100,000	490,000	591,000
6	ROSA	AFG	Afghanistan bcg		1986	births	18	107,000	489,000	596,000
7	ROSA	AFG	Afghanistan bcg		1987	births	27	161,000	434,000	595,000
8	ROSA	AFG	Afghanistan bcg		1988	births	40	238,000	358,000	596,000
9	ROSA	AFG	Afghanistan bcg		1989	births	38	233,000	380,000	614,000
10	ROSA	AFG	Afghanistan bcg		1990	births	30	191,000	446,000	637,000
11	ROSA	AFG	Afghanistan bcg		1991	births	21	134,000	505,000	640,000
12	ROSA	AFG	Afghanistan bcg		1992	births	19	127,000	541,000	668,000
13	ROSA	AFG	Afghanistan bcg		1993	births	17			760,000
14	ROSA	AFG	Afghanistan bcg		1994	births	15			852,000
15	ROSA	AFG	Afghanistan bcg		1995	births				899,000
16	ROSA	AFG	Afghanistan bcg		1996	births				932,000
17	ROSA	AFG	Afghanistan bcg		1997	births				962,000
18	ROSA	AFG	Afghanistan bcg		1998	births				986,000
19	ROSA	AFG	Afghanistan bcg		1999	births				1,013,000
20	ROSA	AFG	Afghanistan bcg		2000	births	30			1,037,000
21	ROSA	AFG	Afghanistan bcg		2001	births	43	455,000	576,000	1,007,000
22	ROSA	AFG	Afghanistan bcg		2002	births	46	467,000	548,000	1,015,000


*UNICEF, WHO, World Bank, Gavi and
African Union regions*



Additional immunization data resources can be found at:

<https://data.unicef.org/resources/immunization/>

*UNICEF, WHO, World Bank, Gavi and
African Union regions*



The collage features several distinct data visualizations:

- Top Left:** A line chart titled "Average Coverage Page by Vaccine and Year, 2010-2020" showing coverage percentages for various vaccines over time.
- Top Center:** A line chart titled "Number of Children Vaccinated by Vaccine and Year, 2010-2020" showing the number of children vaccinated for different vaccines over time.
- Top Right:** A line chart titled "Number of Children Vaccinated by Vaccine and Year, 2010-2020" showing the number of children vaccinated for different vaccines over time.
- Middle Left:** A line chart titled "Number of Children Vaccinated by Vaccine and Year, 2010-2020" showing the number of children vaccinated for different vaccines over time.
- Middle Center:** A bar chart titled "Number of Children Vaccinated by Vaccine and Year, 2010-2020" showing the number of children vaccinated for different vaccines over time.
- Middle Right:** A bar chart titled "Number of Children Vaccinated by Vaccine and Year, 2010-2020" showing the number of children vaccinated for different vaccines over time.
- Bottom Left:** A bar chart titled "Number of Children Vaccinated by Vaccine and Year, 2010-2020" showing the number of children vaccinated for different vaccines over time.
- Bottom Center:** A heatmap titled "Coverage Trends by Vaccine and District, 2010-2020" showing coverage trends for various vaccines across different districts over time.
- Bottom Right:** A heatmap titled "Coverage Trends by Vaccine and District, 2010-2020" showing coverage trends for various vaccines across different districts over time.

WUENIC Talking Points: Latin America and the Caribbean (LACR) Region

Revision Year: 2023

Overview

- While rising vaccine rates cluster and vaccine rates of the 14 included vaccinees advanced or stayed constant in 2023, 10% or higher were still not up to date
- Coverage of the first dose of COVID-19 vaccine among children 5-17 years old (2023 vs. 2022) was 46% vs. 52% (2022 vs. 2021 was 47% vs. 52%)
- In 2023, the number of vaccinees (children 5-17 years old) aged 10-17 years who received vaccine against measles (MCV1) was the same as in 2022 as in 2021 as in 2020 as in 2019 as in 2018 as in 2017 as in 2016 as in 2015 as in 2014 as in 2013 as in 2012 as in 2011 as in 2010 as in 2009 as in 2008 as in 2007 as in 2006 as in 2005 as in 2004 as in 2003 as in 2002 as in 2001 as in 2000 as in 1999 as in 1998 as in 1997 as in 1996 as in 1995 as in 1994 as in 1993 as in 1992 as in 1991 as in 1990 as in 1989 as in 1988 as in 1987 as in 1986 as in 1985 as in 1984 as in 1983 as in 1982 as in 1981 as in 1980 as in 1979 as in 1978 as in 1977 as in 1976 as in 1975 as in 1974 as in 1973 as in 1972 as in 1971 as in 1970 as in 1969 as in 1968 as in 1967 as in 1966 as in 1965 as in 1964 as in 1963 as in 1962 as in 1961 as in 1960 as in 1959 as in 1958 as in 1957 as in 1956 as in 1955 as in 1954 as in 1953 as in 1952 as in 1951 as in 1950 as in 1949 as in 1948 as in 1947 as in 1946 as in 1945 as in 1944 as in 1943 as in 1942 as in 1941 as in 1940 as in 1939 as in 1938 as in 1937 as in 1936 as in 1935 as in 1934 as in 1933 as in 1932 as in 1931 as in 1930 as in 1929 as in 1928 as in 1927 as in 1926 as in 1925 as in 1924 as in 1923 as in 1922 as in 1921 as in 1920 as in 1919 as in 1918 as in 1917 as in 1916 as in 1915 as in 1914 as in 1913 as in 1912 as in 1911 as in 1910 as in 1909 as in 1908 as in 1907 as in 1906 as in 1905 as in 1904 as in 1903 as in 1902 as in 1901 as in 1900 as in 1899 as in 1898 as in 1897 as in 1896 as in 1895 as in 1894 as in 1893 as in 1892 as in 1891 as in 1890 as in 1889 as in 1888 as in 1887 as in 1886 as in 1885 as in 1884 as in 1883 as in 1882 as in 1881 as in 1880 as in 1879 as in 1878 as in 1877 as in 1876 as in 1875 as in 1874 as in 1873 as in 1872 as in 1871 as in 1870 as in 1869 as in 1868 as in 1867 as in 1866 as in 1865 as in 1864 as in 1863 as in 1862 as in 1861 as in 1860 as in 1859 as in 1858 as in 1857 as in 1856 as in 1855 as in 1854 as in 1853 as in 1852 as in 1851 as in 1850 as in 1849 as in 1848 as in 1847 as in 1846 as in 1845 as in 1844 as in 1843 as in 1842 as in 1841 as in 1840 as in 1839 as in 1838 as in 1837 as in 1836 as in 1835 as in 1834 as in 1833 as in 1832 as in 1831 as in 1830 as in 1829 as in 1828 as in 1827 as in 1826 as in 1825 as in 1824 as in 1823 as in 1822 as in 1821 as in 1820 as in 1819 as in 1818 as in 1817 as in 1816 as in 1815 as in 1814 as in 1813 as in 1812 as in 1811 as in 1810 as in 1809 as in 1808 as in 1807 as in 1806 as in 1805 as in 1804 as in 1803 as in 1802 as in 1801 as in 1800 as in 1799 as in 1798 as in 1797 as in 1796 as in 1795 as in 1794 as in 1793 as in 1792 as in 1791 as in 1790 as in 1789 as in 1788 as in 1787 as in 1786 as in 1785 as in 1784 as in 1783 as in 1782 as in 1781 as in 1780 as in 1779 as in 1778 as in 1777 as in 1776 as in 1775 as in 1774 as in 1773 as in 1772 as in 1771 as in 1770 as in 1769 as in 1768 as in 1767 as in 1766 as in 1765 as in 1764 as in 1763 as in 1762 as in 1761 as in 1760 as in 1759 as in 1758 as in 1757 as in 1756 as in 1755 as in 1754 as in 1753 as in 1752 as in 1751 as in 1750 as in 1749 as in 1748 as in 1747 as in 1746 as in 1745 as in 1744 as in 1743 as in 1742 as in 1741 as in 1740 as in 1739 as in 1738 as in 1737 as in 1736 as in 1735 as in 1734 as in 1733 as in 1732 as in 1731 as in 1730 as in 1729 as in 1728 as in 1727 as in 1726 as in 1725 as in 1724 as in 1723 as in 1722 as in 1721 as in 1720 as in 1719 as in 1718 as in 1717 as in 1716 as in 1715 as in 1714 as in 1713 as in 1712 as in 1711 as in 1710 as in 1709 as in 1708 as in 1707 as in 1706 as in 1705 as in 1704 as in 1703 as in 1702 as in 1701 as in 1700 as in 1699 as in 1698 as in 1697 as in 1696 as in 1695 as in 1694 as in 1693 as in 1692 as in 1691 as in 1690 as in 1689 as in 1688 as in 1687 as in 1686 as in 1685 as in 1684 as in 1683 as in 1682 as in 1681 as in 1680 as in 1679 as in 1678 as in 1677 as in 1676 as in 1675 as in 1674 as in 1673 as in 1672 as in 1671 as in 1670 as in 1669 as in 1668 as in 1667 as in 1666 as in 1665 as in 1664 as in 1663 as in 1662 as in 1661 as in 1660 as in 1659 as in 1658 as in 1657 as in 1656 as in 1655 as in 1654 as in 1653 as in 1652 as in 1651 as in 1650 as in 1649 as in 1648 as in 1647 as in 1646 as in 1645 as in 1644 as in 1643 as in 1642 as in 1641 as in 1640 as in 1639 as in 1638 as in 1637 as in 1636 as in 1635 as in 1634 as in 1633 as in 1632 as in 1631 as in 1630 as in 1629 as in 1628 as in 1627 as in 1626 as in 1625 as in 1624 as in 1623 as in 1622 as in 1621 as in 1620 as in 1619 as in 1618 as in 1617 as in 1616 as in 1615 as in 1614 as in 1613 as in 1612 as in 1611 as in 1610 as in 1609 as in 1608 as in 1607 as in 1606 as in 1605 as in 1604 as in 1603 as in 1602 as in 1601 as in 1600 as in 1599 as in 1598 as in 1597 as in 1596 as in 1595 as in 1594 as in 1593 as in 1592 as in 1591 as in 1590 as in 1589 as in 1588 as in 1587 as in 1586 as in 1585 as in 1584 as in 1583 as in 1582 as in 1581 as in 1580 as in 1579 as in 1578 as in 1577 as in 1576 as in 1575 as in 1574 as in 1573 as in 1572 as in 1571 as in 1570 as in 1569 as in 1568 as in 1567 as in 1566 as in 1565 as in 1564 as in 1563 as in 1562 as in 1561 as in 1560 as in 1559 as in 1558 as in 1557 as in 1556 as in 1555 as in 1554 as in 1553 as in 1552 as in 1551 as in 1550 as in 1549 as in 1548 as in 1547 as in 1546 as in 1545 as in 1544 as in 1543 as in 1542 as in 1541 as in 1540 as in 1539 as in 1538 as in 1537 as in 1536 as in 1535 as in 1534 as in 1533 as in 1532 as in 1531 as in 1530 as in 1529 as in 1528 as in 1527 as in 1526 as in 1525 as in 1524 as in 1523 as in 1522 as in 1521 as in 1520 as in 1519 as in 1518 as in 1517 as in 1516 as in 1515 as in 1514 as in 1513 as in 1512 as in 1511 as in 1510 as in 1509 as in 1508 as in 1507 as in 1506 as in 1505 as in 1504 as in 1503 as in 1502 as in 1501 as in 1500 as in 1499 as in 1498 as in 1497 as in 1496 as in 1495 as in 1494 as in 1493 as in 1492 as in 1491 as in 1490 as in 1489 as in 1488 as in 1487 as in 1486 as in

Interactive
WUENIC
country profiles
can be found at:

<https://worldhealthorg.shinyapps.io/wuenic-trends/>

Short feedback questionnaire

(5 minutes)

We are seeking your feedback on the global groupings (GAVI, African Union, World Bank Income, WHO and UNICEF) and country-level PowerPoint slides developed for the release of global immunization estimates. Your input will help us understand their usefulness and identify areas for improvement.

Please take a few moments to complete this short survey and have your voice heard:

<https://forms.office.com/e/Qv1HXxxNZQ>

