



South Africa

Administrative Data Quality Review Report, 2025



Administrative Data Quality Review

This report presents a systematic review of immunization administrative data quality. It is designed to support country-level data review discussions. Administrative (“admin”) data can be affected by reporting errors, denominator inconsistencies, and supply disruptions. This report helps identify where data quality issues may exist and why admin coverage may diverge from the WHO/UNICEF Estimates of National Immunization Coverage (WUENIC), survey, and official government estimates.

This report covers the following data quality components:

Schedule & Supply Context

Vaccine schedule, introduction years, and recorded stockouts

Coverage Overview

WUENIC, admin, official government, and survey coverage across all vaccines and years.

Admin Coverage Flags

Years where admin coverage exceeds 100% or changes by more than ± 10 percentage points.

Admin vs. Estimates

Gaps between admin and WUENIC estimates; gaps between admin and official government estimates.

Numerator Checks

Percent change from the previous year in the number of children vaccinated; co-administration consistency checks.

Denominator Checks

Percent change from the previous year in target population size; live births vs. surviving infants over time.

Admin Data Availability Heatmap

Heatmap showing which vaccines have missing or present administrative data by year.

Admin Data Comments

Country-reported explanations for numerator accuracy, denominator source, and denominator accuracy.

Flags in this report indicate areas that warrant further review — they do not necessarily indicate errors. Country context, schedule changes, and reporting system updates should be considered alongside these findings.

The electronic Joint Reporting Form (eJRF)

Since 1998, in an effort to strengthen collaboration and minimize the reporting burden of countries, WHO and UNICEF have jointly collected immunization system and related information through a standard questionnaire (the Joint Reporting Form) sent to all Member States. In 2021, the form was updated to a cloud-based solution known as the electronic Joint Reporting Form (eJRF).

The eJRF serves three core functions:

Mission-Critical Data

Serves as the primary data source for tracking the **Immunization Agenda 2030 (IA2030)** and the Sustainable Development Goals (SDGs).

Strategic Utility

Informs WUENIC estimates, guides global funding decisions, and populates the UNICEF *State of the World's Children* reports.

Comprehensive Scope

Captures national and subnational coverage, vaccination schedules, vaccine stockouts, and disease trends.

All data in this presentation is sourced from the eJRF.

Definitions of immunization terms

Vaccine coverage

Percentage of infants (children under one year of age) who received certain vaccine-doses. For example, coverage of DTP3 is the percentage of infants who received all three doses of diphtheria, tetanus, and pertussis (DTP) vaccine.

Unvaccinated

An infant that did not receive the first dose of a vaccine series. The term zero-dose is used to describe children unvaccinated with DTP1.

Under-vaccinated

An infant who received some but not all the recommended vaccine-doses in the national schedule.

Vaccine-Doses

- Bacillus Calmette-Guerin (BCG): vaccine against tuberculosis
- Hepatitis B birth dose, given within 24 hours after birth (HepBB)
- Diphtheria, tetanus, and pertussis vaccine, first dose (DTP1) and third dose (DTP3)
- Hepatitis B vaccine, third dose (HepB3)
- Haemophilus influenzae type b vaccine, third dose (Hib3)
- Inactivated polio vaccine, first dose (IPV1) and last dose (IPVC)
- Measles containing vaccine, first dose (MCV1) and second dose (MCV2)
- Rotavirus vaccine, last dose (RotaC)
- Pneumococcal vaccine, last dose (PCVC)
- Yellow Fever vaccine (YFV)
- Meningococcal A vaccine (MengA)
- Human papillomavirus vaccine, first dose (HPV1) and last dose (HPVc): vaccine to protect against certain types of human papillomavirus that can lead to cancer or genital warts

The Immunization Agenda 2030 (IA2030)

The IA2030 is a global strategy endorsed by the World Health Assembly aiming to ensure everyone, everywhere, at every age benefits from vaccines for improved health and well-being by 2030. It focuses on increasing vaccine coverage, equity, sustainability and pandemic preparedness while promoting life-course immunization and integrating immunization with other health services.

Data Sources Presented

This report presents data from the following sources:

WUENIC

WHO/UNICEF Estimates of National Immunization Coverage (WUENIC) provides annual country-level immunization coverage estimates produced jointly by WHO and UNICEF. These estimates are derived from a systematic review of all available data sources and are adjusted to account for data quality issues.

Administrative ("Admin")

Reported by national authorities and based on aggregated administrative reports from health service providers on the number of vaccinations administered during a given period (numerator) and reported target population data (denominator).

Official

Estimated coverage reported by national authorities that reflects their assessment of the most likely coverage based on any combination of administrative coverage, survey-based estimates, or other data sources or adjustments.

Survey

Based on estimated coverage from population-based household surveys among children aged 12–23 months or 24–35 months. Survey results are considered for the appropriate birth cohort based on the period of data collection. Coverage information is based on the combination of vaccination history from documented evidence or caregiver recall.

Vaccine Schedule

Level	Vaccine	Dose number and age administered			
		1	2	3	4
National	BCG	Birth			
National	DTP	6 weeks	10 weeks	14 weeks	
National	DTAPHIBHEPBIPV (booster)				18 months
National	HPV (females)	9 years			
National	MR	6 months	12 months		
National	OPV	Birth	6 weeks		
National	PCV	6 weeks	14 weeks	9 months	
National	RotaC	6 weeks	14 weeks		

This table shows the 2025 national immunization schedule for routine services in South Africa, reported through the WUENIC Joint Reporting Form on Immunization (JRF).

Each row corresponds to a vaccine or combination vaccine, indicating whether it is delivered at the national or subnational level. The schedule outlines the number of doses and the recommended ages for administration. Only childhood and adolescent vaccines relevant to WUENIC are included.

Vaccine Stockouts

Vaccines / supplies	2021	2022
DTP-containing vaccine		Subnational
OPV	National (1m)	National (1m) and subnational
PCV		Subnational

Years in which a national or subnational vaccine stockout was recorded.

This table provides context for interpreting the numerator and denominator trends and flags in the following slides, as stockouts may contribute to reduced service delivery and legitimate drops in coverage that may be misinterpreted as data quality issues.


Vaccine Introductions

Vaccine	National introduction	Partial introduction	Risk groups
HPV (Human papillomavirus) vaccine	2014		
HepB birth dose	Not introduced		2024
Hepatitis B vaccine	1995		
Hib (Haemophilus influenzae type B) vaccine	1999	1998	
IPV (Inactivated polio vaccine)	2009		
IPV (Inactivated polio vaccine) 2nd dose	2009		
Malaria vaccine	Not introduced		
Measles-containing vaccine 2nd dose	1994		
Meningococcal meningitis vaccines (any strain)	Not introduced		
Mumps vaccine	Not introduced		
PCV (Pneumococcal conjugate vaccine)	2009	2008	
RSV (Respiratory syncytial virus) immunization strategy	Not introduced		
Rotavirus vaccine	2009	2008	
Rubella vaccine	2024		
Typhoid conjugate vaccine	Not introduced		
YF (Yellow fever) vaccine	Not introduced		

Year in which each vaccine was introduced nationally, partially, for risk groups, or risk areas.

We present the vaccination introductions table here to contextualize the data availability heatmap on the following slide.

Admin Data Availability Heatmap by Vaccine, South Africa, 2010–2025



Heatmap showing whether admin data are present (green), missing (red), or not applicable because the vaccine had not yet been introduced or reporting had not started (white), by vaccine and year.

Admin Data Comments Summary: 2024


Comment Type	Comment
Denominator Accuracy	There is much inter and intra provincial mobility. Some provinces have high number of undocumented migrants recorded under numerator but not in the denominator.
Denominator Source	The Denominator is the population estimates provided by Statistics South Africa(StatsSA) which is the only official institution to provided population estimates in the country. HPV denominator is provided by Department of Basic Education Laurits database.
Numerator Accuracy	Facility tick registers sometimes are not correctly filled (under reporting and overreporting). Private sector data is partially collected in all provinces. Catch-up doses given to children above one year are not recorded.

Summary of all admin data comment fields for the most recent year with available data (2024).

Admin Coverage Flags

Admin Coverage Flags by Vaccine and Year, South Africa, 2010–2025

Orange = coverage > 100% | Red = ± 10 pp




Gaps in line indicate missing admin data for that year.

Admin coverage flagged where values exceed 100% (orange) or change by more than ± 10 percentage points from the previous year (red), 2010–2025.

Two types of data quality issues are highlighted: coverage values above 100%, which suggest errors in the reported number of vaccinations or the denominator used, and year-on-year changes greater than 10 percentage points, which may reflect inconsistent reporting rather than true changes in vaccination coverage.

DTP1, DTP3, and MCV1 Admin Coverage Flags by Year, South Africa, 2010–2025

Orange = coverage > 100% | Red = ± 10 pp



Gaps in line indicate missing admin data for that year.

Same flag logic applied to DTP1, DTP3, and MCV1 only, 2010–2025.

Two types of data quality issues are highlighted: coverage values above 100%, which suggest errors in the reported number of vaccinations or the denominator used, and year-on-year changes greater than 10 percentage points, which may reflect inconsistent reporting rather than true changes in vaccination coverage.

Numerator Checks


Admin Data Comments:

Numerator Accuracy (2021–2025)

Year	Comment
2024	Facility tick registers sometimes are not correctly filled (under reporting and overreporting). Private sector data is partially collected in all provinces. Catch-up doses given to children above one year are not recorded.
2023	Facility tick registers sometimes are not correctly filled (under reporting and overreporting). Private sector data is partially collected in all provinces. Catch-up doses given to children above one year are not recorded.
2022	Facility tick registers sometimes not correctly filled (under reporting and overreporting). Private sector data is partially collected in all provinces. Catch-up doses given to children above one year are not recorded.
2021	Facility tick registers sometimes not correctly filled (under reporting and overreporting). Private sector data is partially collected in all provinces. Catch-up doses given to children above one year are not recorded.

Factors limiting the accuracy of the numerator as reported by South Africa.


Number of Children Vaccinated by Vaccine and Year,
South Africa, 2021–2025



This chart shows number of children vaccinated (numerator) by vaccine and year.

Black diagonal lines indicate years with a national- or subnational-level vaccine stockout, which may explain any drops in the number of children vaccinated.

Number of Children Vaccinated by Vaccine and Year (DTP1, DTP3, MCV1),
South Africa, 2021–2025




Number of children vaccinated (numerator) by vaccine (DTP1, DTP3, and MCV1 only) and year.

Black diagonal lines indicate years with a vaccine stockout, which may explain any drops in the number of children vaccinated.

Number of Children Vaccinated by Vaccine and Year, South Africa, 2021–2025


WUENIC vaccines administered at 6 weeks of age



Number of children vaccinated with vaccines co-administered at the 6 weeks visit per the national schedule.


Number of Children Vaccinated by Vaccine and Year, South Africa, 2021–2025

WUENIC vaccines administered at 14 weeks of age



Number of children vaccinated with vaccines co-administered at the 14 weeks visit per the national schedule.

Number of Children Vaccinated by Vaccine and Year,
South Africa, 2010–2025



Raw counts of children vaccinated (numerator) by vaccine and year. Points are colored by the percent change from previous year in the number of children vaccinated.

Green point = stable year-to-year count of children vaccinated.

Orange/red point = high fluctuation in number of children vaccinated, which may indicate data quality issues.

Black point = first year of available numerator data for that vaccine.

NOTE: No numerator data: RCV1

Denominator Checks

Admin Data Comments:

Denominator Source (2021–2025)

Year	Comment
2024	The Denominator is the population estimates provided by Statistics South Africa(StatsSA) which is the only official institution to provided population estimates in the country. HPV denominator is provided by Department of Basic Education Laurits database.
2023	The Denominator is the population estimates provided by Statistics South Africa(StatsSA) which is the only official institution to provided population estimates in the country. HPV denominator is provided by Department of Education Laurits database.
2022	The Denominator is the population estimates provided by Statistics South Africa(StatsSA) which is the only official institution to provided population estimates in the country. HPV denominator is provided by Department of Education Laurits database.
2021	The Denominator is the population estimates provided by Statistics South Africa(StatsSA) which is the only official institution to provided population estimates in the country. HPV denominator is provided by Department of Education Laurits database.

Explanation of how the denominators (target population) are obtained.

Admin Data Comments:

Denominator Accuracy (2021–2025)

Year	Comment
2024	There is much inter and intra provincial mobility. Some provinces have high number of undocumented migrants recorded under numerator but not in the denominator.
2023	There is much inter and intra provincial mobility. Some provinces have high number of undocumented migrants recorded under numerator but not in the denominator.
2022	There is much inter and intra provincial mobility. Some provinces have high number of undocumented migrants recorded under numerator but not in the denominator.
2021	There is much inter and intra provincial mobility. Some provinces have high number of undocumented migrants recorded under numerator but not in the denominator.

Factors limiting the accuracy of the denominator as reported by South Africa.

Number of Children in Target Population by Vaccine and Year,
South Africa, 2010–2025




NOTE: Not enough denominator data to calculate percent change for: RCV1

Target population (denominator) by vaccine and year. Points are colored by the magnitude of year-on-year change: green for less than 5%, orange for 5–10%, and red for greater than 10%. Black points indicate there was no denominator data in the previous year (unable to calculate percent change). Light blue shading highlights years where the direction of change switches unexpectedly.

Target populations should follow a smooth, steady trajectory. Sudden directional switches are demographically unnatural and typically indicate administrative errors, shifting census boundaries, or changes in reporting sources.

Genuine switches are rare and generally limited to extreme disruptions such as humanitarian crises, cross-border migrations, or very small island populations.

Live Births & Surviving Infants (UNPD) vs. Admin Denominators,
South Africa, 2010–2025



Comparison of trends in live births and surviving infants, 2010–2025.

Live births is used as the denominator for BCG and HepBB.


Surviving infants is used as the denominator for other vaccines given in the first year of life.

Admin target populations are reported by the country, while the United Nations Population Division (UNPD) produces the World Population Prospects (WPP) data.

UNPD is the United Nations Population Division.



Admin Denominator Stability Check, South Africa, 2010–2025



Gaps in line indicate missing admin data for that year.


Number of children in the live births (BCG) and surviving infants (DTP1) administrative populations by year. Points are colored by the magnitude of year-on-year change: green for less than 5%, orange for 5–10%, and red for greater than 10%. Black points indicate there was no denominator data in the previous year (unable to calculate percent change). Light blue shading highlights years where the direction of change switches unexpectedly.

Under normal circumstances, target populations should follow a smooth, steady trajectory rather than fluctuating. Sudden switches in direction, such as an increasing population abruptly decreasing the following year, are demographically unnatural and typically indicate administrative errors, shifting census boundaries, or changes in reporting data sources without historic time series adjustment.

Genuine switches in growth direction are rare and generally limited to extreme disruptions like humanitarian refugee crises, cross-border migrations, or very small island populations.


Coverage of Vaccines Recommended at the Same Age

Admin Coverage of Vaccines Administered at 6 weeks,
South Africa, 2010–2025



Admin coverage of WUENIC vaccines co-administered at the 6 weeks visit per the national schedule.

Admin Coverage of Vaccines Administered at 14 weeks,
South Africa, 2010–2025




Admin coverage of WUENIC vaccines co-administered at the 14 weeks visit per the national schedule.

Vaccine Dropout

Key Vaccine Dropout, South Africa, 2010–2025

Circles = Admin Coverage | Triangles = Dropout %



$$\text{Dropout \%} = (\text{Dose 1} - \text{Dose 2}) / \text{Dose 1} * 100$$

Admin coverage for key vaccine pairs (DTP1→DTP3, DTP1→MCV1) with dropout rate shown as triangles. High dropout may indicate supply, access, or demand barriers.

A normal dropout rate means more children received DTP1 than DTP3 or MCV1, which is expected. A negative dropout rate means more children received DTP3/MCV1 than DTP1.

For DTP1–DTP3, negative dropout almost certainly reflects data quality issues, as a child cannot receive the third dose without first receiving the first dose.

While a child can receive MCV1 without DTP1, negative dropout is generally unusual as MCV1 is recommended later in infancy. Negative dropout may occur in instance of outbreak response, but campaigns often include older children, which may contaminate the numerator and lead to misinterpretation.

Coverage Comparison Between WUENIC, Admin, and Official Estimates

Coverage Trends by Vaccine and Source, South Africa, 2010–2025



WUENIC HPV coverage estimates not included.
White = not yet introduced or not reported. Grey = missing data.
Survey panel not presented as South Africa reported no survey data.

Coverage by vaccine and data source (WUENIC, Admin, Official, Survey) for the most recent 5 years.

Coverage vs. WUENIC Estimates by Source, South Africa, 2021–2025

	WUENIC					Admin					Official (Government Estimate)				
	2021	2022	2023	2024	2025	2021	2022	2023	2024	2025	2021	2022	2023	2024	2025
BCG	86	84	79	74	66	+0	+0	+0	+0	+0	+0	+0	+0	+0	—
DTP1	91	87	81	76	67	+0	+0	+0	+0	+0	+0	+0	+0	+0	—
DTP3	86	85	79	74	65	+0	+0	+0	+0	+0	+0	+0	+0	+0	—
Hib3	86	85	79	74	65	+0	+0	+0	+0	+0	+0	+0	+0	+0	—
HepB3	86	85	79	74	65	+0	+0	+0	+0	+0	+0	+0	+0	+0	—
PCVC	87	89	84	82	65	+0	+0	+0	+0	+0	+0	+0	+0	+0	—
RotaC	85	83	78	73	65	+0	+0	+0	+0	+0	+0	+0	+0	+0	—
IPV1	86	87	81	76	67	—	+0	+0	+0	-11	+0	+0	+0	+0	—
IPVC	86	85	79	74	64	+0	+0	—	+0	+0	+0	+0	—	—	—
MCV1	87	86	80	76	66	+0	+0	+0	+0	+0	+0	+0	+0	+0	—
RCV1					66					+0					—
MCV2	82	87	84	82	72	+0	+0	-1	+0	+0	+0	+0	+0	+0	—

WUENIC coverage 65 70 75 80 85 90

Difference in pp vs. WUENIC -10pp -5pp 0 +5pp +10pp Missing Data


WUENIC panel shows absolute coverage. All other panels show percentage point difference vs. WUENIC estimate.

White = not yet introduced or not reported. Grey = missing data.
Survey panel not presented as South Africa reported no survey data.

Difference in percentage points between administrative, official, and survey coverage and WUENIC estimates (e.g., Admin - WUENIC) for the most recent 5 years.

A difference of zero indicates that the coverage source and WUENIC estimate are identical, usually indicating that source informed the WUENIC estimate.

Coverage Trends by Vaccine and Source, South Africa, 2010–2025



Coverage trends for DTP1, DTP3, and MCV1 by data source, 2010–2025.

Actionable Health Analytics for Decision-making (AHEAD)

AHEAD is a UNICEF initiative that strengthens the quality and use of routine immunization data by working closely with Ministries of Health and national Expanded Programme on Immunization (EPI) teams.

AHEAD begins with a systematic review of routine immunization data to identify and address data quality issues, including missing or inconsistent reporting, internal inconsistencies, implausible year-to-year fluctuations, and inaccuracies in target population denominators. Through a collaborative process with national teams, reported data are reviewed, cleaned, and validated, while alternative denominator sources are assessed to improve the accuracy and interpretation of vaccination coverage estimates.

Building on these strengthened data, AHEAD produces timely subnational immunization analytics at regional, district, and health facility levels to identify priority areas, monitor trends, and support evidence-based planning and targeted interventions.

Please contact UNICEF for more information at: data@unicef.org

AHEAD

