


Cabo Verde: WHO and UNICEF estimates of immunization coverage: 2020 revision



**BACKGROUND NOTE:** Each year WHO and UNICEF jointly review reports submitted by Member States regarding national immunization coverage, finalized survey reports as well as data from the published and grey literature. Based on these data, with due consideration to potential biases and the views of local experts, WHO and UNICEF attempt to distinguish between situations where the available empirical data accurately reflect immunization system performance and those where the data are likely to be compromised and present a misleading view of immunization coverage while jointly estimating the most likely coverage levels for each country.

WHO and UNICEF estimates are country-specific; that is to say, each country's data are reviewed individually, and data are not borrowed from other countries in the absence of data. Estimates are not based on ad hoc adjustments to reported data; in some instances empirical data are available from a single source, usually the nationally reported coverage data. In cases where no data are available for a given country/vaccine/year combination, data are considered from earlier and later years and interpolated to estimate coverage for the missing year(s). In cases where data sources are mixed and show large variation, an attempt is made to identify the most likely estimate with consideration of the possible biases in available data. For methods see:

\*Burton et al. 2009. WHO and UNICEF estimates of national infant immunization coverage: methods and processes.

\*Burton et al. 2012. A formal representation of the WHO and UNICEF estimates of national immunization coverage: a computational logic approach.

\*Brown et al. 2013. An introduction to the grade of confidence used to characterize uncertainty around the WHO and UNICEF estimates of national immunization coverage.

## DATA SOURCES.

**ADMINISTRATIVE coverage:** Reported by national authorities and based on aggregated administrative reports from health service providers on the number of vaccinations administered during a given period (numerator data) and reported target population data (denominator data). May be biased by inaccurate numerator and/or denominator data.

**OFFICIAL coverage:** Estimated coverage reported by national authorities that reflects their assessment of the most likely coverage based on any combination of administrative coverage, survey-based estimates or other data sources or adjustments. Approaches to determine OFFICIAL coverage may differ across countries.

**SURVEY coverage:** Based on estimated coverage from population-based household surveys among children aged 12-23 months or 24-35 months following a review of survey methods and results. Information is based on the combination of vaccination history from documented evidence or caregiver recall. Survey results are considered for the appropriate birth cohort based on the period of data collection.

## ABBREVIATIONS

**BCG:** percentage of births who received one dose of Bacillus Calmette Guerin vaccine.

**DTP1 / DTP3:** percentage of surviving infants who received the 1st / 3rd dose, respectively, of diphtheria and tetanus toxoid with pertussis containing vaccine.

**Pol3:** percentage of surviving infants who received the 3rd dose of polio containing vaccine. May be either oral or inactivated polio vaccine.

**IPV1:** percentage of surviving infants who received at least one dose of inactivated polio vaccine. In countries utilizing an immunization schedule recommending either (i) a primary series of three doses of oral polio vaccine (OPV) plus at least one dose of IPV where OPV is included in routine

immunization and/or campaign or (ii) a sequential schedule of IPV followed by OPV, WHO and UNICEF estimates for IPV1 reflect coverage with at least one routine dose of IPV among infants <1 year of age among countries. For countries utilizing IPV containing vaccine use only, i.e., no recommended dose of OPV, the WHO and UNICEF estimate for IPV1 corresponds to coverage for the 1st dose of IPV.

Production of IPV coverage estimates, which begins in 2015, results in no change of the estimated coverage levels for the 3rd dose of polio (Pol3). For countries recommending routine immunization with a primary series of three doses of IPV alone, WHO and UNICEF estimated Pol3 coverage is equivalent to estimated coverage with three doses of IPV. For countries with a sequential schedule, estimated Pol3 coverage is based on that for the 3rd dose of polio vaccine regardless of vaccine type.

**MCV1:** percentage of surviving infants who received the 1st dose of measles containing vaccine. In countries where the national schedule recommends the 1st dose of MCV at 12 months or later based on the epidemiology of disease in the country, coverage estimates reflect the percentage of children who received the 1st dose of MCV as recommended.

**MCV2:** percentage of children who received the 2nd dose of measles containing vaccine according to the nationally recommended schedule.

**RCV1:** percentage of surviving infants who received the 1st dose of rubella containing vaccine. Coverage estimates are based on WHO and UNICEF estimates of coverage for the dose of measles containing vaccine that corresponds to the first measles-rubella combination vaccine. Nationally reported coverage of RCV is not taken into consideration nor are the data represented in the accompanying graph and data table.

**HepBB:** percentage of births which received a dose of hepatitis B vaccine within 24 hours of delivery. Estimates of hepatitis B birth dose coverage are produced only for countries with a universal birth dose policy. Estimates are not produced for countries that recommend a birth dose to infants born to HepB virus-infected mothers only or where there is insufficient information to determine whether vaccination is within 24 hours of birth.

**HepB3:** percentage of surviving infants who received the 3rd dose of hepatitis B containing vaccine following the birth dose.

**Hib3:** percentage of surviving infants who received the 3rd dose of Haemophilus influenzae type b containing vaccine.

**RotaC:** percentage of surviving infants who received the final recommended dose of rotavirus vaccine, which can be either the 2nd or the 3rd dose depending on the vaccine.


**PcV3:** percentage of surviving infants who received the 3rd dose of pneumococcal conjugate vaccine. In countries where the national schedule recommends two doses during infancy and a booster dose at 12 months or later based on the epidemiology of disease in the country, coverage estimates may reflect the percentage of surviving infants who received two doses of PcV prior to the 1st birthday.

**YFV:** percentage of surviving infants who received one dose of yellow fever vaccine in countries where YFV is part of the national immunization schedule for children or is recommended in at risk areas; coverage estimates are annualized for the entire cohort of surviving infants.

**Disclaimer:** All reasonable precautions have been taken by the World Health Organization and United Nations Children's Fund to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization or United Nations Children's Fund be liable for damages arising from its use.

# Cabo Verde - BCG

CPV - BCG



## Description:

- 2020: Estimate based on reported administrative data. No nationally representative household survey within the last 5 years. WHO and UNICEF recommend a high-quality survey to confirm reported levels of coverage. GoC=R+ D+
- 2019: Estimate based on coverage reported by national government. Estimate challenged by: D-
- 2018: Estimate based on coverage reported by national government. GoC=R+ D+
- 2017: Estimate based on coverage reported by national government. GoC=R+ D+
- 2016: Estimate based on coverage reported by national government. GoC=R+ D+
- 2015: Estimate based on coverage reported by national government. GoC=R+ D+
- 2014: Estimate based on coverage reported by national government. Survey results (based on documented evidence by home-based records) support reported coverage levels. Estimate challenged by: D-
- 2013: Estimate based on coverage reported by national government. GoC=R+ D+
- 2012: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2011: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2010: Estimate based on coverage reported by national government supported by survey. Survey evidence of 100 percent based on 1 survey(s). GoC=R+ S+ D+
- 2009: Reported data calibrated to 2008 and 2010 levels. Reported data excluded. Unexplained fluctuations in numerator and denominator levels. Estimate challenged by: D-R-

|                | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Estimate       | 99   | 99   | 99   | 99   | 94   | 99   | 94   | 96   | 98   | 96   | 98   | 98   |
| Estimate GoC   | •    | •••  | •••  | •••  | ••   | •    | ••   | ••   | ••   | ••   | •    | ••   |
| Official       | 76   | 100  | 99   | 100  | 94   | 100  | 94   | 96   | 98   | 96   | 98   | NA   |
| Administrative | 76   | NA   | 107  | 100  | 94   | 100  | 94   | 96   | 98   | 96   | 98   | 98   |
| Survey         | NA   | 100  | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   |


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

# Cabo Verde - DTP1

CPV - DTP1



## Description:

- 2020: Estimate exceptionally based on DTP3 and assumes no drop-out. No nationally representative household survey within the last 5 years. WHO and UNICEF recommend a high-quality survey to confirm reported levels of coverage. Estimate challenged by: R-
- 2019: Estimate based on coverage reported by national government. Estimate challenged by: D-
- 2018: DTP1 coverage estimated based on DTP3 coverage of 98. Estimate challenged by: R-
- 2017: Estimate based on coverage reported by national government. GoC=R+ D+
- 2016: Estimate based on coverage reported by national government. GoC=R+ D+
- 2015: DTP1 coverage estimated based on DTP3 coverage of 93. Estimate challenged by: R-
- 2014: Estimate based on coverage reported by national government. Survey results (based on documented evidence by home-based records) support reported coverage levels. Estimate challenged by: D-
- 2013: Estimate based on coverage reported by national government. GoC=R+ D+
- 2012: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2011: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2010: Estimate based on coverage reported by national government supported by survey. Survey evidence of 100 percent based on 1 survey(s). GoC=R+ S+ D+
- 2009: Reported data calibrated to 2008 and 2010 levels. Reported data excluded. Unexplained fluctuations in numerator and denominator levels. Estimate challenged by: D-R-

|                | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Estimate       | 99   | 99   | 99   | 98   | 93   | 99   | 97   | 96   | 97   | 99   | 96   | 93   |
| Estimate GoC   | •    | •••  | •••  | •••  | ••   | •    | •    | ••   | ••   | •    | •    | •    |
| Official       | 73   | 100  | 99   | 98   | 93   | 99   | 92   | 96   | 97   | 97   | 96   | NA   |
| Administrative | 73   | NA   | 104  | 98   | 93   | 99   | 92   | 96   | 97   | 97   | 96   | 92   |
| Survey         | NA   | 100  | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   |


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

# Cabo Verde - DTP3

CPV - DTP3



## Description:

- 2020: Estimate based on reported administrative data. No nationally representative household survey within the last 5 years. WHO and UNICEF recommend a high-quality survey to confirm reported levels of coverage. GoC=R+ D+
- 2019: Estimate based on coverage reported by national government. Estimate challenged by: D-
- 2018: Estimate based on coverage reported by national government. GoC=R+ D+
- 2017: Estimate based on coverage reported by national government. GoC=R+ D+
- 2016: Estimate based on coverage reported by national government. GoC=R+ D+
- 2015: Estimate based on coverage reported by national government. GoC=R+ D+
- 2014: Estimate based on coverage reported by national government. Survey results (based on documented evidence by home-based records) support reported coverage levels. Estimate challenged by: D-
- 2013: Estimate based on coverage reported by national government. GoC=R+ D+
- 2012: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2011: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2010: Estimate based on coverage reported by national government supported by survey. Survey evidence of 100 percent based on 1 survey(s). Estimate challenged by: D-
- 2009: Reported data calibrated to 2008 and 2010 levels. Reported data excluded. Unexplained fluctuations in numerator and denominator levels. Estimate challenged by: D-R-

|                | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Estimate       | 99   | 99   | 90   | 94   | 93   | 95   | 93   | 96   | 96   | 98   | 96   | 93   |
| Estimate GoC   | •    | •    | •••  | •••  | ••   | •    | ••   | ••   | ••   | ••   | •    | ••   |
| Official       | 74   | 100  | 90   | 94   | 93   | 95   | 93   | 96   | 96   | 98   | 96   | NA   |
| Administrative | 74   | NA   | 90   | 94   | 93   | 95   | 93   | 95   | 96   | 98   | 96   | 93   |
| Survey         | NA   | 100  | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   |


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

# Cabo Verde - Pol3

CPV - Pol3



## Description:

- 2020: Estimate based on reported administrative data. No nationally representative household survey within the last 5 years. WHO and UNICEF recommend a high-quality survey to confirm reported levels of coverage. GoC=R+ D+
- 2019: Estimate based on coverage reported by national government. Estimate challenged by: D-
- 2018: Estimate based on coverage reported by national government. GoC=R+ D+
- 2017: Estimate based on coverage reported by national government. GoC=R+ D+
- 2016: Estimate based on coverage reported by national government. GoC=R+ D+
- 2015: Estimate based on coverage reported by national government. GoC=R+ D+
- 2014: Estimate based on coverage reported by national government. Survey results (based on documented evidence by home-based records) support reported coverage levels. Estimate challenged by: D-
- 2013: Estimate based on coverage reported by national government. GoC=R+ D+
- 2012: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2011: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2010: Estimate based on coverage reported by national government supported by survey. Survey evidence of 100 percent based on 1 survey(s). Estimate challenged by: D-
- 2009: Reported data calibrated to 2008 and 2010 levels. Reported data excluded. Unexplained fluctuations in numerator and denominator levels. Estimate challenged by: D-R-

|                | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Estimate       | 99   | 99   | 90   | 94   | 93   | 95   | 93   | 95   | 96   | 98   | 97   | 94   |
| Estimate GoC   | •    | •    | •••  | •••  | ••   | •    | ••   | ••   | ••   | ••   | •    | ••   |
| Official       | 74   | 100  | 90   | 94   | 93   | 95   | 93   | 95   | 96   | 98   | 97   | NA   |
| Administrative | 74   | NA   | 90   | 94   | 93   | 95   | 93   | 95   | 96   | 98   | 97   | 94   |
| Survey         | NA   | 100  | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   |


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

# Cabo Verde - IPV1

CPV - IPV1



## Description:

Estimates for a dose of inactivated polio vaccine (IPV) begin in 2015 following the Global Polio Eradication Initiative's Polio Eradication and Endgame Strategic Plan: 2013-2018 which recommended at least one full dose or two fractional doses of IPV into routine immunization schedules as a strategy to mitigate the potential consequences should any re-emergence of type 2 poliovirus occur following the planned withdrawal of Sabin type 2 strains from oral polio vaccine (OPV).

2020: Estimate based on reported administrative estimate. No nationally representative household survey within the last 5 years. WHO and UNICEF recommend a high-quality survey to confirm reported levels of coverage. GoC=R+ D+

2019: Estimate based on coverage reported by national government. Estimate challenged by: D-  
2018: Estimate based on coverage reported by national government. Increase following vaccine introduction GoC=R+ D+

2017: Estimate based on coverage reported by national government. Inactivated polio vaccine introduced in July 2017. GoC=R+ D+

|                | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Estimate       | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | 60   | 96   | 96   | NA   |
| Estimate GoC   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | ••   | ••   | •    | ••   |
| Official       | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | 60   | 96   | 96   | NA   |
| Administrative | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | 60   | 96   | 96   | 94   |
| Survey         | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   |

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.


- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.



# Cabo Verde - MCV1

CPV - MCV1



## Description:

- 2020: Estimate based on reported administrative data. No nationally representative household survey within the last 5 years. WHO and UNICEF recommend a high-quality survey to confirm reported levels of coverage. GoC=R+ D+
- 2019: Estimate based on coverage reported by national government. Estimate challenged by: D-
- 2018: Estimate based on coverage reported by national government. GoC=R+ D+
- 2017: Estimate based on coverage reported by national government. GoC=R+ D+
- 2016: Estimate based on coverage reported by national government. GoC=R+
- 2015: Estimate based on coverage reported by national government. GoC=R+ D+
- 2014: Estimate based on coverage reported by national government. Survey results (based on documented evidence by home-based records) support reported coverage levels. Estimate challenged by: D-
- 2013: Estimate based on coverage reported by national government. GoC=R+ D+
- 2012: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2011: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2010: Estimate based on coverage reported by national government supported by survey. Survey evidence of 97 percent based on 1 survey(s). Estimate challenged by: D-
- 2009: Reported data calibrated to 2008 and 2010 levels. Reported data excluded. Unexplained fluctuations in numerator and denominator levels. Estimate challenged by: D-R-

|                | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Estimate       | 97   | 97   | 96   | 91   | 91   | 93   | 92   | 93   | 96   | 99   | 98   | 95   |
| Estimate GoC   | •    | •    | •••  | •••  | ••   | •    | ••   | ••   | ••   | ••   | •    | ••   |
| Official       | 72   | 97   | 96   | 91   | 91   | 93   | 92   | 93   | 96   | 99   | 98   | NA   |
| Administrative | 72   | NA   | 96   | 91   | 91   | 93   | 92   | 93   | 96   | 99   | 98   | 95   |
| Survey         | NA   | 97   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   |

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.


- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.



# Cabo Verde - MCV2

CPV - MCV2



## Description:

Coverage estimates for the second dose of measles containing vaccine are for children by the nationally recommended age.

2020: Estimate based on reported administrative estimate. No nationally representative household survey within the last 5 years. WHO and UNICEF recommend a high-quality survey to confirm reported levels of coverage. GoC=R+ D+

2019: Estimate based on coverage reported by national government. Estimate challenged by: D-

2018: Estimate based on coverage reported by national government. GoC=R+ D+

2017: Estimate based on coverage reported by national government. GoC=R+ D+

2016: Estimate based on coverage reported by national government. GoC=R+

2015: Estimate based on coverage reported by national government. Programme reports intensification activities among children aged 15-24 months which may explain the exceptional year-to-year increase between 2014 and 2015. GoC=R+ D+

2014: Estimate based on coverage reported by national government. Survey results (based on documented evidence by home-based records) support reported coverage levels. GoC=R+ D+

2013: Estimate based on coverage reported by national government. GoC=R+ D+

2012: Estimate based on coverage reported by national government. GoC=R+

2011: Estimate based on coverage reported by national government. Second dose of measles containing vaccine introduced during 2010. Reporting started in 2011. GoC=R+ D+

|                | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Estimate       | NA   | NA   | 99   | 94   | 89   | 79   | 95   | 92   | 85   | 88   | 91   | 86   |
| Estimate GoC   | NA   | NA   | ●●   | ●●   | ●●   | ●●   | ●●   | ●●   | ●●   | ●●   | ●    | ●●   |
| Official       | NA   | NA   | 99   | 94   | 89   | 79   | 95   | 92   | 85   | 88   | 91   | NA   |
| Administrative | NA   | NA   | 104  | 94   | 89   | 79   | 95   | 92   | 85   | 88   | 91   | 86   |
| Survey         | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   |


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

# Cabo Verde - RCV1

CPV - RCV1



## Description:

For this revision, coverage estimates for the first dose of rubella containing vaccine are based on WHO and UNICEF estimates of coverage of measles containing vaccine. Nationally reported coverage of rubella containing vaccine is not taken into consideration nor are they represented in the the accompanying graph and data table.

2020: Estimate based on estimated MCV1. No nationally representative household survey within the last 5 years. WHO and UNICEF recommend a high-quality survey to confirm reported levels of coverage. GoC=R+ D+

2019: Estimate based on estimated MCV1. Estimate challenged by: D-

2018: Estimate based on estimated MCV1. GoC=R+ D+

2017: Estimate based on estimated MCV1. GoC=R+ D+

2016: First dose of rubella vaccine given with second dose of measles containing vaccine. Estimate based on MCV2 estimate Presentation changed from MR to MMR and recommended schedule is 9 and 15 months. GoC=R+

2015: First dose of rubella vaccine given with second dose of measles containing vaccine. Estimate based on MCV2 estimate Presentation changed from MR to MMR and recommended schedule is 15 months. GoC=R+ D+

2014: First dose of rubella vaccine given with second dose of measles containing vaccine. Estimate based on MCV2 estimate Survey results (based on documented evidence by home-based records) support reported coverage levels. GoC=R+ D+

2013: First dose of rubella vaccine given with second dose of measles containing vaccine. Estimate based on MCV2 estimate GoC=R+ D+

2012: First dose of rubella vaccine given with second dose of measles containing vaccine. Estimate based on MCV2 estimate GoC=R+

2011: First dose of rubella vaccine given with second dose of measles containing vaccine. Estimate based on MCV2 estimate Rubella containing vaccine introduced during 2010. Reporting started in 2011. GoC=R+ D+

|                | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Estimate       | NA   | NA   | 99   | 94   | 89   | 79   | 95   | 92   | 96   | 99   | 98   | 95   |
| Estimate GoC   | NA   | NA   | ••   | ••   | ••   | ••   | ••   | ••   | ••   | ••   | •    | ••   |
| Official       | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   |
| Administrative | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   |
| Survey         | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   |


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

# Cabo Verde - HepBB

CPV - HepBB



|                | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Estimate       | 91   | 99   | 99   | 99   | 94   | 99   | 93   | 96   | 96   | 97   | 96   | 96   |
| Estimate GoC   | ●●   | ●●   | ●●   | ●●   | ●●   | ●    | ●●   | ●●   | ●●   | ●●   | ●    | ●●   |
| Official       | 76   | 100  | 99   | 100  | 94   | 99   | 93   | 96   | 96   | 97   | 96   | NA   |
| Administrative | 76   | NA   | 106  | 100  | 94   | 99   | 93   | 96   | 96   | 97   | 96   | 96   |
| Survey         | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   |

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

## Description:

- 2020: Estimate based on reported administrative estimate. No nationally representative household survey within the last 5 years. WHO and UNICEF recommend a high-quality survey to confirm reported levels of coverage. GoC=R+ D+
- 2019: Estimate based on coverage reported by national government. Estimate challenged by: D-
- 2018: Estimate based on coverage reported by national government. GoC=R+ D+
- 2017: Estimate based on coverage reported by national government. GoC=R+ D+
- 2016: Estimate based on coverage reported by national government. GoC=R+ D+
- 2015: Estimate based on coverage reported by national government. GoC=R+ D+
- 2014: Estimate based on coverage reported by national government. Survey results (based on documented evidence by home-based records) support reported coverage levels. Estimate challenged by: D-
- 2013: Estimate based on coverage reported by national government. GoC=R+
- 2012: Estimate based on coverage reported by national government. GoC=R+ D+
- 2011: Estimate based on coverage reported by national government. GoC=R+ D+
- 2010: Estimate based on coverage reported by national government. GoC=R+ D+
- 2009: Estimate based on interpolation between reported values. Reported data excluded. Unexplained fluctuations in numerator and denominator levels. GoC=R+ D+

# Cabo Verde - HepB3

CPV - HepB3



## Description:

- 2020: Reported data calibrated to 2016 levels. No nationally representative household survey within the last 5 years. WHO and UNICEF recommend a high-quality survey to confirm reported levels of coverage. Estimate challenged by: R-
- 2019: Reported data calibrated to 2016 levels. Estimate challenged by: D-R-
- 2018: Reported data calibrated to 2016 levels. Estimate challenged by: R-
- 2017: Reported data calibrated to 2016 levels. Estimate challenged by: R-
- 2016: Estimate of 96 percent assigned by working group. Estimate is based on estimated DTP3 coverage. GoC=No accepted empirical data
- 2015: Reported data calibrated to 2011 and 2016 levels. Estimate challenged by: R-
- 2014: Reported data calibrated to 2011 and 2016 levels. Survey results (based on documented evidence by home-based records) support reported coverage levels. Estimate challenged by: D-R-
- 2013: Reported data calibrated to 2011 and 2016 levels. Estimate challenged by: R-
- 2012: Reported data calibrated to 2011 and 2016 levels. Estimate challenged by: R-
- 2011: Estimate is based on estimated DTP3 coverage. GoC=R+ S+ D+
- 2010: Estimate based on coverage reported by national government supported by survey. Survey evidence of 98 percent based on 1 survey(s). Estimate challenged by: D-
- 2009: Reported data calibrated to 2008 and 2010 levels. Reported data excluded. Unexplained fluctuations in numerator and denominator levels. Estimate challenged by: D-R-

|                | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Estimate       | 98   | 98   | 90   | 94   | 93   | 96   | 94   | 96   | 97   | 99   | 97   | 94   |
| Estimate GoC   | •    | •    | •••  | •    | •    | •    | •    | •    | •    | •    | •    | •    |
| Official       | 73   | 98   | 90   | 94   | 93   | 95   | 93   | NA   | 96   | NA   | 96   | NA   |
| Administrative | 73   | NA   | 90   | 94   | 93   | 95   | 93   | NA   | 96   | 98   | 96   | 93   |
| Survey         | NA   | 98   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   |


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

# Cabo Verde - Hib3

CPV - Hib3



## Description:

2020: Reported data calibrated to 2016 levels. No nationally representative household survey within the last 5 years. WHO and UNICEF recommend a high-quality survey to confirm reported levels of coverage. Estimate challenged by: R-

2019: Reported data calibrated to 2016 levels. Estimate challenged by: D-R-

2018: Reported data calibrated to 2016 levels. Estimate challenged by: R-

2017: Reported data calibrated to 2016 levels. Estimate challenged by: R-

2016: Estimate of 96 percent assigned by working group. Estimate is based on estimated DTP3 coverage. GoC=No accepted empirical data

2015: Reported data calibrated to 2011 and 2016 levels. Estimate challenged by: R-

2014: Reported data calibrated to 2011 and 2016 levels. Survey results (based on documented evidence by home-based records) support reported coverage levels. Estimate challenged by: D-R-

2013: Reported data calibrated to 2011 and 2016 levels. Estimate challenged by: R-

2012: Reported data calibrated to 2011 and 2016 levels. Estimate challenged by: R-

2011: Estimate is based on estimated DTP3 coverage. Hib vaccine was introduced in 2010. Reporting started in 2011. The presentation is DTP- HepB-Hib. GoC=R+ D+


|                | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Estimate       | NA   | NA   | 90   | 94   | 93   | 96   | 94   | 96   | 97   | 99   | 97   | 94   |
| Estimate GoC   | NA   | NA   | ••   | •    | •    | •    | •    | •    | •    | •    | •    | •    |
| Official       | NA   | NA   | 90   | 94   | 93   | 95   | 93   | NA   | 96   | NA   | 96   | NA   |
| Administrative | NA   | NA   | 90   | 94   | 93   | 95   | 93   | NA   | 96   | 98   | 96   | 93   |
| Survey         | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   |

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

# Cabo Verde - RotaC




|                | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Estimate       | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   |
| Estimate GoC   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   |
| Official       | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   |
| Administrative | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   |
| Survey         | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   |

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

# Cabo Verde - PcV3



|                | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Estimate       | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   |
| Estimate GoC   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   |
| Official       | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   |
| Administrative | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   |
| Survey         | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   | NA   |

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.



# Cabo Verde - survey details

## 2014 Rapport Final de la Revue du PEV Cabo Verde

| Vaccine | Confirmation method | Coverage | Age cohort | Sample | Cards seen |
|---------|---------------------|----------|------------|--------|------------|
| BCG     | Card                | 93.1     | 12-23 m    | 1696   | 99         |
| DTP1    | Card                | 92.9     | 12-23 m    | 1696   | 99         |
| DTP3    | Card                | 92.2     | 12-23 m    | 1696   | 99         |
| HepB1   | Card                | 92.9     | 12-23 m    | 1696   | 99         |
| HepB3   | Card                | 92.2     | 12-23 m    | 1696   | 99         |
| HepBB   | Card                | 67.8     | 12-23 m    | 1696   | 99         |
| Hib1    | Card                | 92.9     | 12-23 m    | 1696   | 99         |
| Hib3    | Card                | 92.2     | 12-23 m    | 1696   | 99         |
| MCV1    | Card                | 90.4     | 12-23 m    | 1696   | 99         |

## 2010 Enquête de couverture vaccinale, Cap-Vert 2011

| Vaccine | Confirmation method | Coverage | Age cohort | Sample | Cards seen |
|---------|---------------------|----------|------------|--------|------------|
| BCG     | Card or History     | 99.9     | 12-23 m    | 1598   | 98         |
| DTP1    | Card or History     | 99.9     | 12-23 m    | 1598   | 98         |
| DTP3    | Card or History     | 99.6     | 12-23 m    | 1598   | 98         |
| HepB1   | Card or History     | 99.7     | 12-23 m    | 1598   | 98         |
| HepB3   | Card or History     | 98.1     | 12-23 m    | 1598   | 98         |
| MCV1    | Card or History     | 96.8     | 12-23 m    | 1598   | 98         |
| Pol1    | Card or History     | 99.9     | 12-23 m    | 1598   | 98         |
| Pol3    | Card or History     | 99.6     | 12-23 m    | 1598   | 98         |

## 2009 Enquête de couverture vaccinale de la 3ème dose de trois vaccins (contre la diphtérie, la coqueluche et le tétanos - DTC3) et la rougeole - Cap-Vert 2010

| Vaccine | Confirmation method | Coverage | Age cohort | Sample | Cards seen |
|---------|---------------------|----------|------------|--------|------------|
| DTP3    | Card                | 97.6     | 12-23 m    | 4458   | 100        |
| MCV1    | Card                | 94       | 12-23 m    | 4458   | 100        |

## 2008 Enquête de couverture vaccinale de la 3ème dose de trois vaccins (contre la diphtérie, la coqueluche et le tétanos - DTC3) et la rougeole - Le Cap-Vert 2009

| Vaccine | Confirmation method | Coverage | Age cohort | Sample | Cards seen |
|---------|---------------------|----------|------------|--------|------------|
| DTP3    | Card or History     | 98       | 12-23 m    | 1696   | 98         |
| MCV1    | Card or History     | 96.2     | 12-23 m    | 1696   | 98         |

## 2008 Inquérito nacional de cobertura vacinal. Cabo Verde, 2009.

| Vaccine | Confirmation method | Coverage | Age cohort | Sample | Cards seen |
|---------|---------------------|----------|------------|--------|------------|
| BCG     | Card                | 97.8     | 12-23 m    | 1684   | 98         |
| BCG     | Card or History     | 99.9     | 12-23 m    | 1684   | 98         |
| BCG     | Scar                | 79.1     | 12-23 m    | 1684   | 98         |
| DTP1    | Card                | 97.9     | 12-23 m    | 1684   | 98         |
| DTP1    | Card or History     | 99.9     | 12-23 m    | 1684   | 98         |
| DTP3    | Card                | 97.3     | 12-23 m    | 1684   | 98         |
| DTP3    | Card or History     | 99.3     | 12-23 m    | 1684   | 98         |
| HepB1   | Card                | 97.6     | 12-23 m    | 1684   | 98         |
| HepB1   | Card or History     | 99.4     | 12-23 m    | 1684   | 98         |
| HepB3   | Card                | 96.9     | 12-23 m    | 1684   | 98         |
| HepB3   | Card or History     | 98.8     | 12-23 m    | 1684   | 98         |
| MCV1    | Card                | 94.4     | 12-23 m    | 1684   | 98         |
| MCV1    | Card or History     | 96.5     | 12-23 m    | 1684   | 98         |
| Pol1    | Card                | 97.6     | 12-23 m    | 1684   | 98         |
| Pol1    | Card or History     | 99.7     | 12-23 m    | 1684   | 98         |
| Pol3    | Card                | 97.2     | 12-23 m    | 1684   | 98         |
| Pol3    | Card or History     | 99.2     | 12-23 m    | 1684   | 98         |

## 2004 República de Cabo Verde, Inquérito de avaliação da cobertura vacinal 2005

| Vaccine | Confirmation method | Coverage | Age cohort | Sample | Cards seen |
|---------|---------------------|----------|------------|--------|------------|
| BCG     | Card                | 98.6     | 12-23 m    | 1160   | 97         |
| DTP1    | Card                | 96.3     | 12-23 m    | 1160   | 97         |
| DTP3    | Card                | 93.4     | 12-23 m    | 1160   | 97         |
| HepB1   | Card                | 93.5     | 12-23 m    | 1160   | 97         |
| HepB3   | Card                | 91       | 12-23 m    | 1160   | 97         |
| MCV1    | Card                | 90.7     | 12-23 m    | 1160   | 97         |
| Pol1    | Card                | 96.3     | 12-23 m    | 1160   | 97         |

# Cabo Verde - survey details

Pol3 Card 93.7 12-23 m 1160 97

2004 Segundo Inquérito Demográfico e de Saúde Reprodutiva, Cabo Verde, IDSR-II, 2005

| Vaccine | Confirmation method | Coverage | Age cohort | Sample | Cards seen |
|---------|---------------------|----------|------------|--------|------------|
| BCG     | Card or History     | 99.1     | 12-23 m    | -      | 100        |
| DTP3    | Card or History     | 85.3     | 12-23 m    | -      | 100        |
| MCV1    | Card or History     | 75.4     | 12-23 m    | -      | 100        |
| Pol3    | Card or History     | 85.3     | 12-23 m    | -      | 100        |

| Vaccine | Confirmation method | Coverage | Age cohort | Sample | Cards seen |
|---------|---------------------|----------|------------|--------|------------|
| BCG     | Card or History     | 96.5     | 12-23 m    | 436    | 81         |
| DTP1    | Card or History     | 94       | 12-23 m    | 436    | 81         |
| DTP3    | Card or History     | 84.4     | 12-23 m    | 436    | 81         |
| HepB1   | Card or History     | 75.3     | 12-23 m    | 436    | 81         |
| HepB3   | Card or History     | 70.7     | 12-23 m    | 436    | 81         |
| MCV1    | Card or History     | 88.7     | 12-23 m    | 436    | 81         |
| Pol1    | Card or History     | 94       | 12-23 m    | 436    | 81         |
| Pol3    | Card or History     | 81.6     | 12-23 m    | 436    | 81         |

1999 Capo Verde, Inquérito Nacional de Cobertura Vacinal, 2000

| Vaccine | Confirmation method | Coverage | Age cohort | Sample | Cards seen |
|---------|---------------------|----------|------------|--------|------------|
| BCG     | Card or History     | 92.3     | 12-23 m    | 208    | 94         |
| DTP1    | Card or History     | 92.8     | 12-23 m    | 208    | 94         |
| DTP3    | Card or History     | 86.5     | 12-23 m    | 208    | 94         |
| MCV1    | Card or History     | 79.8     | 12-23 m    | 208    | 94         |
| Pol1    | Card or History     | 92.8     | 12-23 m    | 208    | 94         |
| Pol3    | Card or History     | 86.5     | 12-23 m    | 208    | 94         |

2001 Capo Verde, Inquérito Nacional de Cobertura Vacinal, 2002

Further information and estimates for previous years are available at:

<http://www.data.unicef.org/child-health/immunization>

<https://www.who.int/teams/immunization-vaccines-and-biologicals/immunization-analysis-and-insights/global-monitoring/data-statistics-and-graphics>