

BACKGROUND NOTE: Each year WHO and UNICEF jointly review reports submitted by Member States regarding national immunization coverage, finalized survey reports as well as data from the published and grey literature. Based on these data, with due consideration to potential biases and the views of local experts, WHO and UNICEF attempt to distinguish between situations where the available empirical data accurately reflect immunization system performance and those where the data are likely to be compromised and present a misleading view of immunization coverage while jointly estimating the most likely coverage levels for each country.

WHO and UNICEF estimates are country-specific; that is to say, each country's data are reviewed individually, and data are not borrowed from other countries in the absence of data. Estimates are not based on ad hoc adjustments to reported data; in some instances empirical data are available from a single source, usually the nationally reported coverage data. In cases where no data are available for a given country/vaccine/year combination, data are considered from earlier and later years and interpolated to estimate coverage for the missing year(s). In cases where data sources are mixed and show large variation, an attempt is made to identify the most likely estimate with consideration of the possible biases in available data. For methods see:

*Burton et al. 2009. WHO and UNICEF estimates of national infant immunization coverage: methods and processes.

*Burton et al. 2012. A formal representation of the WHO and UNICEF estimates of national immunization coverage: a computational logic approach.

*Brown et al. 2013. An introduction to the grade of confidence used to characterize uncertainty around the WHO and UNICEF estimates of national immunization coverage.

DATA SOURCES.

ADMINISTRATIVE coverage: Reported by national authorities and based on aggregated administrative reports from health service providers on the number of vaccinations administered during a given period (numerator data) and reported target population data (denominator data). May be biased by inaccurate numerator and/or denominator data.

OFFICIAL coverage: Estimated coverage reported by national authorities that reflects their assessment of the most likely coverage based on any combination of administrative coverage, survey-based estimates or other data sources or adjustments. Approaches to determine OFFICIAL coverage may differ across countries.

SURVEY coverage: Based on estimated coverage from population-based household surveys among children aged 12-23 months or 24-35 months following a review of survey methods and results. Information is based on the combination of vaccination history from documented evidence or caregiver recall. Survey results are considered for the appropriate birth cohort based on the period of data collection.

ABBREVIATIONS

BCG: percentage of births who received one dose of Bacillus Calmette Guerin vaccine.

DTP1 / DTP3: percentage of surviving infants who received the 1st / 3rd dose, respectively, of diphtheria and tetanus toxoid with pertussis containing vaccine.

Pol3: percentage of surviving infants who received the 3rd dose of polio containing vaccine. May be either oral or inactivated polio vaccine.

IPV1: percentage of surviving infants who received at least one dose of inactivated polio vaccine. In countries utilizing an immunization schedule recommending either (i) a primary series of three doses of oral polio vaccine (OPV) plus at least one dose of IPV where OPV is included in routine

immunization and/or campaign or (ii) a sequential schedule of IPV followed by OPV, WHO and UNICEF estimates for IPV1 reflect coverage with at least one routine dose of IPV among infants <1 year of age among countries. For countries utilizing IPV containing vaccine use only, i.e., no recommended dose of OPV, the WHO and UNICEF estimate for IPV1 corresponds to coverage for the 1st dose of IPV.

Production of IPV coverage estimates, which begins in 2015, results in no change of the estimated coverage levels for the 3rd dose of polio (Pol3). For countries recommending routine immunization with a primary series of three doses of IPV alone, WHO and UNICEF estimated Pol3 coverage is equivalent to estimated coverage with three doses of IPV. For countries with a sequential schedule, estimated Pol3 coverage is based on that for the 3rd dose of polio vaccine regardless of vaccine type.

MCV1: percentage of surviving infants who received the 1st dose of measles containing vaccine. In countries where the national schedule recommends the 1st dose of MCV at 12 months or later based on the epidemiology of disease in the country, coverage estimates reflect the percentage of children who received the 1st dose of MCV as recommended.

MCV2: percentage of children who received the 2nd dose of measles containing vaccine according to the nationally recommended schedule.

RCV1: percentage of surviving infants who received the 1st dose of rubella containing vaccine. Coverage estimates are based on WHO and UNICEF estimates of coverage for the dose of measles containing vaccine that corresponds to the first measles-rubella combination vaccine. Nationally reported coverage of RCV is not taken into consideration nor are the data represented in the accompanying graph and data table.

HepBB: percentage of births which received a dose of hepatitis B vaccine within 24 hours of delivery. Estimates of hepatitis B birth dose coverage are produced only for countries with a universal birth dose policy. Estimates are not produced for countries that recommend a birth dose to infants born to HepB virus-infected mothers only or where there is insufficient information to determine whether vaccination is within 24 hours of birth.

HepB3: percentage of surviving infants who received the 3rd dose of hepatitis B containing vaccine following the birth dose.

Hib3: percentage of surviving infants who received the 3rd dose of Haemophilus influenzae type b containing vaccine.

RotaC: percentage of surviving infants who received the final recommended dose of rotavirus vaccine, which can be either the 2nd or the 3rd dose depending on the vaccine.


PcV3: percentage of surviving infants who received the 3rd dose of pneumococcal conjugate vaccine. In countries where the national schedule recommends two doses during infancy and a booster dose at 12 months or later based on the epidemiology of disease in the country, coverage estimates may reflect the percentage of surviving infants who received two doses of PcV prior to the 1st birthday.

YFV: percentage of surviving infants who received one dose of yellow fever vaccine in countries where YFV is part of the national immunization schedule for children or is recommended in at risk areas; coverage estimates are annualized for the entire cohort of surviving infants.

Disclaimer: All reasonable precautions have been taken by the World Health Organization and United Nations Children's Fund to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization or United Nations Children's Fund be liable for damages arising from its use.

Nigeria - BCG

NGA - BCG



	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Estimate	76	62	57	51	51	51	53	64	67	67	67	67
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	•
Official	NA	66	60	87	69	73	58	58	53	75	67	67
Administrative	75	76	63	89	94	97	NA	NA	96	90	81	76
Survey	76	62	NA	51	NA	51	53	64	67	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

2020: Estimate based on coverage reported by national government. Coverage declines were noted mostly between March and May 2020 but immunization activities were enhanced starting in July 2020. Official estimate is based on latest survey results and the country awaits the 2021 MICS/NICS results. Estimate challenged by: D-

2019: Estimate based on coverage reported by national government. The Government of Nigeria notes improvements in vaccination coverage since 2015 based on their review of the 2015 National Nutrition and Health Survey (NNHS) results and preliminary results of the 2019 NNHS, which suggests DTP3 coverage of 67 percent. The country further notes many activities to improve the reach and quality of service delivery, including the Optimized Integrated Routine Immunization Sessions (OIRIS), in support of the improvements and highlights recent interruption of wild polio virus transmission in the country. WHO and UNICEF estimates similarly suggest improvements in coverage during 2015 to 2019, largely informed by results of DHS and MICS surveys and not at the levels suggested by the preliminary NNHS results. While WHO and UNICEF await the final report of the 2019 NNHS, experts have questioned the comparability of sampling and survey methods between DHS/MICS and NNHS in the country. Currently, official reported coverage data suggest inconsistent changes in coverage across antigens between 2018 and 2019, thus, WHO and UNICEF welcome any updates to previously reported coverage data aligned with new evidence in the country, including the 2019 NNHS and the 2020-21 MICS/NICS results. The appearance of declines in administrative coverage from 2017 to 2019 may reflect transitions from DVDMT to DHIS2 that was fully implemented in 2019 as well as activities to improve data quality rather than true declines in coverage. Country notes progress from levels observed in the 2016-17 MICS/NICS. These improvements can be seen in the 2018 NDHS results. Further improvements resulting from intensification activities conducted during 2018 and 2019 may exist but are yet to be quantified due to timing of coverage surveys. WHO and UNICEF are aware of plans for conducting a MICS/NICS during 2020-21 and await the final results. Estimate challenged by: D-

2018: Estimate is based on survey result. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Based on preliminary results of the 2019 National Nutrition and Health Survey (NNHS), the Government of Nigeria disagrees with the levels of coverage estimated by WHO and UNICEF. WHO and UNICEF await the final report of the 2019 NNHS. Official estimates based on a review of strategic plan targets, 2018 Nutrition and Health Survey results, and routine immunization lot-quality assurance survey results. Estimate challenged by: D-R-


2017: Estimate is based on survey result. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Programme reports national level stock-out of unspecified duration. Estimate challenged by: D-R-S-

2016: Estimate is based on survey result. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays

- and incomplete reporting. Programme reports district level vaccine supply disruptions for all vaccines in the infant immunization series. Estimate challenged by: D-R-S-
- 2015: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 53 percent based on 1 survey(s). Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Reported official government estimate received July 2017 is based on preliminary 2016-17 MICS/NICS results applied to the 2015 birth cohort. Estimate challenged by: D-R-S-
- 2014: Estimate of 51 percent assigned by working group. Estimate based on results from the 2016-17 MICS/NICS survey. Reported data excluded. Official government estimate based on an adjustment to the administrative data based on a correction factor of 75 percent that was derived from observation of a community survey showing that 69 percent of infants were fully vaccinated. Nearly three-quarters of community survey respondents were from northern states observed to have lower routine immunization coverage. Estimate challenged by: D-R-S-
- 2013: Reported data calibrated to 2012 and 2014 levels. Reported data excluded. Official government estimate based on administrative data adjusted the mean between using a 2014 DQS verification factor and results from a community survey. Estimate challenged by: D-R-
- 2012: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 51 percent based on 1 survey(s). Reported data excluded due to an increase from 60 percent to 87 percent with decrease 69 percent. Estimate challenged by: D-R-S-
- 2011: Estimate based on interpolation between 2010 and 2012 levels. Estimate based on interpolated value between 2010 and 2012 survey values Reported data excluded due to decline in reported coverage from 76 percent to 60 percent with increase to 87 percent. Estimate based on level established by the 2009 survey and follows trend in the reported data. Nigeria cites shortages of some vaccines and injection supplies (stock-out of AD syringes for 252 days), repeated health worker strike actions and security challenges in several northern states. The vaccine stock outs were due in part to the late release of funds for routine immunization in July 2012 and reallocation of routine immunization vaccine funds to other priorities (measles and polio campaigns) (2012 Nigeria GAVI progress report for 2011). Estimate challenged by: R-S-
- 2010: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 62 percent based on 1 survey(s). Estimate based on level established by the 2009 survey and follows trend in the reported data. Survey results support the trends but not the coverage levels intertemporally and across vaccines. Estimate challenged by: D-R-S-
- 2009: Estimate of 76 percent assigned by working group. Estimate based on survey results. Survey suggests that 60 percent of immunization services are obtained from fixed sites. Estimate challenged by: R-S-

Nigeria - DTP1

NGA - DTP1



	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Estimate	73	60	56	51	50	48	49	62	65	65	65	65
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	•
Official	NA	84	68	67	72	76	55	55	49	72	65	65
Administrative	91	95	71	69	98	102	NA	NA	114	103	94	87
Survey	73	60	NA	*	NA	*	49	*	65	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

2020: Estimate based on coverage reported by national government. Coverage declines were noted mostly between March and May 2020 but immunization activities were enhanced starting in July 2020. Official estimate is based on latest survey results and the country awaits the 2021 MICS/NICS results. Estimate challenged by: D-

2019: Estimate based on coverage reported by national government. The Government of Nigeria notes improvements in vaccination coverage since 2015 based on their review of the 2015 National Nutrition and Health Survey (NNHS) results and preliminary results of the 2019 NNHS, which suggests DTP3 coverage of 67 percent. The country further notes many activities to improve the reach and quality of service delivery, including the Optimized Integrated Routine Immunization Sessions (OIRIS), in support of the improvements and highlights recent interruption of wild polio virus transmission in the country. WHO and UNICEF estimates similarly suggest improvements in coverage during 2015 to 2019, largely informed by results of DHS and MICS surveys and not at the levels suggested by the preliminary NNHS results. While WHO and UNICEF await the final report of the 2019 NNHS, experts have questioned the comparability of sampling and survey methods between DHS/MICS and NNHS in the country. Currently, official reported coverage data suggest inconsistent changes in coverage across antigens between 2018 and 2019, thus, WHO and UNICEF welcome any updates to previously reported coverage data aligned with new evidence in the country, including the 2019 NNHS and the 2020-21 MICS/NICS results. The appearance of declines in administrative coverage from 2017 to 2019 may reflect transitions from DVDMT to DHIS2 that was fully implemented in 2019 as well as activities to improve data quality rather than true declines in coverage. Country notes progress from levels observed in the 2016-17 MICS/NICS. These improvements can be seen in the 2018 NDHS results. Further improvements resulting from intensification activities conducted during 2018 and 2019 may exist but are yet to be quantified due to timing of coverage surveys. WHO and UNICEF are aware of plans for conducting a MICS/NICS during 2020-21 and await the final results. Estimate challenged by: D-

2018: Estimate is based on survey result. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Based on preliminary results of the 2019 National Nutrition and Health Survey (NNHS), the Government of Nigeria disagrees with the levels of coverage estimated by WHO and UNICEF. WHO and UNICEF await the final report of the 2019 NNHS. Official estimates based on a review of strategic plan targets, 2018 Nutrition and Health Survey results, and routine immunization lot-quality assurance survey results. Sharp increases between 2015 and 2016-18 period may be partially explained by the timing of survey fieldwork vis-a-vis investments and activity to improve routine immunization. Estimate challenged by: D-R-

2017: Estimate is based on survey result. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Estimate challenged by: D-R-S-


2016: Estimate is based on survey result. Nigeria National Nutrition and Health Survey (NNHS)

Nigeria - DTP1

- 2018 results ignored by working group. Results from the National Nutrition and Health Survey are ignored because of differences in sampling methods when compared with those used by the Demographic and Health Survey in neighboring years. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Programme reports district level vaccine supply disruptions for all vaccines in the infant immunization series. Estimate challenged by: D-R-S-
- 2015: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 49 percent based on 1 survey(s). Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Estimate challenged by: D-R-S-
- 2014: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 48 percent based on 1 survey(s). Nigeria National Nutrition and Health Survey, 2015 results ignored by working group. The results of the 2015 Nigeria National Nutrition and Health Survey are presented such that coverage by card and by recall cannot be assessed and thus are not considered. Reported data excluded. Official government estimate based on an adjustment to the administrative data based on a correction factor of 75 percent that was derived from observation of a community survey showing that 69 percent of infants were fully vaccinated. Nearly three-quarters of community survey respondents were from northern states observed to have lower routine immunization coverage. Estimate challenged by: D-R-S-
- 2013: Reported data calibrated to 2012 and 2014 levels. Reported data excluded. Official government estimate based on administrative data adjusted the mean between using a 2014 DQS verification factor and results from a community survey. Administrative data documents recovery from pentavalent DTP-HepB-Hib and MCV stock-out. Estimate challenged by: D-R-
- 2012: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 51 percent based on 1 survey(s). Summary Findings of Cross-Sectional Health and Nutrition Survey, Nigeria 2013 results ignored by working group. Survey is ignored because it is a sub-national survey conducted in twenty-four states, accounting for approximately sixty-four percent of national target population. DTP-HepB-Hib pentavalent vaccine introduced in 2012. Estimate challenged by: D-R-
- 2011: Reported data calibrated to 2010 and 2012 levels. Reported data excluded. . Estimate based on level established by the 2009 survey and follows trend in the reported data. Nigeria cites shortages of some vaccines and injection supplies (stock-out of AD syringes for 252 days), repeated health worker strike actions and security challenges in several northern states. The vaccine stock outs were due in part to the late release of funds for routine immunization in July 2012 and reallocation of routine immunization vaccine funds to other priorities (measles and polio campaigns) (2012 Nigeria GAVI progress report for 2011). Estimate challenged by: D-R-S-
- 2010: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 60 percent based on 1 survey(s). Estimate based on level established by the 2009 survey and follows trend in the reported data. Survey results support the trends but not the coverage levels intertemporally and across vaccines. Estimate challenged by: D-R-S-
- 2009: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 73 percent based on 1 survey(s). Survey suggests that 60 percent of immunization services are obtained from fixed sites. Estimate challenged by: D-R-S-

Nigeria - DTP3

NGA - DTP3



	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Estimate	63	54	48	42	43	43	42	53	55	56	57	57
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	•
Official	NA	74	61	57	65	70	45	45	33	58	57	57
Administrative	79	85	63	58	89	97	NA	NA	106	95	87	82
Survey	68	45	NA	*	NA	*	34	*	50	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

2020: Estimate based on coverage reported by national government. Coverage declines were noted mostly between March and May 2020 but immunization activities were enhanced starting in July 2020. Official estimate is based on latest survey results and the country awaits the 2021 MICS/NICS results. Estimate challenged by: D-

2019: Estimate based on coverage reported by national government. The Government of Nigeria notes improvements in vaccination coverage since 2015 based on their review of the 2015 National Nutrition and Health Survey (NNHS) results and preliminary results of the 2019 NNHS, which suggests DTP3 coverage of 67 percent. The country further notes many activities to improve the reach and quality of service delivery, including the Optimized Integrated Routine Immunization Sessions (OIRIS), in support of the improvements and highlights recent interruption of wild polio virus transmission in the country. WHO and UNICEF estimates similarly suggest improvements in coverage during 2015 to 2019, largely informed by results of DHS and MICS surveys and not at the levels suggested by the preliminary NNHS results. While WHO and UNICEF await the final report of the 2019 NNHS, experts have questioned the comparability of sampling and survey methods between DHS/MICS and NNHS in the country. Currently, official reported coverage data suggest inconsistent changes in coverage across antigens between 2018 and 2019, thus, WHO and UNICEF welcome any updates to previously reported coverage data aligned with new evidence in the country, including the 2019 NNHS and the 2020-21 MICS/NICS results. The appearance of declines in administrative coverage from 2017 to 2019 may reflect transitions from DVDMT to DHIS2 that was fully implemented in 2019 as well as activities to improve data quality rather than true declines in coverage. Country notes progress from levels observed in the 2016-17 MICS/NICS. These improvements can be seen in the 2018 NDHS results. Further improvements resulting from intensification activities conducted during 2018 and 2019 may exist but are yet to be quantified due to timing of coverage surveys. WHO and UNICEF are aware of plans for conducting a MICS/NICS during 2020-21 and await the final results. Estimate challenged by: D-

2018: Estimate based on interpolation between estimated coverage for 2017 and 2019. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Based on preliminary results of the 2019 National Nutrition and Health Survey (NNHS), the Government of Nigeria disagrees with the levels of coverage estimated by WHO and UNICEF. WHO and UNICEF await the final report of the 2019 NNHS. Official estimates based on a review of strategic plan targets, 2018 Nutrition and Health Survey results, and routine immunization lot-quality assurance survey results. Sharp increases between 2015 and 2016 may be partially explained by the timing of survey fieldwork vis-a-vis investments and activity to improve routine immunization. Estimate challenged by: D-R-


2017: Estimate is based on survey result. Nigeria Demographic and Health Survey 2018 card or history results of 50 percent modified for recall bias to 55 percent based on 1st dose card or history coverage of 65 percent, 1st dose card only coverage of 38 percent and 3rd dose card only coverage of 32 percent. Reported data excluded. Programme acknowl-

Nigeria - DTP3

- edges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Reported data excluded due to decline in reported coverage from 45 percent to 33 percent with increase to 58 percent. Estimate challenged by: D-R-S-
- 2016: Estimate is based on survey result. Nigeria National Nutrition and Health Survey (NNHS) 2018 results ignored by working group. Results from the National Nutrition and Health Survey are ignored because of differences in sampling methods when compared with those used by the Demographic and Health Survey in neighboring years. Nigeria Demographic and Health Survey 2018 card or history results of 48 percent modified for recall bias to 53 percent based on 1st dose card or history coverage of 62 percent, 1st dose card only coverage of 28 percent and 3rd dose card only coverage of 24 percent. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Programme reports district level vaccine supply disruptions for all vaccines in the infant immunization series. Estimate challenged by: D-R-S-
- 2015: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 42 percent based on 1 survey(s). Nigeria Multiple Indicator Cluster Survey 2016-2017 card or history results of 34 percent modified for recall bias to 42 percent based on 1st dose card or history coverage of 49 percent, 1st dose card only coverage of 27 percent and 3rd dose card only coverage of 23 percent. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Estimate challenged by: D-R-S-
- 2014: Estimate of 43 percent assigned by working group. Estimate is based on survey coverage level. Nigeria National Nutrition and Health Survey, 2015 results ignored by working group. The results of the 2015 Nigeria National Nutrition and Health Survey are presented such that recall bias cannot be assessed and thus are not considered. Nigeria Multiple Indicator Cluster Survey 2016-2017 card or history results of 32 percent modified for recall bias to 43 percent based on 1st dose card or history coverage of 48 percent, 1st dose card only coverage of 18 percent and 3rd dose card only coverage of 16 percent. Reported data excluded. Official government estimate based on an adjustment to the administrative data based on a correction factor of 75 percent that was derived from observation of a community survey showing that 69 percent of infants were fully vaccinated. Nearly three-quarters of community survey respondents were from northern states observed to have lower routine immunization coverage. Estimate challenged by: D-R-
- 2013: Reported data calibrated to 2012 and 2014 levels. Reported data excluded. Official government estimate based on administrative data adjusted the mean between using a 2014 DQS verification factor and results from a community survey. Administrative data documents recovery from pentavalent DTP-HepB-Hib and MCV stock-out. Estimate challenged by: D-R-
- 2012: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 42 percent based on 1 survey(s). Summary Findings of Cross-Sectional Health and Nutrition Survey, Nigeria 2013 results ignored by working group. Survey is ignored because it is a sub-national survey conducted in twenty-four states, accounting for approximately sixty-four percent of national target population. Nigeria Demographic and Health Survey 2013 card or history results of 38 percent modified for recall bias to 42 percent based on 1st dose card or history coverage of 51 percent, 1st dose card only coverage of 27 percent and 3rd dose card only coverage of 22 percent. DTP-HepB-Hib pentavalent vaccine introduced in 2012. Estimate challenged by: D-R-S-
- 2011: Estimate based on interpolation between 2010 and 2012 levels. Estimate based on interpolated value between 2010 and 2012 survey values Estimate based on level established by the 2009 survey and follows trend in the reported data. Nigeria cites shortages of some vaccines and injection supplies (stock-out of AD syringes for 252 days), repeated health worker strike actions and security challenges in several northern states. The vaccine stock outs were due in part to the late release of funds for routine immunization in July 2012 and reallocation of routine immunization vaccine funds to other priorities (measles and polio campaigns) (2012 Nigeria GAVI progress report for 2011). Estimate challenged by: D-R-S-
- 2010: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 54 percent based on 1 survey(s). Nigeria Multiple Indicator Cluster Survey 2011 card or history results of 45 percent modified for recall bias to 54 percent based on 1st dose card or history coverage of 60 percent, 1st dose card only coverage of 29 percent and 3rd dose card only coverage of 26 percent. Estimate based on level established by the 2009 survey and follows trend in the reported data. Survey results support the trends but not the coverage levels intertemporally and across vaccines. Estimate challenged by: D-R-S-
- 2009: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 63 percent based on 1 survey(s). Nigeria 2010 National Immunization Coverage Survey card or history results of 68 percent modified for recall bias to 63 percent based on 1st dose card or history coverage of 73 percent, 1st dose card only coverage of 29 percent and 3rd dose card only coverage of 25 percent. Survey suggests that 60 percent of immunization services are obtained from fixed sites. Estimate challenged by: D-R-S-

Nigeria - Pol3

NGA - Pol3



	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Estimate	66	54	48	42	41	40	42	53	55	56	57	57
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	•
Official	NA	69	74	77	67	72	37	37	33	58	57	57
Administrative	70	79	77	78	92	96	NA	NA	106	95	87	82
Survey	74	49	NA	54	NA	30	35	44	47	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

2020: Estimate based on coverage reported by national government. Coverage declines were noted mostly between March and May 2020 but immunization activities were enhanced starting in July 2020. Official estimate is based on latest survey results and the country awaits the 2021 MICS/NICS results. Estimate challenged by: D-

2019: Estimate based on coverage reported by national government. The Government of Nigeria notes improvements in vaccination coverage since 2015 based on their review of the 2015 National Nutrition and Health Survey (NNHS) results and preliminary results of the 2019 NNHS, which suggests DTP3 coverage of 67 percent. The country further notes many activities to improve the reach and quality of service delivery, including the Optimized Integrated Routine Immunization Sessions (OIRIS), in support of the improvements and highlights recent interruption of wild polio virus transmission in the country. WHO and UNICEF estimates similarly suggest improvements in coverage during 2015 to 2019, largely informed by results of DHS and MICS surveys and not at the levels suggested by the preliminary NNHS results. While WHO and UNICEF await the final report of the 2019 NNHS, experts have questioned the comparability of sampling and survey methods between DHS/MICS and NNHS in the country. Currently, official reported coverage data suggest inconsistent changes in coverage across antigens between 2018 and 2019, thus, WHO and UNICEF welcome any updates to previously reported coverage data aligned with new evidence in the country, including the 2019 NNHS and the 2020-21 MICS/NICS results. The appearance of declines in administrative coverage from 2017 to 2019 may reflect transitions from DVDMT to DHIS2 that was fully implemented in 2019 as well as activities to improve data quality rather than true declines in coverage. Country notes progress from levels observed in the 2016-17 MICS/NICS. These improvements can be seen in the 2018 NDHS results. Further improvements resulting from intensification activities conducted during 2018 and 2019 may exist but are yet to be quantified due to timing of coverage surveys. WHO and UNICEF are aware of plans for conducting a MICS/NICS during 2020-21 and await the final results. Estimate challenged by: D-

2018: Estimate based on interpolation between estimated coverage for 2017 and 2019. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Based on preliminary results of the 2019 National Nutrition and Health Survey (NNHS), the Government of Nigeria disagrees with the levels of coverage estimated by WHO and UNICEF. WHO and UNICEF await the final report of the 2019 NNHS. Estimate challenged by: D-R-

2017: Estimate based on estimated DTP3 level. Nigeria Demographic and Health Survey 2018 card or history results of 47 percent modified for recall bias to 62 percent based on 1st dose card or history coverage of 74 percent, 1st dose card only coverage of 38 percent and 3rd dose card only coverage of 32 percent. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Estimate challenged by: D-R-S-


2016: Estimate based on estimated DTP3 level. Nigeria Demographic and Health Survey 2018 card or history results of 44 percent modified for recall bias to 61 percent based on 1st

Nigeria - Pol3

- dose card or history coverage of 71 percent, 1st dose card only coverage of 28 percent and 3rd dose card only coverage of 24 percent. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Programme reports district level vaccine supply disruptions for all vaccines in the infant immunization series. Estimate challenged by: D-R-S-
- 2015: Estimate of 42 percent assigned by working group. Estimate based on estimated DTP3 level. Nigeria Multiple Indicator Cluster Survey 2016-2017 card or history results of 35 percent modified for recall bias to 40 percent based on 1st dose card or history coverage of 50 percent, 1st dose card only coverage of 26 percent and 3rd dose card only coverage of 21 percent. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Estimate challenged by: D-R-S-
- 2014: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 40 percent based on 1 survey(s). Nigeria Multiple Indicator Cluster Survey 2016-2017 card or history results of 30 percent modified for recall bias to 40 percent based on 1st dose card or history coverage of 48 percent, 1st dose card only coverage of 17 percent and 3rd dose card only coverage of 14 percent. Reported data excluded. Official government estimate based on an adjustment to the administrative data based on a correction factor of 75 percent that was derived from observation of a community survey showing that 69 percent of infants were fully vaccinated. Nearly three-quarters of community survey respondents were from northern states observed to have lower routine immunization coverage. Estimate challenged by: D-R-S-
- 2013: Reported data calibrated to 2012 and 2014 levels. Reported data excluded. Official government estimate based on administrative data adjusted the mean between using a 2014 DQS verification factor and results from a community survey. Estimate challenged by: D-R-
- 2012: Estimate of 42 percent assigned by working group. Estimate based on survey result adjusted for recall bias for third dose of DTP containing vaccine. Survey result for polio for 2010 birth cohort ignored due to likely inclusion of campaign doses. Nigeria Demographic and Health Survey 2013 results ignored by working group. Survey result for polio vaccine likely includes campaign doses due to reliance on caregiver recall in face of low retention of home-based records. Nigeria Demographic and Health Survey 2013 card or history results of 54 percent modified for recall bias to 65 percent based on 1st dose card or history coverage of 76 percent, 1st dose card only coverage of 27 percent and 3rd dose card only coverage of 23 percent. Estimate challenged by: D-R-
- 2011: Estimate based on interpolation between 2010 and 2012 levels. Estimate is based on estimated DTP3 coverage. Estimate based on level established by the 2009 survey and follows trend in the reported data. Nigeria cites shortages of some vaccines and injection supplies (stock-out of AD syringes for 252 days), repeated health worker strike actions and security challenges in several northern states. The vaccine stock outs were due in part to the late release of funds for routine immunization in July 2012 and reallocation of routine immunization vaccine funds to other priorities (measles and polio campaigns) (2012 Nigeria GAVI progress report for 2011). Estimate challenged by: D-R-S-
- 2010: Estimate of 54 percent assigned by working group. Estimate is based on DTP3 levels. Nigeria Multiple Indicator Cluster Survey 2011 results ignored by working group. Survey results likely include campaign doses. Nigeria Multiple Indicator Cluster Survey 2011 card or history results of 49 percent modified for recall bias to 68 percent based on 1st dose card or history coverage of 76 percent, 1st dose card only coverage of 28 percent and 3rd dose card only coverage of 25 percent. Estimate based on level established by the 2009 survey and follows trend in the reported data. Survey results support the trends but not the coverage levels intertemporally and across vaccines. Estimate challenged by: D-R-S-
- 2009: Estimate of 66 percent assigned by working group. Estimate based on survey results. Nigeria 2010 National Immunization Coverage Survey card or history results of 74 percent modified for recall bias to 66 percent based on 1st dose card or history coverage of 78 percent, 1st dose card only coverage of 27 percent and 3rd dose card only coverage of 23 percent. Survey suggests that 60 percent of immunization services are obtained from fixed sites. Estimate challenged by: R-S-

Nigeria - IPV1

NGA - IPV1



	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Estimate	NA	NA	NA	NA	NA	NA	42	52	53	53	53	53
Estimate GoC	NA	NA	NA	NA	NA	NA	●	●	●	●	●	●
Official	NA	NA	NA	NA	NA	NA	45	45	NA	NA	53	53
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	100	93	84	79
Survey	NA	NA	NA	NA	NA	39	42	52	53	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

Estimates for a dose of inactivated polio vaccine (IPV) begin in 2015 following the Global Polio Eradication Initiative's Polio Eradication and Endgame Strategic Plan: 2013-2018 which recommended at least one full dose or two fractional doses of IPV into routine immunization schedules as a strategy to mitigate the potential consequences should any re-emergence of type 2 poliovirus occur following the planned withdrawal of Sabin type 2 strains from oral polio vaccine (OPV).

2020: Estimate based on coverage reported by national government. Coverage declines were noted mostly between March and May 2020 but immunization activities were enhanced starting in July 2020. Official estimate is based on latest survey results and the country awaits the 2021 MICS/NICS results. Estimate challenged by: D-

2019: Estimate based on coverage reported by national government. The Government of Nigeria notes improvements in vaccination coverage since 2015 based on their review of the 2015 National Nutrition and Health Survey (NNHS) results and preliminary results of the 2019 NNHS, which suggests DTP3 coverage of 67 percent. The country further notes many activities to improve the reach and quality of service delivery, including the Optimized Integrated Routine Immunization Sessions (OIRIS), in support of the improvements and highlights recent interruption of wild polio virus transmission in the country. WHO and UNICEF estimates similarly suggest improvements in coverage during 2015 to 2019, largely informed by results of DHS and MICS surveys and not at the levels suggested by the preliminary NNHS results. While WHO and UNICEF await the final report of the 2019 NNHS, experts have questioned the comparability of sampling and survey methods between DHS/MICS and NNHS in the country. Currently, official reported coverage data suggest inconsistent changes in coverage across antigens between 2018 and 2019, thus, WHO and UNICEF welcome any updates to previously reported coverage data aligned with new evidence in the country, including the 2019 NNHS and the 2020-21 MICS/NICS results. The appearance of declines in administrative coverage from 2017 to 2019 may reflect transitions from DVDMT to DHIS2 that was fully implemented in 2019 as well as activities to improve data quality rather than true declines in coverage. Country notes progress from levels observed in the 2016-17 MICS/NICS. These improvements can be seen in the 2018 NDHS results. Further improvements resulting from intensification activities conducted during 2018 and 2019 may exist but are yet to be quantified due to timing of coverage surveys. WHO and UNICEF are aware of plans for conducting a MICS/NICS during 2020-21 and await the final results. Estimate challenged by: D-

2018: Estimate based on extrapolation from data reported by national government. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Based on preliminary results of the 2019 National Nutrition and Health Survey (NNHS), the Government of Nigeria disagrees with the levels of coverage estimated by WHO and UNICEF. WHO and UNICEF await the final report of the 2019 NNHS. Estimate challenged by: D-

2017: Estimate is based on survey result. Reported data excluded. Programme acknowledges

Nigeria - IPV1


challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Estimate challenged by: D-R-S-

2016: Estimate is based on survey result. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Programme reports district level vaccine supply disruptions for all vaccines in the infant immunization series. Estimate challenged by: D-R-

2015: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 42 percent based on 1 survey(s). Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Inactivated polio vaccine introduced in early 2015. Government reports an exceptionally high year-to-year increase in the number of surviving infants compared to the UN Population Division. Estimate challenged by: D-R-S-

Nigeria - MCV1

NGA - MCV1



	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Estimate	64	56	49	42	43	44	42	51	54	54	54	54
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	•
Official	NA	85	93	78	73	73	43	43	42	63	54	54
Administrative	90	97	97	80	100	97	NA	NA	104	87	81	76
Survey	64	56	NA	*	NA	*	42	*	54	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

2020: Estimate based on coverage reported by national government. Coverage declines were noted mostly between March and May 2020 but immunization activities were enhanced starting in July 2020. Official estimate is based on latest survey results and the country awaits the 2021 MICS/NICS results. Estimate challenged by: D-

2019: Estimate based on coverage reported by national government. The Government of Nigeria notes improvements in vaccination coverage since 2015 based on their review of the 2015 National Nutrition and Health Survey (NNHS) results and preliminary results of the 2019 NNHS, which suggests DTP3 coverage of 67 percent. The country further notes many activities to improve the reach and quality of service delivery, including the Optimized Integrated Routine Immunization Sessions (OIRIS), in support of the improvements and highlights recent interruption of wild polio virus transmission in the country. WHO and UNICEF estimates similarly suggest improvements in coverage during 2015 to 2019, largely informed by results of DHS and MICS surveys and not at the levels suggested by the preliminary NNHS results. While WHO and UNICEF await the final report of the 2019 NNHS, experts have questioned the comparability of sampling and survey methods between DHS/MICS and NNHS in the country. Currently, official reported coverage data suggest inconsistent changes in coverage across antigens between 2018 and 2019, thus, WHO and UNICEF welcome any updates to previously reported coverage data aligned with new evidence in the country, including the 2019 NNHS and the 2020-21 MICS/NICS results. The appearance of declines in administrative coverage from 2017 to 2019 may reflect transitions from DVDMT to DHIS2 that was fully implemented in 2019 as well as activities to improve data quality rather than true declines in coverage. Country notes progress from levels observed in the 2016-17 MICS/NICS. These improvements can be seen in the 2018 NDHS results. Further improvements resulting from intensification activities conducted during 2018 and 2019 may exist but are yet to be quantified due to timing of coverage surveys. WHO and UNICEF are aware of plans for conducting a MICS/NICS during 2020-21 and await the final results. Estimate challenged by: D-

2018: Estimate is based on survey result. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Based on preliminary results of the 2019 National Nutrition and Health Survey (NNHS), the Government of Nigeria disagrees with the levels of coverage estimated by WHO and UNICEF. WHO and UNICEF await the final report of the 2019 NNHS. Official estimates based on a review of strategic plan targets, 2018 Nutrition and Health Survey results, and routine immunization lot-quality assurance survey results. Sharp increases between 2015 and 2016-18 period may be partially explained by the timing of survey fieldwork vis-a-vis investments and activity to improve routine immunization. Estimate challenged by: D-R-

2017: Estimate is based on survey result. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Estimate challenged by: D-R-S-


2016: Reported data calibrated to 2015 and 2017 levels. Nigeria National Nutrition and Health

Nigeria - MCV1

- Survey (NNHS) 2018 results ignored by working group. Results from the National Nutrition and Health Survey are ignored because of differences in sampling methods when compared with those used by the Demographic and Health Survey in neighboring years. Nigeria Demographic and Health Survey 2018 results ignored by working group. Survey results likely include campaign doses. Nigeria National Nutrition and Health Survey (NNHS) 2018 results ignored by working group. Survey results likely include campaign doses. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Programme reports district level vaccine supply disruptions for all vaccines in the infant immunization series. Estimate challenged by: D-R-
- 2015: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 42 percent based on 1 survey(s). Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Estimate challenged by: D-R-S-
- 2014: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 44 percent based on 1 survey(s). Nigeria National Nutrition and Health Survey, 2015 results ignored by working group. The results of the 2015 Nigeria National Nutrition and Health Survey are presented such that coverage by card and by recall cannot be assessed and thus are not considered. Reported data excluded. Official government estimate based on an adjustment to the administrative data based on a correction factor of 75 percent that was derived from observation of a community survey showing that 69 percent of infants were fully vaccinated. Nearly three-quarters of community survey respondents were from northern states observed to have lower routine immunization coverage. Estimate challenged by: D-R-
- 2013: Reported data calibrated to 2012 and 2014 levels. Reported data excluded. Official government estimate based on administrative data adjusted the mean between using a 2014 DQS verification factor and results from a community survey. Administrative data documents recovery from pentavalent DTP-HepB-Hib and MCV stock-out. Estimate challenged by: D-R-
- 2012: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 42 percent based on 1 survey(s). Summary Findings of Cross-Sectional Health and Nutrition Survey, Nigeria 2013 results ignored by working group. Survey is ignored because it is a sub-national survey conducted in twenty-four states, accounting for approximately sixty-four percent of national target population. Estimate challenged by: D-R-S-
- 2011: Estimate based on interpolation between 2010 and 2012 levels. Estimate based on interpolated value between 2010 and 2012 survey values. Estimate based on level established by the 2009 survey and follows trend in the reported data. Nigeria cites shortages of some vaccines and injection supplies (stock-out of AD syringes for 252 days), repeated health worker strike actions and security challenges in several northern states. The vaccine stock outs were due in part to the late release of funds for routine immunization in July 2012 and reallocation of routine immunization vaccine funds to other priorities (measles and polio campaigns) (2012 Nigeria GAVI progress report for 2011). Estimate challenged by: D-R-S-
- 2010: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 56 percent based on 1 survey(s). Estimate based on level established by the 2009 survey and follows trend in the reported data. Survey results support the trends but not the coverage levels intertemporally and across vaccines. Estimate challenged by: D-R-S-
- 2009: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 64 percent based on 1 survey(s). Survey suggests that 60 percent of immunization services are obtained from fixed sites. Estimate challenged by: D-R-S-

Nigeria - MCV2

NGA - MCV2



	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Estimate	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9	12
Estimate GoC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	•	•
Official	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9	12
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.


Description:

Coverage estimates for the second dose of measles containing vaccine are for children by the nationally recommended age.

2020: Estimate based on reported administrative estimate. Coverage declines were noted mostly between March and May 2020 but immunization activities were enhanced starting in July 2020. Official estimate is based on latest survey results and the country awaits the 2021 MICS/NICS results. GoC=Assigned by working group. Consistency with other antigens.

2019: Estimate based on reported administrative estimate. The Government of Nigeria notes improvements in vaccination coverage since 2015 based on their review of the 2015 National Nutrition and Health Survey (NNHS) results and preliminary results of the 2019 NNHS, which suggests DTP3 coverage of 67 percent. The country further notes many activities to improve the reach and quality of service delivery, including the Optimized Integrated Routine Immunization Sessions (OIRIS), in support of the improvements and highlights recent interruption of wild polio virus transmission in the country. WHO and UNICEF estimates similarly suggest improvements in coverage during 2015 to 2019, largely informed by results of DHS and MICS surveys and not at the levels suggested by the preliminary NNHS results. While WHO and UNICEF await the final report of the 2019 NNHS, experts have questioned the comparability of sampling and survey methods between DHS/MICS and NNHS in the country. Currently, official reported coverage data suggest inconsistent changes in coverage across antigens between 2018 and 2019, thus, WHO and UNICEF welcome any updates to previously reported coverage data aligned with new evidence in the country, including the 2019 NNHS and the 2020-21 MICS/NICS results. The appearance of declines in administrative coverage from 2017 to 2019 may reflect transitions from DVDMT to DHIS2 that was fully implemented in 2019 as well as activities to improve data quality rather than true declines in coverage. Second dose of measles containing vaccine introduced during October 2019. Country notes progress from levels observed in the 2016-17 MICS/NICS. These improvements can be seen in the 2018 NDHS results. Further improvements resulting from intensification activities conducted during 2018 and 2019 may exist but are yet to be quantified due to timing of coverage surveys. WHO and UNICEF are aware of plans for conducting a MICS/NICS during 2020-21 and await the final results. GoC=Assigned by working group. Consistency with other antigens.

Nigeria - RCV1




	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Estimate	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Estimate GoC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Official	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Nigeria - HepBB



	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Estimate	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Estimate GoC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Official	80	NA	NA	12	12	54	35	36	30	63	52	52
Administrative	NA	NA	1	12	17	78	NA	NA	NA	NA	58	57
Survey	NA	29	NA	NA	NA	NA	30	50	52	NA	NA	NA


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Nigeria - HepB3

NGA - HepB3



	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Estimate	63	49	46	42	43	43	42	53	55	56	57	57
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	•
Official	NA	66	57	84	65	70	45	45	33	58	57	57
Administrative	72	75	59	86	89	97	NA	NA	106	95	87	NA
Survey	NA	36	NA	NA	NA	32	34	*	50	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

2020: Estimate based on coverage reported by national government. Coverage declines were noted mostly between March and May 2020 but immunization activities were enhanced starting in July 2020. Official estimate is based on latest survey results and the country awaits the 2021 MICS/NICS results. GoC=Assigned by working group. Consistency with other antigens.

2019: Estimate based on coverage reported by national government. The Government of Nigeria notes improvements in vaccination coverage since 2015 based on their review of the 2015 National Nutrition and Health Survey (NNHS) results and preliminary results of the 2019 NNHS, which suggests DTP3 coverage of 67 percent. The country further notes many activities to improve the reach and quality of service delivery, including the Optimized Integrated Routine Immunization Sessions (OIRIS), in support of the improvements and highlights recent interruption of wild polio virus transmission in the country. WHO and UNICEF estimates similarly suggest improvements in coverage during 2015 to 2019, largely informed by results of DHS and MICS surveys and not at the levels suggested by the preliminary NNHS results. While WHO and UNICEF await the final report of the 2019 NNHS, experts have questioned the comparability of sampling and survey methods between DHS/MICS and NNHS in the country. Currently, official reported coverage data suggest inconsistent changes in coverage across antigens between 2018 and 2019, thus, WHO and UNICEF welcome any updates to previously reported coverage data aligned with new evidence in the country, including the 2019 NNHS and the 2020-21 MICS/NICS results. The appearance of declines in administrative coverage from 2017 to 2019 may reflect transitions from DVDMT to DHIS2 that was fully implemented in 2019 as well as activities to improve data quality rather than true declines in coverage. Country notes progress from levels observed in the 2016-17 MICS/NICS. These improvements can be seen in the 2018 NDHS results. Further improvements resulting from intensification activities conducted during 2018 and 2019 may exist but are yet to be quantified due to timing of coverage surveys. WHO and UNICEF are aware of plans for conducting a MICS/NICS during 2020-21 and await the final results. Estimate challenged by: D-

2018: Estimate based on interpolation between estimated coverage for 2017 and 2019. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Based on preliminary results of the 2019 National Nutrition and Health Survey (NNHS), the Government of Nigeria disagrees with the levels of coverage estimated by WHO and UNICEF. WHO and UNICEF await the final report of the 2019 NNHS. Official estimates based on a review of strategic plan targets, 2018 Nutrition and Health Survey results, and routine immunization lot-quality assurance survey results. Sharp increases between 2015 and 2016-18 period may be partially explained by the timing of survey fieldwork vis-a-vis investments and activity to improve routine immunization. Estimate challenged by: D-R-


2017: Estimate is based on survey result. Nigeria Demographic and Health Survey 2018 card or history results of 50 percent modified for recall bias to 55 percent based on 1st dose card or history coverage of 65 percent, 1st dose card only coverage of 38 percent and 3rd

Nigeria - HepB3

- dose card only coverage of 32 percent. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Reported data excluded due to decline in reported coverage from 45 percent to 33 percent with increase to 58 percent. Estimate challenged by: D-R-S-
- 2016: Estimate is based on survey result. Nigeria National Nutrition and Health Survey (NNHS) 2018 results ignored by working group. Results from the National Nutrition and Health Survey are ignored because of differences in sampling methods when compared with those used by the Demographic and Health Survey in neighboring years. Nigeria Demographic and Health Survey 2018 card or history results of 48 percent modified for recall bias to 53 percent based on 1st dose card or history coverage of 62 percent, 1st dose card only coverage of 28 percent and 3rd dose card only coverage of 24 percent. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Programme reports district level vaccine supply disruptions for all vaccines in the infant immunization series. Estimate challenged by: D-R-S-
- 2015: Estimate of 42 percent assigned by working group. Estimate is based on survey results. Nigeria Multiple Indicator Cluster Survey 2016-2017 card or history results of 34 percent modified for recall bias to 42 percent based on 1st dose card or history coverage of 49 percent, 1st dose card only coverage of 27 percent and 3rd dose card only coverage of 23 percent. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Estimate challenged by: D-R-S-
- 2014: Estimate of 43 percent assigned by working group. Estimate is based on survey coverage level. Nigeria Multiple Indicator Cluster Survey 2016-2017 card or history results of 32 percent modified for recall bias to 43 percent based on 1st dose card or history coverage of 48 percent, 1st dose card only coverage of 18 percent and 3rd dose card only coverage of 16 percent. Reported data excluded. Official government estimate based on an adjustment to the administrative data based on a correction factor of 75 percent that was derived from observation of a community survey showing that 69 percent of infants were fully vaccinated. Nearly three-quarters of community survey respondents were from northern states observed to have lower routine immunization coverage. Estimate challenged by: D-R-
- 2013: Reported data calibrated to 2012 and 2014 levels. Reported data excluded. Official government estimate based on administrative data adjusted the mean between using a 2014 DQS verification factor and results from a community survey. Administrative data documents recovery from pentavalent DTP-HepB-Hib and MCV stock-out. Estimate challenged by: D-R-
- 2012: Estimate of 42 percent assigned by working group. Estimate is based on survey result for DTP3. Inconsistent reporting for the third dose of HepB vaccine compared to other antigens. Reported data excluded. Sudden unexplained change from the previous year. Reported data excluded due to an increase from 57 percent to 84 percent with decrease 65 percent. DTP-HepB-Hib pentavalent vaccine introduced in 2012. Estimate challenged by: D-R-
- 2011: Reported data calibrated to 2010 and 2012 levels. Reported data excluded due to decline in reported coverage from 75 percent to 57 percent with increase to 84 percent. Estimate based on level established by the 2009 survey and follows trend in the reported data. Nigeria cites shortages of some vaccines and injection supplies (stock-out of AD syringes for 252 days), repeated health worker strike actions and security challenges in several northern states. The vaccine stock outs were due in part to the late release of funds for routine immunization in July 2012 and reallocation of routine immunization vaccine funds to other priorities (measles and polio campaigns) (2012 Nigeria GAVI progress report for 2011). Estimate challenged by: D-R-
- 2010: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 49 percent based on 1 survey(s). Nigeria Multiple Indicator Cluster Survey 2011 card or history results of 36 percent modified for recall bias to 49 percent based on 1st dose card or history coverage of 55 percent, 1st dose card only coverage of 29 percent and 3rd dose card only coverage of 26 percent. Estimate based on level established by the 2009 survey and follows trend in the reported data. Survey results support the trends but not the coverage levels intertemporally and across vaccines. Estimate challenged by: D-R-
- 2009: Estimate of 63 percent assigned by working group. Estimates based on DTP3 levels. Survey suggests that 60 percent of immunization services are obtained from fixed sites. Estimate challenged by: R-S-

Nigeria - Hib3

NGA - Hib3



	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Estimate	NA	NA	NA	10	27	43	42	53	55	56	57	57
Estimate GoC	NA	NA	NA	•	•	•	•	•	•	•	•	•
Official	NA	NA	NA	62	55	70	NA	NA	33	58	57	57
Administrative	NA	NA	NA	63	75	97	NA	NA	106	95	87	NA
Survey	NA	NA	NA	NA	NA	32	34	*	50	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

2020: Estimate based on coverage reported by national government. Coverage declines were noted mostly between March and May 2020 but immunization activities were enhanced starting in July 2020. Official estimate is based on latest survey results and the country awaits the 2021 MICS/NICS results. GoC=Assigned by working group. Consistency with other antigens.

2019: Estimate based on coverage reported by national government. The Government of Nigeria notes improvements in vaccination coverage since 2015 based on their review of the 2015 National Nutrition and Health Survey (NNHS) results and preliminary results of the 2019 NNHS, which suggests DTP3 coverage of 67 percent. The country further notes many activities to improve the reach and quality of service delivery, including the Optimized Integrated Routine Immunization Sessions (OIRIS), in support of the improvements and highlights recent interruption of wild polio virus transmission in the country. WHO and UNICEF estimates similarly suggest improvements in coverage during 2015 to 2019, largely informed by results of DHS and MICS surveys and not at the levels suggested by the preliminary NNHS results. While WHO and UNICEF await the final report of the 2019 NNHS, experts have questioned the comparability of sampling and survey methods between DHS/MICS and NNHS in the country. Currently, official reported coverage data suggest inconsistent changes in coverage across antigens between 2018 and 2019, thus, WHO and UNICEF welcome any updates to previously reported coverage data aligned with new evidence in the country, including the 2019 NNHS and the 2020-21 MICS/NICS results. The appearance of declines in administrative coverage from 2017 to 2019 may reflect transitions from DVDMT to DHIS2 that was fully implemented in 2019 as well as activities to improve data quality rather than true declines in coverage. Country notes progress from levels observed in the 2016-17 MICS/NICS. These improvements can be seen in the 2018 NDHS results. Further improvements resulting from intensification activities conducted during 2018 and 2019 may exist but are yet to be quantified due to timing of coverage surveys. WHO and UNICEF are aware of plans for conducting a MICS/NICS during 2020-21 and await the final results. Estimate challenged by: D-

2018: Estimate based on interpolation between estimated coverage for 2017 and 2019. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Based on preliminary results of the 2019 National Nutrition and Health Survey (NNHS), the Government of Nigeria disagrees with the levels of coverage estimated by WHO and UNICEF. WHO and UNICEF await the final report of the 2019 NNHS. Official estimates based on a review of strategic plan targets, 2018 Nutrition and Health Survey results, and routine immunization lot-quality assurance survey results. Sharp increases between 2015 and 2016-18 period may be partially explained by the timing of survey fieldwork vis-a-vis investments and activity to improve routine immunization. Estimate challenged by: D-R-

2017: Estimate is based on survey result. Nigeria Demographic and Health Survey 2018 card or history results of 50 percent modified for recall bias to 55 percent based on 1st dose card or history coverage of 65 percent, 1st dose card only coverage of 38 percent and 3rd dose

Nigeria - Hib3

card only coverage of 32 percent. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Estimate challenged by: D-R-S-

2016: Estimate is based on survey result. Nigeria National Nutrition and Health Survey (NNHS) 2018 results ignored by working group. Results from the National Nutrition and Health Survey are ignored because of differences in sampling methods when compared with those used by the Demographic and Health Survey in neighboring years. Nigeria Demographic and Health Survey 2018 card or history results of 48 percent modified for recall bias to 53 percent based on 1st dose card or history coverage of 62 percent, 1st dose card only coverage of 28 percent and 3rd dose card only coverage of 24 percent. Programme reports district level vaccine supply disruptions for all vaccines in the infant immunization series. Estimate challenged by: D-S-


2015: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 42 percent based on 1 survey(s). Nigeria Multiple Indicator Cluster Survey 2016-2017 card or history results of 34 percent modified for recall bias to 42 percent based on 1st dose card or history coverage of 49 percent, 1st dose card only coverage of 27 percent and 3rd dose card only coverage of 23 percent. Estimate challenged by: D-S-

2014: Estimate of 43 percent assigned by working group. Estimate is based on survey coverage level. Nigeria Multiple Indicator Cluster Survey 2016-2017 card or history results of 32 percent modified for recall bias to 43 percent based on 1st dose card or history coverage of 48 percent, 1st dose card only coverage of 18 percent and 3rd dose card only coverage of 16 percent. Reported data excluded. Official government estimate based on an adjustment to the administrative data based on a correction factor of 75 percent that was derived from observation of a community survey showing that 69 percent of infants were fully vaccinated. Nearly three-quarters of community survey respondents were from northern states observed to have lower routine immunization coverage. Estimate challenged by: D-R-

2013: Estimate based on interpolation between 2012 and 2014 levels. . Reported data excluded. Official government estimate based on administrative data adjusted the mean between using a 2014 DQS verification factor and results from a community survey. Administrative data documents recovery from pentavalent DTP-HepB-Hib and MCV stockout. Estimate may overestimate coverage as DTP-HepB-Hib continued to be introduced across the country during the year but was not nationally available in all areas until 2014. Estimate challenged by: D-R-S-

2012: Estimate of 10 percent assigned by working group. Sixty three percent coverage achieved in 16 percent of the national target population. Hib vaccine introduced in May 2012 at subnational level as part of the DTP-HepB-Hib presentation. Estimate challenged by: R-S-

Nigeria - RotaC



	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Estimate	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Estimate GoC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Official	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Nigeria - PcV3

NGA - PcV3



	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Estimate	NA	NA	NA	NA	NA	NA	36	49	53	55	57	57
Estimate GoC	NA	NA	NA	NA	NA	NA	•	•	•	•	•	•
Official	NA	NA	NA	NA	NA	NA	29	29	NA	58	57	57
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	104	94	87	81
Survey	NA	NA	NA	NA	NA	25	27	44	47	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

2020: Estimate based on coverage reported by national government. Coverage declines were noted mostly between March and May 2020 but immunization activities were enhanced starting in July 2020. Official estimate is based on latest survey results and the country awaits the 2021 MICS/NICS results. Estimate challenged by: D-

2019: Estimate based on coverage reported by national government. The Government of Nigeria notes improvements in vaccination coverage since 2015 based on their review of the 2015 National Nutrition and Health Survey (NNHS) results and preliminary results of the 2019 NNHS, which suggests DTP3 coverage of 67 percent. The country further notes many activities to improve the reach and quality of service delivery, including the Optimized Integrated Routine Immunization Sessions (OIRIS), in support of the improvements and highlights recent interruption of wild polio virus transmission in the country. WHO and UNICEF estimates similarly suggest improvements in coverage during 2015 to 2019, largely informed by results of DHS and MICS surveys and not at the levels suggested by the preliminary NNHS results. While WHO and UNICEF await the final report of the 2019 NNHS, experts have questioned the comparability of sampling and survey methods between DHS/MICS and NNHS in the country. Currently, official reported coverage data suggest inconsistent changes in coverage across antigens between 2018 and 2019, thus, WHO and UNICEF welcome any updates to previously reported coverage data aligned with new evidence in the country, including the 2019 NNHS and the 2020-21 MICS/NICS results. The appearance of declines in administrative coverage from 2017 to 2019 may reflect transitions from DVDMT to DHIS2 that was fully implemented in 2019 as well as activities to improve data quality rather than true declines in coverage. Country notes progress from levels observed in the 2016-17 MICS/NICS. These improvements can be seen in the 2018 NDHS results. Further improvements resulting from intensification activities conducted during 2018 and 2019 may exist but are yet to be quantified due to timing of coverage surveys. WHO and UNICEF are aware of plans for conducting a MICS/NICS during 2020-21 and await the final results. Estimate challenged by: D-

2018: Estimate based on interpolation between estimated coverage for 2017 and 2019. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Based on preliminary results of the 2019 National Nutrition and Health Survey (NNHS), the Government of Nigeria disagrees with the levels of coverage estimated by WHO and UNICEF. WHO and UNICEF await the final report of the 2019 NNHS. Official estimates based on a review of strategic plan targets, 2018 Nutrition and Health Survey results, and routine immunization lot-quality assurance survey results. Estimate challenged by: D-R-

2017: Estimate is based on survey result. Nigeria Demographic and Health Survey 2018 card or history results of 47 percent modified for recall bias to 53 percent based on 1st dose card or history coverage of 62 percent, 1st dose card only coverage of 36 percent and 3rd dose card only coverage of 31 percent. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Reported data excluded because 104 percent greater than 100

Nigeria - PcV3


percent. Reported data excluded due to an increase from 29 percent to 104 percent with decrease 58 percent. Estimate challenged by: D-R-S-

2016: Estimate is based on survey result. Nigeria Demographic and Health Survey 2018 card or history results of 44 percent modified for recall bias to 49 percent based on 1st dose card or history coverage of 58 percent, 1st dose card only coverage of 26 percent and 3rd dose card only coverage of 22 percent. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Programme reports district level vaccine supply disruptions for all vaccines in the infant immunization series. Reported official government estimate received June 2017 is based on preliminary 2016-17 MICS/NICS results applied to the 2015 birth cohort. Estimate challenged by: R-S-

2015: Estimate based on results of the 2016-17 MICS/NICS survey adjusted for recall bias. Nigeria Multiple Indicator Cluster Survey 2016-2017 card or history results of 27 percent modified for recall bias to 36 percent based on 1st dose card or history coverage of 40 percent, 1st dose card only coverage of 19 percent and 3rd dose card only coverage of 17 percent. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Pneumococcal conjugate vaccine introduced in 2015. Estimate challenged by: D-R-S-

Nigeria - YFV

NGA - YFV



	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Estimate	69	50	38	24	47	41	42	51	54	54	54	54
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	•
Official	NA	78	72	46	64	71	41	41	39	61	NA	NA
Administrative	69	89	75	46	88	94	NA	NA	103	87	80	60
Survey	60	50	NA	NA	NA	41	39	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

2020: Estimate is based on estimated MCV1 level. Reported data excluded due to sudden change in coverage from 80 level to 60 percent. Coverage declines were noted mostly between March and May 2020 but immunization activities were enhanced starting in July 2020. Official estimate is based on latest survey results and the country awaits the 2021 MICS/NICS results. Estimate challenged by: D-R-

2019: Estimate is based on estimated MCV1 level. The Government of Nigeria notes improvements in vaccination coverage since 2015 based on their review of the 2015 National Nutrition and Health Survey (NNHS) results and preliminary results of the 2019 NNHS, which suggests DTP3 coverage of 67 percent. The country further notes many activities to improve the reach and quality of service delivery, including the Optimized Integrated Routine Immunization Sessions (OIRIS), in support of the improvements and highlights recent interruption of wild polio virus transmission in the country. WHO and UNICEF estimates similarly suggest improvements in coverage during 2015 to 2019, largely informed by results of DHS and MICS surveys and not at the levels suggested by the preliminary NNHS results. While WHO and UNICEF await the final report of the 2019 NNHS, experts have questioned the comparability of sampling and survey methods between DHS/MICS and NNHS in the country. Currently, official reported coverage data suggest inconsistent changes in coverage across antigens between 2018 and 2019, thus, WHO and UNICEF welcome any updates to previously reported coverage data aligned with new evidence in the country, including the 2019 NNHS and the 2020-21 MICS/NICS results. The appearance of declines in administrative coverage from 2017 to 2019 may reflect transitions from DVDMT to DHIS2 that was fully implemented in 2019 as well as activities to improve data quality rather than true declines in coverage. Country notes progress from levels observed in the 2016-17 MICS/NICS. These improvements can be seen in the 2018 NDHS results. Further improvements resulting from intensification activities conducted during 2018 and 2019 may exist but are yet to be quantified due to timing of coverage surveys. WHO and UNICEF are aware of plans for conducting a MICS/NICS during 2020-21 and await the final results. Estimate challenged by: D-R-

2018: Estimate is based on estimated MCV1 level. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Based on preliminary results of the 2019 National Nutrition and Health Survey (NNHS), the Government of Nigeria disagrees with the levels of coverage estimated by WHO and UNICEF. WHO and UNICEF await the final report of the 2019 NNHS. Official estimates based on a review of strategic plan targets, 2018 Nutrition and Health Survey results, and routine immunization lot-quality assurance survey results. Estimate challenged by: D-R-

2017: Estimate is based on estimated MCV1. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Estimate challenged by: D-R-S-

2016: Estimate is based on estimated MCV1 level. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, in-

Nigeria - YFV

- cluding delays and incomplete reporting. Programme reports district level vaccine supply disruptions for all vaccines in the infant immunization series. Estimate challenged by: D-R-S-
- 2015: Estimate is based on estimated MCV1. Reported data excluded. Programme acknowledges challenges in data quality impacting on administrative coverage levels, including delays and incomplete reporting. Estimate challenged by: D-R-
- 2014: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 41 percent based on 1 survey(s). Reported data excluded. Official government estimate based on an adjustment to the administrative data based on a correction factor of 75 percent that was derived from observation of a community survey showing that 69 percent of infants were fully vaccinated. Nearly three-quarters of community survey respondents were from northern states observed to have lower routine immunization coverage. Estimate challenged by: D-R-
- 2013: Estimate of 47 percent assigned by working group. Estimate is based on estimated MCV1 coverage level. Reported data excluded. Official government estimate based on administrative data adjusted the mean between using a 2014 DQS verification factor and results from a community survey. Estimate challenged by: D-R-
- 2012: Estimate of 24 percent assigned by working group. Five-month vaccine stock-out reported at the national level. Estimate is based on survey result for MCV1 adjusted based on the relative relationship between reported admin coverage for MCV1 and YFV to include the YFV stock-out during 2012. Reported data excluded due to decline in reported coverage from 72 percent to 46 percent with increase to 64 percent. Estimate challenged by: D-R-S-
- 2011: Estimate is based on coverage for MCV1 adjusted based on the relative relationship between reported admin coverage for MCV1 and YFV. Estimate based on level established by the 2009 survey and follows trend in the reported data. Nigeria cites shortages of some vaccines and injection supplies (stock-out of AD syringes for 252 days), repeated health worker strike actions and security challenges in several northern states. The vaccine stock outs were due in part to the late release of funds for routine immunization in July 2012 and reallocation of routine immunization vaccine funds to other priorities (measles and polio campaigns) (2012 Nigeria GAVI progress report for 2011). Estimate challenged by: D-R-S-
- 2010: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 50 percent based on 1 survey(s). Reported data excluded due to an increase from 69 percent to 89 percent with decrease 72 percent. Estimate based on level established by the 2009 survey and follows trend in the reported data. Survey results support the trends but not the coverage levels intertemporally and across vaccines. Estimate challenged by: D-R-
- 2009: Estimate based on administrative data reported by national government supported by survey. Survey evidence of 60 percent based on 1 survey(s). Survey suggests that 60 percent of immunization services are obtained from fixed sites. Estimate challenged by: S-

Nigeria - survey details

2017 Nigeria Demographic and Health Survey 2018

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	C or H <12 months	66	12-23 m	6143	40
BCG	Card	37.7	12-23 m	2459	40
BCG	Card or History	66.7	12-23 m	6143	40
BCG	History	28.9	12-23 m	3684	40
DTP1	C or H <12 months	64.5	12-23 m	6143	40
DTP1	Card	37.9	12-23 m	2459	40
DTP1	Card or History	65.3	12-23 m	6143	40
DTP1	History	27.4	12-23 m	3684	40
DTP3	C or H <12 months	48.3	12-23 m	6143	40
DTP3	Card	32.2	12-23 m	2459	40
DTP3	Card or History	50.1	12-23 m	6143	40
DTP3	History	17.8	12-23 m	3684	40
HepB1	C or H <12 months	64.5	12-23 m	6143	40
HepB1	Card	37.9	12-23 m	2459	40
HepB1	Card or History	65.3	12-23 m	6143	40
HepB1	History	27.4	12-23 m	3684	40
HepB3	C or H <12 months	48.3	12-23 m	6143	40
HepB3	Card	32.2	12-23 m	2459	40
HepB3	Card or History	50.1	12-23 m	6143	40
HepB3	History	17.8	12-23 m	3684	40
HepBB	C or H <12 months	52.2	12-23 m	6143	40
HepBB	Card	29.8	12-23 m	2459	40
HepBB	Card or History	52.4	12-23 m	6143	40
HepBB	History	22.6	12-23 m	3684	40
Hib1	C or H <12 months	64.5	12-23 m	6143	40
Hib1	Card	37.9	12-23 m	2459	40
Hib1	Card or History	65.3	12-23 m	6143	40
Hib1	History	27.4	12-23 m	3684	40
Hib3	C or H <12 months	48.3	12-23 m	6143	40
Hib3	Card	32.2	12-23 m	2459	40
Hib3	Card or History	50.1	12-23 m	6143	40
Hib3	History	17.8	12-23 m	3684	40
IPV1	C or H <12 months	51	12-23 m	6143	40
IPV1	Card	29.1	12-23 m	2459	40
IPV1	Card or History	52.9	12-23 m	6143	40
IPV1	History	23.7	12-23 m	3684	40
MCV1	C or H <12 months	48.5	12-23 m	6143	40

MCV1	Card	28.7	12-23 m	2459	40
MCV1	Card or History	54	12-23 m	6143	40
MCV1	History	25.3	12-23 m	3684	40
PCV1	C or H <12 months	60.4	12-23 m	6143	40
PCV1	Card	36.3	12-23 m	2459	40
PCV1	Card or History	61.5	12-23 m	6143	40
PCV1	History	25.1	12-23 m	3684	40
PCV3	C or H <12 months	45.5	12-23 m	6143	40
PCV3	Card	30.7	12-23 m	2459	40
PCV3	Card or History	47.3	12-23 m	6143	40
PCV3	History	16.7	12-23 m	3684	40
Pol1	C or H <12 months	72.7	12-23 m	6143	40
Pol1	Card	38.4	12-23 m	2459	40
Pol1	Card or History	73.6	12-23 m	6143	40
Pol1	History	35.2	12-23 m	3684	40
Pol3	C or H <12 months	45.6	12-23 m	6143	40
Pol3	Card	32.2	12-23 m	2459	40
Pol3	Card or History	47.2	12-23 m	6143	40
Pol3	History	15	12-23 m	3684	40

2016 Nigeria Demographic and Health Survey 2018

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	C or H <12 months	63.2	24-35 m	5835	40
BCG	Card	27.9	24-35 m	1715	40
BCG	Card or History	64.4	24-35 m	5835	40
BCG	History	36.5	24-35 m	4120	40
DTP1	C or H <12 months	60.4	24-35 m	5835	40
DTP1	Card	27.5	24-35 m	1715	40
DTP1	Card or History	61.8	24-35 m	5835	40
DTP1	History	34.3	24-35 m	4120	40
DTP3	C or H <12 months	45.4	24-35 m	5835	40
DTP3	Card	24.4	24-35 m	1715	40
DTP3	Card or History	47.5	24-35 m	5835	40
DTP3	History	23.2	24-35 m	4120	40
HepB1	C or H <12 months	60.4	24-35 m	5835	40
HepB1	Card	27.5	24-35 m	1715	40
HepB1	Card or History	61.8	24-35 m	5835	40
HepB1	History	34.3	24-35 m	4120	40

Nigeria - survey details

HepB3	C or H <12 months	45.4	24-35 m	5835	40
HepB3	Card	24.4	24-35 m	1715	40
HepB3	Card or History	47.5	24-35 m	5835	40
HepB3	History	23.2	24-35 m	4120	40
HepBB	C or H <12 months	48.8	24-35 m	5835	40
HepBB	Card	21.5	24-35 m	1715	40
HepBB	Card or History	49.9	24-35 m	5835	40
HepBB	History	28.5	24-35 m	4120	40
Hib1	C or H <12 months	60.4	24-35 m	5835	40
Hib1	Card	27.5	24-35 m	1715	40
Hib1	Card or History	61.8	24-35 m	5835	40
Hib1	History	34.3	24-35 m	4120	40
Hib3	C or H <12 months	45.4	24-35 m	5835	40
Hib3	Card	24.4	24-35 m	1715	40
Hib3	Card or History	47.5	24-35 m	5835	40
Hib3	History	23.2	24-35 m	4120	40
IPV1	C or H <12 months	49.1	24-35 m	5835	40
IPV1	Card	21.7	24-35 m	1715	40
IPV1	Card or History	52.3	24-35 m	5835	40
IPV1	History	30.7	24-35 m	4120	40
MCV1	C or H <12 months	49.2	24-35 m	5835	40
MCV1	Card	22.6	24-35 m	1715	40
MCV1	Card or History	57.7	24-35 m	5835	40
MCV1	History	35.1	24-35 m	4120	40
PCV1	C or H <12 months	56.3	24-35 m	5835	40
PCV1	Card	25.8	24-35 m	1715	40
PCV1	Card or History	57.8	24-35 m	5835	40
PCV1	History	32	24-35 m	4120	40
PCV3	C or H <12 months	41.1	24-35 m	5835	40
PCV3	Card	21.7	24-35 m	1715	40
PCV3	Card or History	43.5	24-35 m	5835	40
PCV3	History	21.8	24-35 m	4120	40
Pol1	C or H <12 months	69.5	24-35 m	5835	40
Pol1	Card	27.9	24-35 m	1715	40
Pol1	Card or History	71.2	24-35 m	5835	40
Pol1	History	43.3	24-35 m	4120	40
Pol3	C or H <12 months	41.6	24-35 m	5835	40
Pol3	Card	23.7	24-35 m	1715	40
Pol3	Card or History	43.6	24-35 m	5835	40
Pol3	History	19.9	24-35 m	4120	40

2016 Nigeria National Nutrition and Health Survey (NNHS) 2018

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
DTP1	Card or History	69.9	12-23 m	3976	40
DTP3	Card or History	57.2	12-23 m	3976	40
HepB1	Card or History	69.9	12-23 m	3976	40
HepB3	Card or History	57.2	12-23 m	3976	40
Hib1	Card or History	69.9	12-23 m	3976	40
Hib3	Card or History	57.2	12-23 m	3976	40
MCV1	Card or History	64.7	12-23 m	3976	40

2015 Nigeria Multiple Indicator Cluster Survey 2016-2017

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	C or H <12 months	52.8	12-23 m	5535	29
BCG	Card	27.8	12-23 m	5535	29
BCG	Card or History	53.1	12-23 m	5535	29
BCG	History	25.3	12-23 m	5535	29
DTP1	C or H <12 months	48.8	12-23 m	5535	29
DTP1	Card	26.9	12-23 m	5535	29
DTP1	Card or History	49.3	12-23 m	5535	29
DTP1	History	22.3	12-23 m	5535	29
DTP3	C or H <12 months	33.6	12-23 m	5535	29
DTP3	Card	23	12-23 m	5535	29
DTP3	Card or History	34.4	12-23 m	5535	29
DTP3	History	11.4	12-23 m	5535	29
HepB1	C or H <12 months	48.8	12-23 m	5535	29
HepB1	Card	26.9	12-23 m	5535	29
HepB1	Card or History	49.3	12-23 m	5535	29
HepB1	History	22.3	12-23 m	5535	29
HepB3	C or H <12 months	33.6	12-23 m	5535	29
HepB3	Card	23	12-23 m	5535	29
HepB3	Card or History	34.4	12-23 m	5535	29
HepB3	History	11.4	12-23 m	5535	29
HepBB	C or H <12 months	30	12-23 m	5535	29
HepBB	Card	20.3	12-23 m	5535	29

Nigeria - survey details

HepBB	Card or History	30.1	12-23 m	5535	29
HepBB	History	9.7	12-23 m	5535	29
Hib1	C or H <12 months	48.8	12-23 m	5535	29
Hib1	Card	26.9	12-23 m	5535	29
Hib1	Card or History	49.3	12-23 m	5535	29
Hib1	History	22.3	12-23 m	5535	29
Hib3	C or H <12 months	33.6	12-23 m	5535	29
Hib3	Card	23	12-23 m	5535	29
Hib3	Card or History	34.4	12-23 m	5535	29
Hib3	History	11.4	12-23 m	5535	29
IPV1	C or H <12 months	40.2	12-23 m	5535	29
IPV1	Card	18.8	12-23 m	5535	29
IPV1	Card or History	42.4	12-23 m	5535	29
IPV1	History	23.6	12-23 m	5535	29
MCV1	C or H <12 months	38.5	12-23 m	5535	29
MCV1	Card	20.4	12-23 m	5535	29
MCV1	Card or History	41.8	12-23 m	5535	29
MCV1	History	21.4	12-23 m	5535	29
PCV1	C or H <12 months	38.8	12-23 m	5535	29
PCV1	Card	19.3	12-23 m	5535	29
PCV1	Card or History	39.6	12-23 m	5535	29
PCV1	History	20.4	12-23 m	5535	29
PCV3	C or H <12 months	26.2	12-23 m	5535	29
PCV3	Card	16.6	12-23 m	5535	29
PCV3	Card or History	27.2	12-23 m	5535	29
PCV3	History	10.7	12-23 m	5535	29
Pol1	C or H <12 months	49.8	12-23 m	5535	29
Pol1	Card	25.5	12-23 m	5535	29
Pol1	Card or History	50.4	12-23 m	5535	29
Pol1	History	25	12-23 m	5535	29
Pol3	C or H <12 months	34	12-23 m	5535	29
Pol3	Card	21.4	12-23 m	5535	29
Pol3	Card or History	34.7	12-23 m	5535	29
Pol3	History	13.3	12-23 m	5535	29
YFV	C or H <12 months	36	12-23 m	5535	29
YFV	Card	19.6	12-23 m	5535	29
YFV	Card or History	39	12-23 m	5535	29
YFV	History	19.3	12-23 m	5535	29

2014 Nigeria Multiple Indicator Cluster Survey 2016-2017

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	C or H <12 months	49.1	24-35 m	5514	29
BCG	Card	18.4	24-35 m	5514	29
BCG	Card or History	50.9	24-35 m	5514	29
BCG	History	32.5	24-35 m	5514	29
DTP1	C or H <12 months	44.7	24-35 m	5514	29
DTP1	Card	18.4	24-35 m	5514	29
DTP1	Card or History	47.8	24-35 m	5514	29
DTP1	History	29.4	24-35 m	5514	29
DTP3	C or H <12 months	28.3	24-35 m	5514	29
DTP3	Card	15.5	24-35 m	5514	29
DTP3	Card or History	32.3	24-35 m	5514	29
DTP3	History	16.8	24-35 m	5514	29
HepB1	C or H <12 months	44.7	24-35 m	5514	29
HepB1	Card	18.4	24-35 m	5514	29
HepB1	Card or History	47.8	24-35 m	5514	29
HepB1	History	29.4	24-35 m	5514	29
HepB3	C or H <12 months	28.3	24-35 m	5514	29
HepB3	Card	15.5	24-35 m	5514	29
HepB3	Card or History	32.3	24-35 m	5514	29
HepB3	History	16.8	24-35 m	5514	29
HepBB	Card	16.3	24-35 m	5514	29
HepBB	History	14.1	24-35 m	5514	29
Hib1	C or H <12 months	44.7	24-35 m	5514	29
Hib1	Card	18.4	24-35 m	5514	29
Hib1	Card or History	47.8	24-35 m	5514	29
Hib1	History	29.4	24-35 m	5514	29
Hib3	C or H <12 months	28.3	24-35 m	5514	29
Hib3	Card	15.5	24-35 m	5514	29
Hib3	Card or History	32.3	24-35 m	5514	29
Hib3	History	16.8	24-35 m	5514	29
IPV1	C or H <12 months	29.7	24-35 m	5514	29
IPV1	Card	8.2	24-35 m	5514	29
IPV1	Card or History	38.7	24-35 m	5514	29
IPV1	History	30.4	24-35 m	5514	29
MCV1	C or H <12 months	36.5	24-35 m	5514	29
MCV1	Card	15	24-35 m	5514	29
MCV1	Card or History	44.3	24-35 m	5514	29

Nigeria - survey details

MCV1	History	29.4	24-35 m	5514	29
PCV1	C or H <12 months	36.3	24-35 m	5514	29
PCV1	Card	12.3	24-35 m	5514	29
PCV1	Card or History	39.9	24-35 m	5514	29
PCV1	History	27.6	24-35 m	5514	29
PCV3	C or H <12 months	21.1	24-35 m	5514	29
PCV3	Card	10.2	24-35 m	5514	29
PCV3	Card or History	25.1	24-35 m	5514	29
PCV3	History	15	24-35 m	5514	29
Pol1	C or H <12 months	45.2	24-35 m	5514	29
Pol1	Card	17.2	24-35 m	5514	29
Pol1	Card or History	48.3	24-35 m	5514	29
Pol1	History	31.1	24-35 m	5514	29
Pol3	C or H <12 months	26.5	24-35 m	5514	29
Pol3	Card	14.5	24-35 m	5514	29
Pol3	Card or History	30.2	24-35 m	5514	29
Pol3	History	15.7	24-35 m	5514	29
YFV	C or H <12 months	33.4	24-35 m	5514	29
YFV	Card	14.1	24-35 m	5514	29
YFV	Card or History	41.3	24-35 m	5514	29
YFV	History	27.1	24-35 m	5514	29

DTP1	Card	26.7	12-23 m	1650	28
DTP1	Card or History	50.6	12-23 m	5900	28
DTP1	History	23.9	12-23 m	4250	28
DTP3	C or H <12 months	36.2	12-23 m	5900	28
DTP3	Card	22.2	12-23 m	1650	28
DTP3	Card or History	38.2	12-23 m	5900	28
DTP3	History	16	12-23 m	4250	28
MCV1	C or H <12 months	35.1	12-23 m	5900	28
MCV1	Card	21.1	12-23 m	1650	28
MCV1	Card or History	42.1	12-23 m	5900	28
MCV1	History	21	12-23 m	4250	28
Pol1	C or H <12 months	75	12-23 m	5900	28
Pol1	Card	26.8	12-23 m	1650	28
Pol1	Card or History	76.5	12-23 m	5900	28
Pol1	History	49.7	12-23 m	4250	28
Pol3	C or H <12 months	51.2	12-23 m	5900	28
Pol3	Card	22.7	12-23 m	1650	28
Pol3	Card or History	53.6	12-23 m	5900	28
Pol3	History	30.8	12-23 m	4250	28

2012 Summary Findings of Cross-Sectional Health and Nutrition Survey, Nigeria 2013

2014 Nigeria National Nutrition and Health Survey, 2015

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
DTP1	Card or History	63.5	12-23 m	4205	34
DTP3	Card or History	48.8	12-23 m	4205	34
MCV1	Card or History	50.6	12-23 m	4205	34

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
DTP1	Card or History	33.7	12-23 m	3625	-
DTP3	Card or History	25	12-23 m	3625	-
MCV1	Card or History	26.9	12-23 m	3625	-

2012 Nigeria Demographic and Health Survey 2013

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	C or H <12 months	50.3	12-23 m	5900	28
BCG	Card	27	12-23 m	1650	28
BCG	Card or History	51.2	12-23 m	5900	28
BCG	History	24.1	12-23 m	4250	28
DTP1	C or H <12 months	49.6	12-23 m	5900	28

2010 Nigeria Multiple Indicator Cluster Survey 2011

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	C or H <12 months	61.7	12-23 m	-	24
BCG	Card	28.5	12-23 m	-	24
BCG	Card or History	62.4	12-23 m	4986	24
BCG	History	33.9	12-23 m	-	24
DTP1	C or H <12 months	59.3	12-23 m	-	24
DTP1	Card	29.3	12-23 m	-	24

Nigeria - survey details

DTP1	Card or History	60.4	12-23 m	4986	24
DTP1	History	31.1	12-23 m	-	24
DTP3	C or H <12 months	42.6	12-23 m	4986	24
DTP3	Card	26.5	12-23 m	-	24
DTP3	Card or History	44.7	12-23 m	4986	24
DTP3	History	18.2	12-23 m	-	24
HepB1	C or H <12 months	54.1	12-23 m	4986	24
HepB1	Card	28.8	12-23 m	-	24
HepB1	Card or History	55.1	12-23 m	4986	24
HepB1	History	26.3	12-23 m	-	24
HepB3	C or H <12 months	34	12-23 m	4986	24
HepB3	Card	26.1	12-23 m	-	24
HepB3	Card or History	35.9	12-23 m	4986	24
HepB3	History	9.8	12-23 m	-	24
HepBB	C or H <12 months	29	12-23 m	4986	24
HepBB	Card	17.7	12-23 m	-	24
HepBB	Card or History	29.3	12-23 m	4986	24
HepBB	History	11.6	12-23 m	-	24
MCV1	C or H <12 months	49.2	12-23 m	4986	24
MCV1	Card	23.8	12-23 m	-	24
MCV1	Card or History	55.6	12-23 m	4986	24
MCV1	History	31.7	12-23 m	-	24
Pol1	C or H <12 months	74.8	12-23 m	4986	24
Pol1	Card	28.3	12-23 m	-	24
Pol1	Card or History	76.4	12-23 m	4986	24
Pol1	History	48.1	12-23 m	-	24
Pol3	C or H <12 months	46.1	12-23 m	4986	24
Pol3	Card	25.3	12-23 m	-	24
Pol3	Card or History	48.8	12-23 m	4986	24
Pol3	History	23.5	12-23 m	-	24
YFV	C or H <12 months	40.4	12-23 m	4986	24
YFV	Card	22.9	12-23 m	-	24
YFV	Card or History	50.1	12-23 m	4986	24
YFV	History	27.1	12-23 m	-	24

2009 Nigeria 2010 National Immunization Coverage Survey

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	Card	32.7	12-23 m	19551	40

BCG	Card or History	76.4	12-23 m	19551	40
DTP1	Card	28.9	12-23 m	19551	40
DTP1	Card or History	73.4	12-23 m	19551	40
DTP3	Card	24.7	12-23 m	19551	40
DTP3	Card or History	67.7	12-23 m	19551	40
MCV1	Card	21.5	12-23 m	19551	40
MCV1	Card or History	63.6	12-23 m	19551	40
Pol1	Card	27.3	12-23 m	19551	40
Pol1	Card or History	78.1	12-23 m	19551	40
Pol3	Card	23.4	12-23 m	19551	40
Pol3	Card or History	74	12-23 m	19551	40
YFV	Card	20.5	12-23 m	19551	40
YFV	Card or History	60.1	12-23 m	19551	40

2007 Nigeria Demographic and Health Survey 2008

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	C or H <12 months	47.9	12-23 m	4945	26
BCG	Card	23.7	12-23 m	4945	26
BCG	Card or History	49.7	12-23 m	4945	26
BCG	History	25.9	12-23 m	4945	26
DTP1	C or H <12 months	49.4	12-23 m	4945	26
DTP1	Card	24.9	12-23 m	4945	26
DTP1	Card or History	52	12-23 m	4945	26
DTP1	History	27.1	12-23 m	4945	26
DTP3	C or H <12 months	32.8	12-23 m	4945	26
DTP3	Card	20.2	12-23 m	4945	26
DTP3	Card or History	35.4	12-23 m	4945	26
DTP3	History	15.2	12-23 m	4945	26
MCV1	C or H <12 months	33.6	12-23 m	4945	26
MCV1	Card	19.4	12-23 m	4945	26
MCV1	Card or History	41.4	12-23 m	4945	26
MCV1	History	22.1	12-23 m	4945	26
Pol1	C or H <12 months	64.1	12-23 m	4945	26
Pol1	Card	24.4	12-23 m	4945	26
Pol1	Card or History	67.8	12-23 m	4945	26
Pol1	History	43.4	12-23 m	4945	26
Pol3	C or H <12 months	36	12-23 m	4945	26
Pol3	Card	19.2	12-23 m	4945	26

Nigeria - survey details

Pol3	Card or History	38.7	12-23 m	4945	26
Pol3	History	19.5	12-23 m	4945	26

DTP1	Card or History	71.7	12-23 m	23414	50
DTP3	Card	25.7	12-23 m	23414	50
DTP3	Card or History	53.5	12-23 m	23414	50
HepB1	Card	29.6	12-23 m	23414	50
HepB1	Card or History	56	12-23 m	23414	50
HepB3	Card	19.5	12-23 m	23414	50
HepB3	Card or History	41.2	12-23 m	23414	50
MCV1	Card	25.8	12-23 m	23414	50
MCV1	Card or History	62.4	12-23 m	23414	50
Pol1	Card	31.7	12-23 m	23414	50
Pol1	Card or History	78.5	12-23 m	23414	50
Pol3	Card	22	12-23 m	23414	50
Pol3	Card or History	60.7	12-23 m	23414	50
YFV	Card	20.3	12-23 m	23414	50
YFV	Card or History	42.9	12-23 m	23414	50

2006 Nigeria Multiple Indicator Cluster Survey 2007

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	C or H <12 months	50.5	12-23 m	3187	18
BCG	Card	16.9	12-23 m	3187	18
BCG	Card or History	51.5	12-23 m	3187	18
BCG	History	34.6	12-23 m	3187	18
DTP1	C or H <12 months	46.4	12-23 m	3187	18
DTP1	Card	17	12-23 m	3187	18
DTP1	Card or History	48.6	12-23 m	3187	18
DTP1	History	31.6	12-23 m	3187	18
DTP3	C or H <12 months	28.1	12-23 m	3187	18
DTP3	Card	14.1	12-23 m	3187	18
DTP3	Card or History	29.6	12-23 m	3187	18
DTP3	History	15.6	12-23 m	3187	18
MCV1	C or H <12 months	38.3	12-23 m	3187	18
MCV1	Card	13.9	12-23 m	3187	18
MCV1	Card or History	44	12-23 m	3187	18
MCV1	History	30.1	12-23 m	3187	18
Pol1	C or H <12 months	52.5	12-23 m	3187	18
Pol1	Card	15.6	12-23 m	3187	18
Pol1	Card or History	55.6	12-23 m	3187	18
Pol1	History	39.9	12-23 m	3187	18
Pol3	C or H <12 months	27.5	12-23 m	3187	18
Pol3	Card	12.9	12-23 m	3187	18
Pol3	Card or History	29.4	12-23 m	3187	18
Pol3	History	16.5	12-23 m	3187	18

2002 Nigeria Demographic and Health Survey 2003

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	C or H <12 months	46.9	12-23 m	999	21
BCG	Card	20.2	12-23 m	999	21
BCG	Card or History	48.3	12-23 m	999	21
BCG	History	28.1	12-23 m	999	21
DTP1	C or H <12 months	38.7	12-23 m	999	21
DTP1	Card	18	12-23 m	999	21
DTP1	Card or History	42.6	12-23 m	999	21
DTP1	History	24.6	12-23 m	999	21
DTP3	C or H <12 months	20.1	12-23 m	999	21
DTP3	Card	10.4	12-23 m	999	21
DTP3	Card or History	21.4	12-23 m	999	21
DTP3	History	11	12-23 m	999	21
MCV1	C or H <12 months	31.4	12-23 m	999	21
MCV1	Card	13.5	12-23 m	999	21
MCV1	Card or History	35.9	12-23 m	999	21
MCV1	History	22.4	12-23 m	999	21
Pol1	C or H <12 months	63.7	12-23 m	999	21
Pol1	Card	17.8	12-23 m	999	21
Pol1	Card or History	67.2	12-23 m	999	21
Pol1	History	49.4	12-23 m	999	21

2005 Nigeria National Immunization Coverage Survey (2006)

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	Card	54.5	12-23 m	23414	50
BCG	Card or History	68.6	12-23 m	23414	50
DTP1	Card	36.1	12-23 m	23414	50

Nigeria - survey details

Pol3	C or H <12 months	26.8	12-23 m	999	21
Pol3	Card	10.7	12-23 m	999	21
Pol3	Card or History	29.4	12-23 m	999	21
Pol3	History	18.7	12-23 m	999	21

Pol1	Card or History	37.4	12-23 m	2841	25
Pol3	Card or History	18.8	12-23 m	2841	25

1998 Nigeria Demographic and Health Survey 1999, 2000

2002 Nigeria National Immunization Coverage Survey 2003

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	Card or History	29.3	12-23 m	40777	28
DTP1	Card or History	43.2	12-23 m	40777	28
DTP3	Card or History	24.8	12-23 m	40777	28
MCV1	Card or History	25.3	12-23 m	40777	28
Pol1	Card or History	63	12-23 m	40777	28
Pol3	Card or History	38.6	12-23 m	40777	28

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	C or H <12 months	52	12-23 m	1161	-
BCG	Card	18.7	12-23 m	1161	-
BCG	Card or History	53.8	12-23 m	1161	-
BCG	History	35.1	12-23 m	1161	-
DTP1	C or H <12 months	45.7	12-23 m	1161	-
DTP1	Card	16.4	12-23 m	1161	-
DTP1	Card or History	47.4	12-23 m	1161	-
DTP1	History	31	12-23 m	1161	-
DTP3	C or H <12 months	24.8	12-23 m	1161	-
DTP3	Card	10.6	12-23 m	1161	-
DTP3	Card or History	26.3	12-23 m	1161	-
DTP3	History	15.7	12-23 m	1161	-
MCV1	C or H <12 months	32.1	12-23 m	1161	-
MCV1	Card	13.1	12-23 m	1161	-
MCV1	Card or History	40.5	12-23 m	1161	-
MCV1	History	27.4	12-23 m	1161	-
Pol1	C or H <12 months	54.3	12-23 m	1161	-
Pol1	Card	17.5	12-23 m	1161	-
Pol1	Card or History	56.8	12-23 m	1161	-
Pol1	History	39.2	12-23 m	1161	-
Pol3	C or H <12 months	23	12-23 m	1161	-
Pol3	Card	10	12-23 m	1161	-
Pol3	Card or History	24.8	12-23 m	1161	-
Pol3	History	14.8	12-23 m	1161	-

1998 MICS Nigeria, 1999

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	Card	17.2	12-23 m	2841	25
BCG	Card or History	43	12-23 m	2841	25
BCG	History	25.8	12-23 m	2841	25
DTP1	Card	16.5	12-23 m	2841	25
DTP1	Card or History	41.1	12-23 m	2841	25
DTP1	History	25.1	12-23 m	2841	25
DTP3	Card	12.4	12-23 m	2841	25
DTP3	Card or History	23.4	12-23 m	2841	25
DTP3	History	11.1	12-23 m	2841	25
MCV1	Card	15.9	12-23 m	2841	25
MCV1	Card or History	35	12-23 m	2841	25
Pol1	Card	11.8	12-23 m	2841	25

Further information and estimates for previous years are available at:

<http://www.data.unicef.org/child-health/immunization>

<https://www.who.int/teams/immunization-vaccines-and-biologicals/immunization-analysis-and-insights/global-monitoring/data-statistics-and-graphics>