

BACKGROUND NOTE: Each year WHO and UNICEF jointly review reports submitted by Member States regarding national immunization coverage, finalized survey reports as well as data from the published and grey literature. Based on these data, with due consideration to potential biases and the views of local experts, WHO and UNICEF attempt to distinguish between situations where the available empirical data accurately reflect immunization system performance and those where the data are likely to be compromised and present a misleading view of immunization coverage while jointly estimating the most likely coverage levels for each country.

WHO and UNICEF estimates are country-specific; that is to say, each country's data are reviewed individually, and data are not borrowed from other countries in the absence of data. Estimates are not based on ad hoc adjustments to reported data; in some instances empirical data are available from a single source, usually the nationally reported coverage data. In cases where no data are available for a given country/vaccine/year combination, data are considered from earlier and later years and interpolated to estimate coverage for the missing year(s). In cases where data sources are mixed and show large variation, an attempt is made to identify the most likely estimate with consideration of the possible biases in available data. For methods see:

*Burton et al. 2009. WHO and UNICEF estimates of national infant immunization coverage: methods and processes.

*Burton et al. 2012. A formal representation of the WHO and UNICEF estimates of national immunization coverage: a computational logic approach.

*Brown et al. 2013. An introduction to the grade of confidence used to characterize uncertainty around the WHO and UNICEF estimates of national immunization coverage.

DATA SOURCES.

ADMINISTRATIVE coverage: Reported by national authorities and based on aggregated administrative reports from health service providers on the number of vaccinations administered during a given period (numerator data) and reported target population data (denominator data). May be biased by inaccurate numerator and/or denominator data.

OFFICIAL coverage: Estimated coverage reported by national authorities that reflects their assessment of the most likely coverage based on any combination of administrative coverage, survey-based estimates or other data sources or adjustments. Approaches to determine OFFICIAL coverage may differ across countries.

SURVEY coverage: Based on estimated coverage from population-based household surveys among children aged 12-23 months or 24-35 months following a review of survey methods and results. Information is based on the combination of vaccination history from documented evidence or caregiver recall. Survey results are considered for the appropriate birth cohort based on the period of data collection.

ABBREVIATIONS

BCG: percentage of births who received one dose of Bacillus Calmette Guerin vaccine.

DTP1 / DTP3: percentage of surviving infants who received the 1st / 3rd dose, respectively, of diphtheria and tetanus toxoid with pertussis containing vaccine.

Pol3: percentage of surviving infants who received the 3rd dose of polio containing vaccine. May be either oral or inactivated polio vaccine.

IPV1: percentage of surviving infants who received at least one dose of inactivated polio vaccine. In countries utilizing an immunization schedule recommending either (i) a primary series of three doses of oral polio vaccine (OPV) plus at least one dose of IPV where OPV is included in routine

immunization and/or campaign or (ii) a sequential schedule of IPV followed by OPV, WHO and UNICEF estimates for IPV1 reflect coverage with at least one routine dose of IPV among infants <1 year of age among countries. For countries utilizing IPV containing vaccine use only, i.e., no recommended dose of OPV, the WHO and UNICEF estimate for IPV1 corresponds to coverage for the 1st dose of IPV.

Production of IPV coverage estimates, which begins in 2015, results in no change of the estimated coverage levels for the 3rd dose of polio (Pol3). For countries recommending routine immunization with a primary series of three doses of IPV alone, WHO and UNICEF estimated Pol3 coverage is equivalent to estimated coverage with three doses of IPV. For countries with a sequential schedule, estimated Pol3 coverage is based on that for the 3rd dose of polio vaccine regardless of vaccine type.

MCV1: percentage of surviving infants who received the 1st dose of measles containing vaccine. In countries where the national schedule recommends the 1st dose of MCV at 12 months or later based on the epidemiology of disease in the country, coverage estimates reflect the percentage of children who received the 1st dose of MCV as recommended.

MCV2: percentage of children who received the 2nd dose of measles containing vaccine according to the nationally recommended schedule.

RCV1: percentage of surviving infants who received the 1st dose of rubella containing vaccine. Coverage estimates are based on WHO and UNICEF estimates of coverage for the dose of measles containing vaccine that corresponds to the first measles-rubella combination vaccine. Nationally reported coverage of RCV is not taken into consideration nor are the data represented in the accompanying graph and data table.

HepBB: percentage of births which received a dose of hepatitis B vaccine within 24 hours of delivery. Estimates of hepatitis B birth dose coverage are produced only for countries with a universal birth dose policy. Estimates are not produced for countries that recommend a birth dose to infants born to HepB virus-infected mothers only or where there is insufficient information to determine whether vaccination is within 24 hours of birth.

HepB3: percentage of surviving infants who received the 3rd dose of hepatitis B containing vaccine following the birth dose.

Hib3: percentage of surviving infants who received the 3rd dose of Haemophilus influenzae type b containing vaccine.

RotaC: percentage of surviving infants who received the final recommended dose of rotavirus vaccine, which can be either the 2nd or the 3rd dose depending on the vaccine.


PcV3: percentage of surviving infants who received the 3rd dose of pneumococcal conjugate vaccine. In countries where the national schedule recommends two doses during infancy and a booster dose at 12 months or later based on the epidemiology of disease in the country, coverage estimates may reflect the percentage of surviving infants who received two doses of PcV prior to the 1st birthday.

YFV: percentage of surviving infants who received one dose of yellow fever vaccine in countries where YFV is part of the national immunization schedule for children or is recommended in at risk areas; coverage estimates are annualized for the entire cohort of surviving infants.

Disclaimer: All reasonable precautions have been taken by the World Health Organization and United Nations Children's Fund to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization or United Nations Children's Fund be liable for damages arising from its use.

Eswatini - BCG

SWZ - BCG



	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Estimate	97	98	98	99	99	99	98	97	98	98	98	97
Estimate GoC	•	•	•	•	•	•	•	•	•	••	••	••
Official	57	98	98	68	99	99	98	97	98	92	98	97
Administrative	56	57	78	68	96	75	72	71	75	77	94	97
Survey	98	NA	91	95	98	NA	NA	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2020: Estimate based on coverage reported by national government. WHO and UNICEF are aware of plans to conduct a MICS survey in 2021. GoC=R+ D+
- 2019: Estimate based on coverage reported by national government. GoC=R+ D+
- 2018: Estimate based on interpolation between data reported by national government. Reported data excluded. Reported decline in administrative coverage appears to be due to an increase in the reported target population. Number of children vaccinated increased between 2017 and 2018. Programme reports one month vaccine stock-out at national level. GoC=R+ D+
- 2017: Estimate based on coverage reported by national government. Reported official coverage levels based on preliminary results from the 2014 MICS. Programme reports three month vaccine stock out at national level Estimate challenged by: D-
- 2016: Estimate based on coverage reported by national government. Reported official coverage levels based on preliminary results from the 2014 MICS. Programme reports five month vaccine stock out at national and district levels. Estimate challenged by: D-
- 2015: Estimate based on coverage reported by national government. Reported official coverage levels based on preliminary results from the 2014 MICS. Estimate challenged by: D-
- 2014: Estimate based on coverage reported by national government. Estimate challenged by: D-
- 2013: Estimate based on coverage reported by national government supported by survey. Survey evidence of 98 percent based on 1 survey(s). Estimate challenged by: D-
- 2012: Estimate based on interpolation between data reported by national government supported by survey. Survey evidence of 95 percent based on 1 survey(s). Reported data excluded due to decline in reported coverage from 98 percent to 68 percent with increase to 99 percent. Estimate challenged by: D-
- 2011: Estimate based on coverage reported by national government supported by survey. Survey evidence of 91 percent based on 1 survey(s). Estimate challenged by: D-
- 2010: Estimate is based on nationally reported data. Estimate challenged by: D-
- 2009: Estimate based on interpolation between data reported by national government supported by survey. Survey evidence of 98 percent based on 1 survey(s). Reported data excluded. Fluctuating and inconsistent data suggest poor reporting. Reported data excluded due to decline in reported coverage from 70 percent to 57 percent with increase to 98 percent. Estimate challenged by: D-

Eswatini - DTP1

SWZ - DTP1



Description:

- 2020: Estimate based on coverage reported by national government. WHO and UNICEF are aware of plans to conduct a MICS survey in 2021. Programme reports one month vaccine stock-out at national level. GoC=R+ D+
- 2019: Estimate based on coverage reported by national government. GoC=R+ D+
- 2018: Estimate based on interpolation between data reported by national government. Reported data excluded. Reported decline in administrative coverage appears to be due to an increase in the reported target population. Number of children vaccinated increased between 2017 and 2018. GoC=R+ D+
- 2017: Estimate based on coverage reported by national government. Reported official coverage levels based on preliminary results from the 2014 MICS. GoC=R+ D+
- 2016: Estimate based on coverage reported by national government. Reported official coverage levels based on preliminary results from the 2014 MICS. GoC=R+ D+
- 2015: Estimate based on coverage reported by national government. Reported official coverage levels based on preliminary results from the 2014 MICS. GoC=R+ S+ D+
- 2014: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2013: Estimate based on coverage reported by national government supported by survey. Survey evidence of 97 percent based on 1 survey(s). GoC=R+ S+ D+
- 2012: Estimate based on coverage reported by national government supported by survey. Survey evidence of 95 percent based on 1 survey(s). GoC=R+ S+ D+
- 2011: Estimate based on coverage reported by national government supported by survey. Survey evidence of 89 percent based on 1 survey(s). GoC=R+ S+ D+
- 2010: Estimate is based on nationally reported data. GoC=R+ S+ D+
- 2009: Estimate based on extrapolation from data reported by national government supported by survey. Survey evidence of 98 percent based on 1 survey(s). Reported data excluded. Fluctuating and inconsistent data suggest poor reporting. GoC=R+ S+ D+

	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Estimate	95	95	98	97	99	99	96	96	96	96	96	87
Estimate GoC	●●●	●●●	●●●	●●●	●●●	●●●	●●●	●●	●●	●●	●●	●●
Official	79	95	98	97	99	99	96	96	96	92	96	87
Administrative	79	79	93	98	83	86	81	84	91	92	91	87
Survey	98	NA	89	95	97	NA	NA	NA	NA	NA	NA	NA


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Eswatini - DTP3

SWZ - DTP3



	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Estimate	88	89	91	95	98	98	90	90	90	90	90	83
Estimate GoC	●●●	●●●	●●●	●●●	●	●●●	●●●	●●	●●	●●	●●	●●
Official	72	89	91	95	98	98	90	90	90	90	90	83
Administrative	72	73	90	95	79	88	82	80	87	87	91	83
Survey	91	NA	88	90	92	NA	NA	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2020: Estimate based on coverage reported by national government. WHO and UNICEF are aware of plans to conduct a MICS survey in 2021. Programme reports one month vaccine stock-out at national level. GoC=R+ D+
- 2019: Estimate based on coverage reported by national government. GoC=R+ D+
- 2018: Estimate based on coverage reported by national government. GoC=R+ D+
- 2017: Estimate based on coverage reported by national government. Reported official coverage levels based on preliminary results from the 2014 MICS. GoC=R+ D+
- 2016: Estimate based on coverage reported by national government. Reported official coverage levels based on preliminary results from the 2014 MICS. GoC=R+ D+
- 2015: Estimate based on coverage reported by national government. Reported official coverage levels based on preliminary results from the 2014 MICS. GoC=R+ S+ D+
- 2014: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2013: Estimate based on coverage reported by national government supported by survey. Survey evidence of 96 percent based on 1 survey(s). Swaziland Multiple Indicator Cluster Survey 2014 card or history results of 92 percent modified for recall bias to 96 percent based on 1st dose card or history coverage of 97 percent, 1st dose card only coverage of 88 percent and 3rd dose card only coverage of 87 percent. Estimate challenged by: D-
- 2012: Estimate based on coverage reported by national government supported by survey. Survey evidence of 93 percent based on 1 survey(s). Swaziland Multiple Indicator Cluster Survey 2014 card or history results of 90 percent modified for recall bias to 93 percent based on 1st dose card or history coverage of 95 percent, 1st dose card only coverage of 81 percent and 3rd dose card only coverage of 79 percent. GoC=R+ S+ D+
- 2011: Estimate based on coverage reported by national government supported by survey. Survey evidence of 89 percent based on 1 survey(s). Kingdom of Swaziland Immunization Coverage Survey 2013 Final Report card or history results of 88 percent modified for recall bias to 89 percent based on 1st dose card or history coverage of 89 percent, 1st dose card only coverage of 84 percent and 3rd dose card only coverage of 84 percent. GoC=R+ S+ D+
- 2010: Estimate is based on nationally reported data. GoC=R+ S+ D+
- 2009: Estimate based on interpolation between data reported by national government supported by survey. Survey evidence of 94 percent based on 1 survey(s). Swaziland Multiple Indicator Cluster Survey 2010 card or history results of 91 percent modified for recall bias to 94 percent based on 1st dose card or history coverage of 98 percent, 1st dose card only coverage of 88 percent and 3rd dose card only coverage of 84 percent. Reported data excluded. Fluctuating and inconsistent data suggest poor reporting. GoC=R+ S+ D+

Eswatini - Pol3

SWZ - Pol3



	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Estimate	89	89	85	92	98	98	84	90	90	90	89	82
Estimate GoC	●●●	●●●	●●●	●●●	●●	●●●	●●●	●●	●●	●●	●●	●●
Official	68	89	85	92	98	98	84	90	90	90	89	82
Administrative	68	79	90	93	NA	86	80	80	81	83	90	82
Survey	85	NA	88	78	85	NA	NA	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2020: Estimate based on coverage reported by national government. WHO and UNICEF are aware of plans to conduct a MICS survey in 2021. Programme reports one month vaccine stock-out at national level. GoC=R+ D+
- 2019: Estimate based on coverage reported by national government. GoC=R+ D+
- 2018: Estimate based on coverage reported by national government. Programme reports two month vaccine stock-out at the national level. GoC=R+ D+
- 2017: Estimate based on coverage reported by national government. Reported official coverage levels based on preliminary results from the 2014 MICS. Programme reports three month vaccine stock out at national level GoC=R+ D+
- 2016: Estimate based on coverage reported by national government. Reported official coverage levels based on preliminary results from the 2014 MICS. GoC=R+ D+
- 2015: Estimate based on coverage reported by national government. Reported official coverage levels based on preliminary results from the 2014 MICS. GoC=R+ S+ D+
- 2014: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2013: Estimate based on coverage reported by national government supported by survey. Survey evidence of 93 percent based on 1 survey(s). Swaziland Multiple Indicator Cluster Survey 2014 card or history results of 85 percent modified for recall bias to 93 percent based on 1st dose card or history coverage of 97 percent, 1st dose card only coverage of 88 percent and 3rd dose card only coverage of 84 percent. GoC=R+ S+
- 2012: Estimate based on coverage reported by national government supported by survey. Survey evidence of 90 percent based on 1 survey(s). Swaziland Multiple Indicator Cluster Survey 2014 card or history results of 78 percent modified for recall bias to 90 percent based on 1st dose card or history coverage of 95 percent, 1st dose card only coverage of 81 percent and 3rd dose card only coverage of 77 percent. GoC=R+ S+ D+
- 2011: Estimate based on coverage reported by national government supported by survey. Survey evidence of 89 percent based on 1 survey(s). Kingdom of Swaziland Immunization Coverage Survey 2013 Final Report card or history results of 88 percent modified for recall bias to 89 percent based on 1st dose card or history coverage of 89 percent, 1st dose card only coverage of 84 percent and 3rd dose card only coverage of 84 percent. GoC=R+ S+ D+
- 2010: Estimate is based on nationally reported data. GoC=R+ S+ D+
- 2009: Estimate based on interpolation between data reported by national government supported by survey. Survey evidence of 93 percent based on 1 survey(s). Swaziland Multiple Indicator Cluster Survey 2010 card or history results of 85 percent modified for recall bias to 93 percent based on 1st dose card or history coverage of 97 percent, 1st dose card only coverage of 87 percent and 3rd dose card only coverage of 83 percent. Reported data excluded. Fluctuating and inconsistent data suggest poor reporting. Reported data excluded due to decline in reported coverage from 80 percent to 68 percent with increase to 89 percent. GoC=R+ S+ D+

Eswatini - IPV1

SWZ - IPV1



Description:

Estimates for a dose of inactivated polio vaccine (IPV) begin in 2015 following the Global Polio Eradication Initiative's Polio Eradication and Endgame Strategic Plan: 2013-2018 which recommended at least one full dose or two fractional doses of IPV into routine immunization schedules as a strategy to mitigate the potential consequences should any re-emergence of type 2 poliovirus occur following the planned withdrawal of Sabin type 2 strains from oral polio vaccine (OPV).

2020: Estimate based on coverage reported by national government. WHO and UNICEF are aware of plans to conduct a MICS survey in 2021. GoC=R+ D+

2019: Estimate exceptionally based on administrative coverage as large difference with official report unexplained. Estimate of 89 percent changed from previous revision value of 90 percent. Estimate challenged by: R-

2018: Estimate based on coverage reported by national government. GoC=R+ D+

2017: Estimate based on reported administrative estimate. Reported official coverage levels based on preliminary results from the 2014 MICS. Increase following introduction year. Programme reports three month vaccine stock out at national level GoC=R+ D+

2016: Estimate based on coverage reported by national government. Reported official coverage levels based on preliminary results from the 2014 MICS. Inactivated polio vaccine introduced during 2016. Reporting began in 2016. GoC=R+ D+

	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Estimate	NA	NA	NA	NA	NA	NA	NA	45	82	90	89	81
Estimate GoC	NA	NA	NA	NA	NA	NA	NA	••	••	••	•	••
Official	NA	NA	NA	NA	NA	NA	NA	45	NA	90	79	81
Administrative	NA	NA	NA	NA	NA	NA	NA	37	82	84	89	81
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Eswatini - MCV1

SWZ - MCV1



	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Estimate	94	94	87	88	96	97	89	89	89	85	81	76
Estimate GoC	•	•••	•	•••	•	•	•••	•	••	••	••	••
Official	72	94	98	88	96	97	89	89	89	82	81	76
Administrative	72	77	80	88	80	78	81	69	78	81	83	76
Survey	98	NA	87	93	91	NA	NA	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2020: Estimate based on coverage reported by national government. WHO and UNICEF are aware of plans to conduct a MICS survey in 2021. Programme reports four month vaccine stock-out at national and subnational levels. GoC=R+ D+
- 2019: Estimate based on coverage reported by national government. GoC=R+ D+
- 2018: Estimate based on interpolation between data reported by national government. Reported data excluded. Reported decline in administrative coverage appears to be due to an increase in the reported target population. Number of children vaccinated increased between 2017 and 2018. GoC=R+ D+
- 2017: Estimate based on coverage reported by national government. Reported official coverage levels based on preliminary results from the 2014 MICS. Programme reports two month vaccine stock out at national level GoC=R+ D+
- 2016: Estimate based on coverage reported by national government. Reported official coverage levels based on preliminary results from the 2014 MICS. Programme reports three month vaccine stock out at national level Estimate challenged by: D-
- 2015: Estimate based on coverage reported by national government. Reported official coverage levels based on preliminary results from the 2014 MICS. GoC=R+ S+ D+
- 2014: Estimate based on coverage reported by national government. Estimate challenged by: D-
- 2013: Estimate based on coverage reported by national government supported by survey. Survey evidence of 91 percent based on 1 survey(s). Estimate challenged by: D-
- 2012: Estimate based on coverage reported by national government supported by survey. Survey evidence of 93 percent based on 1 survey(s). Programme reports one month vaccine stock-out. GoC=R+ S+ D+
- 2011: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 87 percent based on 1 survey(s). Estimate challenged by: R-S-
- 2010: Estimate is based on nationally reported data. GoC=R+ S+ D+
- 2009: Estimate based on interpolation between data reported by national government supported by survey. Survey evidence of 98 percent based on 1 survey(s). Reported data excluded. Fluctuating and inconsistent data suggest poor reporting. Estimate challenged by: D-

Eswatini - MCV2

SWZ - MCV2



	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Estimate	99	99	92	52	89	89	83	76	70	75	75	70
Estimate GoC	•	•	•	•	•	•	••	••	••	••	•	••
Official	NA	96	NA	52	89	89	73	88	NA	75	75	70
Administrative	NA	77	74	52	94	72	73	70	70	75	78	70
Survey	NA	NA	80	NA	NA	NA	NA	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

Coverage estimates for the second dose of measles containing vaccine are for children by the nationally recommended age.

2020: Estimate based on coverage reported by national government. WHO and UNICEF are aware of plans to conduct a MICS survey in 2021. Programme reports four month vaccine stock-out at national and subnational levels. GoC=R+ D+

2019: Estimate based on coverage reported by national government. Estimate challenged by: D-

2018: Estimate based on coverage reported by national government. GoC=R+ D+

2017: Estimate based on reported administrative data. Reported official coverage levels based on preliminary results from the 2014 MICS. Programme reports two month vaccine stock out at national level GoC=R+ D+

2016: Estimate based on interpolation between data reported by national government. Reported data excluded due to an increase from 73 percent to 88 percent with decrease 70 percent. Reported official coverage levels based on preliminary results from the 2014 MICS. Programme reports three month vaccine stock out at national level GoC=R+ D+

2015: Estimate based on interpolation between data reported by national government. Reported data excluded due to decline in reported coverage from 89 percent to 73 percent with increase to 88 percent. Reported official coverage levels based on preliminary results from the 2014 MICS. GoC=R+ D+

2014: Estimate based on coverage reported by national government. Estimate challenged by: D-

2013: Estimate based on reported data. No stock out reported. Estimate challenged by: D-

2012: Estimate of 52 percent assigned by working group. Estimate is based on reported data. Programme reports one month vaccine shortage. Reported data excluded due to decline in reported coverage from 74 percent to 52 percent with increase to 89 percent. Estimate challenged by: D-R-S-


2011: Estimate of 92 percent assigned by working group. Estimate based on MCV first dose adjustment factor Estimate challenged by: D-R-S-

2010: Reported data calibrated to 2011 levels. Estimate challenged by: D-R-S-

2009: Reported data calibrated to 2011 levels. Estimate challenged by: S-

Eswatini - RCV1

SWZ - RCV1



Description:

For this revision, coverage estimates for the first dose of rubella containing vaccine are based on WHO and UNICEF estimates of coverage of measles containing vaccine. Nationally reported coverage of rubella containing vaccine is not taken into consideration nor are they represented in the the accompanying graph and data table.

2020: Estimate based on estimated MCV1. WHO and UNICEF are aware of plans to conduct a MICS survey in 2021. GoC=R+ D+

2019: Estimate based on estimated MCV1. GoC=R+ D+

2018: Estimate based on estimated MCV1. GoC=R+ D+

2017: Estimate based on estimated MCV1. Reported official coverage levels based on preliminary results from the 2014 MICS. Introduction of MR at 9 and 18 months in 2016. Reporting started in 2017. Programme reports two month vaccine stock out at national level. GoC=R+ D+


	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Estimate	NA	NA	NA	NA	NA	NA	NA	NA	89	85	81	76
Estimate GoC	NA	NA	NA	NA	NA	NA	NA	NA	••	••	••	••
Official	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Eswatini - HepBB



	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Estimate	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Estimate GoC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Official	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Eswatini - HepB3

SWZ - HepB3



	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Estimate	88	89	91	95	98	98	90	90	90	90	90	83
Estimate GoC	●●●	●●●	●●●	●●●	●	●●●	●●	●●	●●	●●	●	●
Official	72	89	91	NA	98	98	NA	90	90	NA	NA	NA
Administrative	72	75	90	95	79	88	NA	80	87	87	NA	NA
Survey	91	NA	88	90	92	NA	NA	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2020: Estimate based on estimated DTP3 coverage. WHO and UNICEF are aware of plans to conduct a MICS survey in 2021. Programme reports one month vaccine stock-out at national level. GoC=No accepted empirical data
- 2019: Estimate based on extrapolation from data reported by national government. GoC=No accepted empirical data
- 2018: Estimate based on extrapolation from data reported by national government. Reported data excluded. Reported decline in administrative coverage appears to be due to an increase in the reported target population. Number of children vaccinated increased between 2017 and 2018. GoC=R+ D+
- 2017: Estimate based on coverage reported by national government. Reported official coverage levels based on preliminary results from the 2014 MICS. GoC=R+ D+
- 2016: Estimate based on coverage reported by national government. Reported official coverage levels based on preliminary results from the 2014 MICS. GoC=R+ D+
- 2015: Estimate is based on estimated DTP3 level. Reported official coverage levels based on preliminary results from the 2014 MICS. GoC=S+
- 2014: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2013: Estimate based on coverage reported by national government supported by survey. Survey evidence of 96 percent based on 1 survey(s). Swaziland Multiple Indicator Cluster Survey 2014 card or history results of 92 percent modified for recall bias to 96 percent based on 1st dose card or history coverage of 97 percent, 1st dose card only coverage of 88 percent and 3rd dose card only coverage of 87 percent. Estimate challenged by: D-
- 2012: Estimate based on administrative data reported by national government supported by survey. Survey evidence of 93 percent based on 1 survey(s). Swaziland Multiple Indicator Cluster Survey 2014 card or history results of 90 percent modified for recall bias to 93 percent based on 1st dose card or history coverage of 95 percent, 1st dose card only coverage of 81 percent and 3rd dose card only coverage of 79 percent. GoC=R+ S+ D+
- 2011: Estimate based on coverage reported by national government supported by survey. Survey evidence of 89 percent based on 1 survey(s). Kingdom of Swaziland Immunization Coverage Survey 2013 Final Report card or history results of 88 percent modified for recall bias to 89 percent based on 1st dose card or history coverage of 89 percent, 1st dose card only coverage of 84 percent and 3rd dose card only coverage of 84 percent. GoC=R+ S+ D+
- 2010: Estimate is based on nationally reported data. GoC=R+ S+ D+
- 2009: Estimate based on interpolation between data reported by national government supported by survey. Survey evidence of 94 percent based on 1 survey(s). Swaziland Multiple Indicator Cluster Survey 2010 card or history results of 91 percent modified for recall bias to 94 percent based on 1st dose card or history coverage of 98 percent, 1st dose card only coverage of 88 percent and 3rd dose card only coverage of 84 percent. Reported data excluded. Fluctuating and inconsistent data suggest poor reporting. GoC=R+ S+ D+

Eswatini - Hib3

SWZ - Hib3



	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Estimate	89	89	91	95	98	98	90	90	90	90	90	83
Estimate GoC	●●●	●●●	●●●	●●●	●	●●●	●●●	●●	●●	●●	●	●
Official	72	89	91	NA	98	98	90	90	90	NA	NA	NA
Administrative	72	75	90	95	79	88	82	80	87	87	NA	NA
Survey	91	NA	88	90	92	NA	NA	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2020: Estimate based on estimated DTP3 coverage. WHO and UNICEF are aware of plans to conduct a MICS survey in 2021. Programme reports one month vaccine stock-out at national level. GoC=No accepted empirical data
- 2019: Estimate based on extrapolation from data reported by national government. GoC=No accepted empirical data
- 2018: Estimate based on extrapolation from data reported by national government. Reported data excluded. Reported decline in administrative coverage appears to be due to an increase in the reported target population. Number of children vaccinated increased between 2017 and 2018. GoC=R+ D+
- 2017: Estimate based on coverage reported by national government. Reported official coverage levels based on preliminary results from the 2014 MICS. GoC=R+ D+
- 2016: Estimate based on coverage reported by national government. Reported official coverage levels based on preliminary results from the 2014 MICS. GoC=R+ D+
- 2015: Estimate based on coverage reported by national government. Reported official coverage levels based on preliminary results from the 2014 MICS. GoC=R+ S+ D+
- 2014: Estimate based on coverage reported by national government. GoC=R+ S+ D+
- 2013: Estimate based on coverage reported by national government supported by survey. Survey evidence of 96 percent based on 1 survey(s). Swaziland Multiple Indicator Cluster Survey 2014 card or history results of 92 percent modified for recall bias to 96 percent based on 1st dose card or history coverage of 97 percent, 1st dose card only coverage of 88 percent and 3rd dose card only coverage of 87 percent. Estimate challenged by: D-
- 2012: Estimate based on administrative data reported by national government supported by survey. Survey evidence of 93 percent based on 1 survey(s). Swaziland Multiple Indicator Cluster Survey 2014 card or history results of 90 percent modified for recall bias to 93 percent based on 1st dose card or history coverage of 95 percent, 1st dose card only coverage of 81 percent and 3rd dose card only coverage of 79 percent. GoC=R+ S+ D+
- 2011: Estimate based on coverage reported by national government supported by survey. Survey evidence of 89 percent based on 1 survey(s). Kingdom of Swaziland Immunization Coverage Survey 2013 Final Report card or history results of 88 percent modified for recall bias to 89 percent based on 1st dose card or history coverage of 89 percent, 1st dose card only coverage of 84 percent and 3rd dose card only coverage of 84 percent. GoC=R+ S+ D+
- 2010: Estimate is based on nationally reported data. GoC=R+ S+ D+
- 2009: Estimate based on extrapolation from data reported by national government supported by survey. Survey evidence of 94 percent based on 1 survey(s). Swaziland Multiple Indicator Cluster Survey 2010 card or history results of 91 percent modified for recall bias to 94 percent based on 1st dose card or history coverage of 98 percent, 1st dose card only coverage of 88 percent and 3rd dose card only coverage of 84 percent. Reported data excluded. Fluctuating and inconsistent data suggest poor reporting. GoC=R+ S+ D+

Eswatini - RotaC

SWZ - RotaC



Description:

- 2020: Estimate based on coverage reported by national government. WHO and UNICEF are aware of plans to conduct a MICS survey in 2021. Decline in reported coverage is unexplained by country but aligns with COVID-19 pandemic service disruptions. GoC=R+ D+
- 2019: Estimate based on coverage reported by national government. Estimate challenged by: D-
- 2018: Estimate based on coverage reported by national government. GoC=R+ D+
- 2017: Estimate based on reported administrative estimate. Reported official coverage levels based on preliminary results from the 2014 MICS. GoC=R+ D+
- 2016: Estimate based on coverage reported by national government. Reported official coverage levels based on preliminary results from the 2014 MICS. Programme reports three month vaccine stock out at national level. Estimate challenged by: D-
- 2015: Programme reports 72 percent coverage in 50 percent of the national target population. Estimate is based on coverage achieved in total national annual birth cohort. Reported official coverage levels based on preliminary results from the 2014 MICS. Rotavirus vaccine introduced during 2015. Estimate challenged by: R-

	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Estimate	NA	NA	NA	NA	NA	NA	36	95	86	90	87	63
Estimate GoC	NA	NA	NA	NA	NA	NA	•	•	••	••	•	••
Official	NA	NA	NA	NA	NA	NA	NA	95	NA	90	87	63
Administrative	NA	NA	NA	NA	NA	NA	72	76	86	87	90	63
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Eswatini - PcV3

SWZ - PcV3



Description:

- 2020: Estimate based on coverage reported by national government. WHO and UNICEF are aware of plans to conduct a MICS survey in 2021. Programme reports one month vaccine stock-out at national level. GoC=R+ D+
- 2019: Estimate based on coverage reported by national government. GoC=R+ D+
- 2018: Estimate based on coverage reported by national government. Estimate challenged by: D-
- 2017: Estimate based on reported administrative estimate. Reported official coverage levels based on preliminary results from the 2014 MICS. GoC=R+ D+
- 2016: Estimate based on coverage reported by national government. Reported official coverage levels based on preliminary results from the 2014 MICS. GoC=R+ D+
- 2015: Estimate is based on DTP3 coverage level. Reported official coverage levels based on preliminary results from the 2014 MICS. Estimate challenged by: R-
- 2014: Pneumococcal conjugate vaccine introduced during 2014. Programme achieved 89 percent coverage in 25 percent of the national target population. Estimate is based on the total national target population. Estimate challenged by: R-

	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Estimate	NA	NA	NA	NA	NA	67	90	90	87	88	87	83
Estimate GoC	NA	NA	NA	NA	NA	•	•	••	••	•	••	••
Official	NA	NA	NA	NA	NA	NA	NA	90	NA	88	87	83
Administrative	NA	NA	NA	NA	NA	89	80	80	87	87	89	83
Survey	NA	NA	NA	6	6	NA	NA	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2020 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Eswatini - survey details

2013 Swaziland Multiple Indicator Cluster Survey 2014

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	C or H <12 months	97.5	12-23 m	533	89
BCG	Card	88.9	12-23 m	533	89
BCG	Card or History	98.4	12-23 m	533	89
DTP1	C or H <12 months	96.4	12-23 m	533	89
DTP1	Card	88.3	12-23 m	533	89
DTP1	Card or History	96.8	12-23 m	533	89
DTP3	C or H <12 months	90.1	12-23 m	533	89
DTP3	Card	86.9	12-23 m	533	89
DTP3	Card or History	91.6	12-23 m	533	89
HepB1	C or H <12 months	96.4	12-23 m	533	89
HepB1	Card	88.3	12-23 m	533	89
HepB1	Card or History	96.8	12-23 m	533	89
HepB3	C or H <12 months	90.1	12-23 m	533	89
HepB3	Card	86.9	12-23 m	533	89
HepB3	Card or History	91.6	12-23 m	533	89
Hib1	C or H <12 months	96.4	12-23 m	533	89
Hib1	Card	88.3	12-23 m	533	89
Hib1	Card or History	96.8	12-23 m	533	89
Hib3	C or H <12 months	90.1	12-23 m	533	89
Hib3	Card	86.9	12-23 m	533	89
Hib3	Card or History	91.6	12-23 m	533	89
MCV1	C or H <12 months	89.3	12-23 m	533	89
MCV1	Card	81.1	12-23 m	533	89
MCV1	Card or History	91.4	12-23 m	533	89
PCV1	C or H <12 months	16.7	12-23 m	533	89
PCV1	Card	7.6	12-23 m	533	89
PCV1	Card or History	19.2	12-23 m	533	89
PCV3	C or H <12 months	5.1	12-23 m	533	89
PCV3	Card	4.8	12-23 m	533	89
PCV3	Card or History	5.8	12-23 m	533	89
Pol1	C or H <12 months	96.6	12-23 m	533	89
Pol1	Card	88.2	12-23 m	533	89
Pol1	Card or History	96.8	12-23 m	533	89
Pol3	C or H <12 months	83.9	12-23 m	533	89
Pol3	Card	84.1	12-23 m	533	89
Pol3	Card or History	85	12-23 m	533	89

2012 Swaziland Multiple Indicator Cluster Survey 2014

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	C or H <12 months	94.8	24-35 m	594	89
BCG	Card	80.4	24-35 m	594	89
BCG	Card or History	95.4	24-35 m	594	89
DTP1	C or H <12 months	94.4	24-35 m	594	89
DTP1	Card	81.2	24-35 m	594	89
DTP1	Card or History	95.4	24-35 m	594	89
DTP3	C or H <12 months	87.5	24-35 m	594	89
DTP3	Card	79.2	24-35 m	594	89
DTP3	Card or History	89.6	24-35 m	594	89
HepB1	C or H <12 months	94.4	24-35 m	594	89
HepB1	Card	81.2	24-35 m	594	89
HepB1	Card or History	95.4	24-35 m	594	89
HepB3	C or H <12 months	87.5	24-35 m	594	89
HepB3	Card	79.2	24-35 m	594	89
HepB3	Card or History	89.6	24-35 m	594	89
Hib1	C or H <12 months	94.4	24-35 m	594	89
Hib1	Card	81.2	24-35 m	594	89
Hib1	Card or History	95.4	24-35 m	594	89
Hib3	C or H <12 months	87.5	24-35 m	594	89
Hib3	Card	79.2	24-35 m	594	89
Hib3	Card or History	89.6	24-35 m	594	89
MCV1	C or H <12 months	86.2	24-35 m	594	89
MCV1	Card	77.6	24-35 m	594	89
MCV1	Card or History	93.3	24-35 m	594	89
PCV1	C or H <12 months	17	24-35 m	594	89
PCV1	Card	4.7	24-35 m	594	89
PCV1	Card or History	18.1	24-35 m	594	89
PCV3	C or H <12 months	5.2	24-35 m	594	89
PCV3	Card	4.3	24-35 m	594	89
PCV3	Card or History	5.8	24-35 m	594	89
Pol1	C or H <12 months	93.8	24-35 m	594	89
Pol1	Card	81.1	24-35 m	594	89
Pol1	Card or History	94.8	24-35 m	594	89
Pol3	C or H <12 months	76.8	24-35 m	594	89
Pol3	Card	76.6	24-35 m	594	89
Pol3	Card or History	78.2	24-35 m	594	89

Eswatini - survey details

2011 Kingdom of Swaziland Immunization Coverage Survey 2013 Final Report

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	Card	84.4	24-35 m	-	85
BCG	Card or History	91.3	24-35 m	482	85
DTP1	Card	84.4	24-35 m	-	85
DTP1	Card or History	89.2	24-35 m	482	85
DTP3	Card	83.6	24-35 m	-	85
DTP3	Card or History	88.4	24-35 m	482	85
HepB1	Card	84.4	24-35 m	-	85
HepB1	Card or History	89.2	24-35 m	482	85
HepB3	Card	83.6	24-35 m	-	85
HepB3	Card or History	88.4	24-35 m	482	85
Hib1	Card	84.4	24-35 m	-	85
Hib1	Card or History	89.2	24-35 m	482	85
Hib3	Card	83.6	24-35 m	-	85
Hib3	Card or History	88.4	24-35 m	482	85
MCV1	Card	82.1	24-35 m	-	85
MCV1	Card or History	86.9	24-35 m	482	85
MCV2	Card	75.9	24-35 m	-	85
MCV2	Card or History	80.5	24-35 m	482	85
Pol1	Card	84.4	24-35 m	-	85
Pol1	Card or History	89.2	24-35 m	482	85
Pol3	Card	83.6	24-35 m	-	85
Pol3	Card or History	88.4	24-35 m	482	85

2009 Swaziland Multiple Indicator Cluster Survey 2010

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	C or H <12 months	97.9	12-23 m	521	88
BCG	Card	87.6	12-23 m	521	88
BCG	Card or History	98.2	12-23 m	521	88
BCG	History	10.6	12-23 m	521	88
DTP1	C or H <12 months	96.4	12-23 m	521	88
DTP1	Card	87.8	12-23 m	521	88
DTP1	Card or History	97.8	12-23 m	521	88
DTP1	History	10.1	12-23 m	521	88

DTP3	C or H <12 months	89.4	12-23 m	521	88
DTP3	Card	84.1	12-23 m	521	88
DTP3	Card or History	90.6	12-23 m	521	88
DTP3	History	6.5	12-23 m	521	88
HepB1	C or H <12 months	96.4	12-23 m	521	88
HepB1	Card	87.8	12-23 m	521	88
HepB1	Card or History	97.8	12-23 m	521	88
HepB1	History	10.1	12-23 m	521	88
HepB3	C or H <12 months	89.4	12-23 m	521	88
HepB3	Card	84.1	12-23 m	521	88
HepB3	Card or History	90.6	12-23 m	521	88
HepB3	History	6.5	12-23 m	521	88
Hib1	C or H <12 months	96.4	12-23 m	521	88
Hib1	Card	87.8	12-23 m	521	88
Hib1	Card or History	97.8	12-23 m	521	88
Hib1	History	10.1	12-23 m	521	88
Hib3	C or H <12 months	89.4	12-23 m	521	88
Hib3	Card	84.1	12-23 m	521	88
Hib3	Card or History	90.6	12-23 m	521	88
Hib3	History	6.5	12-23 m	521	88
MCV1	C or H <12 months	93.9	12-23 m	521	88
MCV1	Card	84.7	12-23 m	521	88
MCV1	Card or History	97.8	12-23 m	521	88
MCV1	History	13.1	12-23 m	521	88
Pol1	C or H <12 months	96.3	12-23 m	521	88
Pol1	Card	87	12-23 m	521	88
Pol1	Card or History	97	12-23 m	521	88
Pol1	History	10	12-23 m	521	88
Pol3	C or H <12 months	83.8	12-23 m	521	88
Pol3	Card	82.7	12-23 m	521	88
Pol3	Card or History	85	12-23 m	521	88
Pol3	History	2.3	12-23 m	521	88

2008 Swaziland 2008 National Nutrition Survey

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
MCV1	C or H <12 months	71.6	9-11 m	-	-
MCV1	Card <12 months	63.6	9-11 m	-	-
MCV1	History <12 months	8	9-11 m	-	-

Eswatini - survey details

2007 Swaziland 2008 National Nutrition Survey

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
MCV1	Card	83.9	12-23 m	754	-
MCV1	Card or History	94.7	12-23 m	754	-
MCV1	History	10.8	12-23 m	754	-

2005 Swaziland Demographic and Health Survey 2006-07

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	C or H <12 months	97	12-23 m	531	84
BCG	Card	83.9	12-23 m	531	84
BCG	Card or History	97.2	12-23 m	531	84
BCG	History	13.3	12-23 m	531	84
DTP1	C or H <12 months	95.4	12-23 m	531	84
DTP1	Card	83.7	12-23 m	531	84
DTP1	Card or History	96	12-23 m	531	84
DTP1	History	12.2	12-23 m	531	84
DTP3	C or H <12 months	90.2	12-23 m	531	84
DTP3	Card	82.4	12-23 m	531	84
DTP3	Card or History	91.7	12-23 m	531	84
DTP3	History	9.2	12-23 m	531	84
HepB1	C or H <12 months	95.2	12-23 m	531	84
HepB1	Card	83.1	12-23 m	531	84
HepB1	Card or History	95.5	12-23 m	531	84
HepB1	History	12.4	12-23 m	531	84
HepB3	C or H <12 months	89.6	12-23 m	531	84
HepB3	Card	82.1	12-23 m	531	84
HepB3	Card or History	91.1	12-23 m	531	84
HepB3	History	9	12-23 m	531	84
MCV1	C or H <12 months	82.7	12-23 m	531	84
MCV1	Card	79.4	12-23 m	531	84
MCV1	Card or History	91.5	12-23 m	531	84
MCV1	History	12.1	12-23 m	531	84
Pol1	C or H <12 months	96.3	12-23 m	531	84
Pol1	Card	83.9	12-23 m	531	84

Pol1	Card or History	97	12-23 m	531	84
Pol1	History	13	12-23 m	531	84
Pol3	C or H <12 months	85.9	12-23 m	531	84
Pol3	Card	82.9	12-23 m	531	84
Pol3	Card or History	87.3	12-23 m	531	84
Pol3	History	4.4	12-23 m	531	84

2005 Swaziland measles post campaign evaluation and EPI coverage survey reports, July 2006

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	Card	99.6	12-23 m	581	79
BCG	Card or History	99.7	12-23 m	581	79
DTP1	Card	98.3	12-23 m	581	79
DTP1	Card or History	97.4	12-23 m	581	79
DTP3	Card	95.7	12-23 m	581	79
DTP3	Card or History	95.2	12-23 m	581	79
HepB1	Card	98.3	12-23 m	581	79
HepB1	Card or History	97.4	12-23 m	581	79
HepB3	Card	95.7	12-23 m	581	79
HepB3	Card or History	95.2	12-23 m	581	79
MCV1	Card	89.2	12-23 m	581	79
MCV1	Card or History	91.2	12-23 m	581	79
Pol1	Card	97.2	12-23 m	581	79
Pol1	Card or History	96.6	12-23 m	581	79
Pol3	Card	95.7	12-23 m	581	79
Pol3	Card or History	95.2	12-23 m	581	79

2002 Swaziland, Report on National EPI Review, 2003

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	Card or History	97.6	12-23 m	209	94
DTP1	Card or History	98.1	12-23 m	209	94
DTP3	Card or History	97.1	12-23 m	209	94
HepB3	Card or History	95.6	12-23 m	209	94
MCV1	Card or History	95.6	12-23 m	209	94
Pol3	Card or History	97.1	12-23 m	209	94

Eswatini - survey details

1999 Swaziland Multiple Indicator Cluster Survey 2000, 2002

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	C or H <12 months	94.1	12-23 m	-	86
DTP1	C or H <12 months	92.6	12-23 m	-	86

DTP3	C or H <12 months	77.7	12-23 m	-	86
MCV1	C or H <12 months	72.3	12-23 m	-	86
Pol1	C or H <12 months	91.4	12-23 m	-	86
Pol3	C or H <12 months	75.1	12-23 m	-	86

Further information and estimates for previous years are available at:

<http://www.data.unicef.org/child-health/immunization>

<https://www.who.int/teams/immunization-vaccines-and-biologicals/immunization-analysis-and-insights/global-monitoring/data-statistics-and-graphics>