




BACKGROUND NOTE Each year WHO and UNICEF jointly review reports submitted by Member States regarding national immunization coverage, finalized survey reports as well as data from published and grey literature. Based on these data, with due consideration to potential biases and the views of local experts, WHO and UNICEF attempt to distinguish between situations where available empirical data accurately reflect immunization system performance and those where the data are likely compromised and present a misleading view of coverage. The estimates refer to immunizations delivered through routine immunization services to children less than 12 months of age, or at the age specified in the recommended immunization schedule, for whom vaccinations are recorded. Immunizations received through supplemental immunization activities, such as polio and measles campaigns, are not included.

WHO and UNICEF estimates are country-specific; that is to say, each country's data are reviewed individually, and data are not borrowed from other countries in the absence of data. Estimates are not based on ad hoc adjustments to reported data; in some instances empirical data are available from a single source, usually the nationally reported coverage data. In cases where no data are available for a given country/vaccine/year combination, data are considered from earlier and later years and interpolated to estimate coverage for the missing year(s). In cases where data sources are mixed and show large variation, an attempt is made to identify the most likely estimate with consideration of the possible biases in available data. For methods see:

* Burton et al. 2009. Bull World Health Organ. * Burton et al. 2012. PLoS One.
* Brown et al. 2013. Open Pub Health Journal. * Danovaro-Holliday et al. 2021. Gates Open Res.

DATA SOURCES

ADMINISTRATIVE coverage: Reported by national authorities and based on aggregated administrative reports from health service providers on the number of vaccinations administered during a given period (numerator data) and reported target population data (denominator data). May be biased by inaccurate numerator and/or denominator data.

OFFICIAL coverage: Estimated coverage reported by national authorities that reflects their assessment of the most likely coverage based on any combination of administrative coverage, survey-based estimates or other data sources or adjustments. Approaches to determine OFFICIAL coverage may differ across countries.

SURVEY coverage: Based on estimated coverage from population-based household surveys among children aged 6-11, 12-23 or 24-35 months following a review of survey methods and results. Information is based on the combination of vaccination history from documented evidence or caregiver recall. Survey results are considered for the appropriate birth cohort based on data collection period.

ABBREVIATIONS AND DEFINITIONS

BCG: percentage of births who received one dose of Bacillus Calmette Guerin vaccine.

DTP1 / DTP3: percentage of surviving infants who received the 1st / 3rd dose, respectively, of diphtheria and tetanus toxoid with pertussis containing vaccine.

IPV1: percentage of surviving infants who received the first dose of inactivated polio vaccine.

IPVC: percentage of surviving infants who received the final recommended dose of IPV in the primary series, according to the national immunization schedule primary series (e.g., second or third dose).

MCV1: percentage of surviving infants who received the 1st dose of measles containing vaccine. In countries where the national schedule recommends the 1st dose of MCV at 12 months or later based on the epidemiology of disease in the country, coverage estimates reflect the percentage of children who received the 1st dose of MCV as recommended.

MCV2: percentage of children who received the 2nd dose of measles containing vaccine according to the nationally recommended schedule.

RCV1: percentage of surviving infants who received the 1st dose of rubella containing vaccine. Coverage estimates are based on WHO and UNICEF estimates of coverage for the dose of measles containing vaccine that corresponds to the first measles-rubella combination vaccine. Nationally reported coverage of RCV is not taken into consideration in the production of the estimate.

HEPB: percentage of births which received a dose of hepatitis B vaccine within 24 hours of delivery. Estimates of hepatitis B birth dose coverage are produced only for countries with a universal birth dose policy. Estimates are not produced for countries that recommend a birth dose to infants born to HEPB virus-infected mothers only or where there is insufficient information to determine whether vaccination is within 24 hours of birth.

HEPB3: percentage of surviving infants who received the 3rd dose of hepatitis B containing vaccine following the birth dose.

HIB3: percentage of surviving infants who received the 3rd dose of Haemophilus influenzae type b containing vaccine.

ROTAC: percentage of surviving infants who received the final recommended dose of rotavirus vaccine, which can be either the 2nd or the 3rd dose depending on the vaccine.

PCVC: percentage of surviving infants who received the final recommended dose of pneumococcal conjugate vaccine according to the national immunization schedule (e.g., second or third dose).

YFV: percentage of surviving infants who received one dose of yellow fever vaccine in countries where YFV is part of the national immunization schedule for children or is recommended in at risk areas; coverage estimates are annualized for the entire cohort of surviving infants.

MENGA: percentage of children who received one dose of meningococcal A conjugate vaccine. MENGA coverage estimates produced for countries in the meningitis belt of sub-Saharan Africa.

Disclaimer: All reasonable precautions have been taken by the World Health Organization and United Nations Children's Fund to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization or United Nations Children's Fund be liable for damages arising from its use.

NOTE DE SYNTHÈSE Chaque année, l'OMS et l'UNICEF examinent conjointement les rapports soumis par les États Membres concernant la couverture vaccinale nationale, les rapports d'enquêtes finalisés, ainsi que les données issues de la littérature publiée et grise. Sur la base de ces données, et en tenant dûment compte des biais potentiels ainsi que des avis des experts locaux, l'OMS et l'UNICEF s'efforcent de distinguer les situations où les données empiriques disponibles reflètent fidèlement la performance du système de vaccination de celles où les données sont probablement compromises et donnent une vision trompeuse de la couverture. Les estimations se réfèrent aux vaccinations administrées et documentées dans le cadre des services de vaccination de routine aux enfants de moins de 12 mois, ou à l'âge spécifié dans le calendrier vaccinal recommandé. Les vaccinations reçues dans le cadre d'activités de vaccination supplémentaires, telles que les campagnes contre la poliomyélite ou la rougeole, ne sont pas incluses.

Les estimations de l'OMS et de l'UNICEF sont spécifiques à chaque pays ; c'est-à-dire que les données de chaque pays sont examinées individuellement, et aucune donnée n'est empruntée à d'autres pays en l'absence de données. Les estimations ne reposent pas sur des ajustements ponctuels des données rapportées ; dans certains cas, des données empiriques proviennent d'une seule source, généralement les données de couverture déclarées au niveau national. Lorsqu'aucune donnée n'est disponible pour une combinaison donnée de pays/vaccin/année, les données des années précédentes et suivantes sont prises en compte et interpolées pour estimer la couverture des années manquantes. Dans les cas où les sources de données sont variées et présentent de grandes variations, une tentative est faite pour identifier l'estimation la plus probable en tenant compte des biais potentiels dans les données disponibles. Pour les méthodes, voir :

* Burton et al. 2009. Bull World Health Organ. * Burton et al. 2012. PLoS One.
* Brown et al. 2013. Open Pub Health Journal. * Danovaro-Holliday et al. 2021. Gates Open Res.

SOURCES DE DONNÉES

Couverture ADMINISTRATIVE: Rapportée par les autorités nationales et basée sur des rapports administratifs agrégés provenant des prestataires de services de santé concernant le nombre de vaccinations administrées sur une période donnée (données du numérateur) et les données déclarées sur la population cible (données du dénominateur). Cette couverture peut être biaisée par des inexactitudes dans les données du numérateur et/ou du dénominateur.

Couverture OFFICIELLE: Estimation de la couverture rapportée par les autorités nationales, reflétant leur évaluation de la couverture la plus probable sur la base d'une combinaison de la couverture administrative, des estimations basées sur des enquêtes ou d'autres sources de données ou ajustements. Les approches pour déterminer la couverture OFFICIELLE peuvent varier d'un pays à l'autre.

Couverture par ENQUÊTE: Basée sur des estimations de couverture issues d'enquêtes menées auprès des ménages chez des enfants âgés de 6-11, 12-23 ou 24-35 mois, suivant une revue des méthodes et des résultats de l'enquête. Les informations reposent sur une combinaison de l'historique vaccinal, basé sur des preuves documentées ou le rappel des soignants. Les résultats des enquêtes sont considérés pour la cohorte de naissance appropriée en fonction de la période de collecte des données.

ABRÉVIATIONS ET DÉFINITIONS

BCG: pourcentage des naissances ayant reçu une dose du vaccin Bacillus Calmette-Guérin.

DTP1 (DTC1) / DTP3 (DTC3): pourcentage des nourrissons survivants ayant reçu respectivement la 1re / 3e dose du vaccin contenant l'anatoxine diphtérique et tétanique avec la coqueluche.

IPV1 (VPI1): pourcentage de nourrissons survivants ayant reçu la 1re dose de vaccin antipoliomyélique inactivé (VPI).

IPVC (VPIC): pourcentage de nourrissons survivants ayant reçu la dernière dose recommandée de VPI de la série primaire, conformément au calendrier national de vaccination (par ex. deuxième ou troisième dose).

MCV1: pourcentage des nourrissons survivants ayant reçu la 1re dose de vaccin contenant la rougeole. Dans les pays où le calendrier national recommande la 1re dose de MCV à 12 mois ou plus, en fonction de l'épidémiologie de la maladie dans le pays, les estimations de couverture reflètent le pourcentage d'enfants ayant reçu la 1re dose de MCV conformément à la recommandation.

MCV2: pourcentage des enfants ayant reçu la 2e dose de vaccin contenant la rougeole conformément au calendrier vaccinal du pays.

RCV1: pourcentage des nourrissons survivants ayant reçu la 1re dose de vaccin contenant la rubéole. Les estimations de couverture sont basées sur les estimations de l'OMS et de l'UNICEF pour la dose de vaccin contenant la rougeole qui correspond à la première combinaison vaccin rougeole-rubéole. La couverture déclarée au niveau national pour le RCV n'est pas prise en compte dans l'élaboration de cette estimation.

HEPBB (VHBN): pourcentage des naissances ayant reçu une dose de vaccin contre l'hépatite B dans les 24 heures suivant l'accouchement. Les estimations de la couverture de la dose à la naissance contre l'hépatite B sont produites uniquement pour les pays ayant une politique universelle de dose à la naissance. Aucune estimation n'est réalisée pour les pays qui recommandent une dose à la naissance uniquement pour les nourrissons nés de mères infectées par le virus de l'hépatite B, ou pour les pays où les informations sont insuffisantes pour déterminer si la vaccination a eu lieu dans les 24 heures suivant la naissance.

HEPB3 (VHB3): pourcentage des nourrissons survivants ayant reçu la 3e dose de vaccin contenant l'hépatite B après la dose à la naissance.

HIB3: pourcentage des nourrissons survivants ayant reçu la 3e dose de vaccin contenant Haemophilus influenzae de type b.

ROTAC: pourcentage des nourrissons survivants ayant reçu la dernière dose recommandée du vaccin contre le rotavirus, qui peut être la 2e ou la 3e dose selon le vaccin.

PCVC (VPCC): pourcentage de nourrissons survivants ayant reçu la dernière dose recommandée de vaccin antipneumococcique conjugué, conformément au calendrier national de vaccination (par ex. deuxième ou troisième dose).


YFV (VFA): pourcentage des nourrissons survivants ayant reçu une dose de vaccin contre la fièvre jaune dans les pays où le VFA fait partie du calendrier national de vaccination des enfants ou est recommandé dans les zones à risque ; les estimations de couverture sont annualisées pour l'ensemble de la cohorte des nourrissons survivants.

MENGA: pourcentage des enfants ayant reçu une dose de vaccin conjugué contre le méningocoque A. Les estimations de couverture MENGA sont produites pour les pays situés dans la ceinture de la méningite en Afrique subsaharienne.

Avertissement: Toutes les précautions raisonnables ont été prises par l'Organisation mondiale de la Santé et le Fonds des Nations Unies pour l'enfance pour vérifier les informations contenues dans cette publication. Toutefois, le matériel publié est distribué sans aucune garantie, explicite ou implicite. La responsabilité de l'interprétation et de l'utilisation du matériel incombe au lecteur. En aucun cas, l'Organisation mondiale de la Santé ou le Fonds des Nations Unies pour l'enfance ne sauraient être tenus responsables des dommages résultant de son utilisation.

Algeria - BCG

DZA - BCG



	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	99	99	99	99	99	99	99	98	98	99	98	98
Estimate GoC	●●	●●●	●●●	●●●	●●●	●	●	●	●●	●●	●●	●●
Official	100	100	100	100	100	-	-	-	-	-	-	-
Administrative	100	100	100	100	99	-	-	-	98	99	98	98
Survey	-	-	-	98	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2025: Estimate informed by reported administrative data. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high quality independent assessment to verify reported levels of coverage. Reported target population decline of over 5 percent between 2023 and 2024. GoC=R+ D+
- 2024: Estimate informed by reported administrative data. GoC=R+ D+
- 2023: Estimate informed by reported administrative data. Reported target population decline of 5.7 percent between 2022 and 2023. GoC=R+ D+
- 2022: Estimate informed by reported administrative data. GoC=R+ D+
- 2021: Estimate informed by interpolation between reported data. GoC=No accepted empirical data
- 2020: Estimate informed by interpolation between reported data. GoC=No accepted empirical data
- 2019: Estimate informed by interpolation between reported data. GoC=Assigned by working group. No reported data.
- 2018: Estimate informed by reported administrative data. Official government estimates are higher than reported administrative coverage without explanation. GoC=R+ S+ D+
- 2017: Estimate informed by reported administrative data supported by survey. Survey evidence of 98 percent based on 1 survey(s). Official government estimates are higher than reported administrative coverage without explanation. GoC=R+ S+ D+
- 2016: Estimate informed by reported administrative data. Official government estimates are higher than reported administrative coverage without explanation. GoC=R+ S+ D+
- 2015: Estimate informed by reported data. GoC=R+ S+ D+
- 2014: Estimate informed by reported data. GoC=R+ D+

Algeria - HEPBB

DZA - HEPBB



	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	99	99	99	99	99	99	99	99	98	97	92	93
Estimate GoC	●●	●●●	●●●	●●●	●●●	●	●	●	●	●	●	●
Official	100	100	100	100	100	-	-	-	-	-	-	-
Administrative	100	100	100	100	99	-	-	-	-	-	-	-
Survey	-	-	-	97	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2025: Estimated coverage based on reported data for Hepatitis B birth dose regardless of within 24 hours administration. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high quality independent assessment to verify reported levels of coverage. Reported target population decline of over 5 percent between 2023 and 2024. GoC=No accepted empirical data
- 2024: Estimated coverage based on reported data for Hepatitis B birth dose regardless of within 24 hours administration. GoC=No accepted empirical data
- 2023: Estimated coverage based on reported data for Hepatitis B birth dose regardless of within 24 hours administration. Reported target population decline of 5.7 percent between 2022 and 2023. GoC=No accepted empirical data
- 2022: Estimated coverage based on reported data for Hepatitis B birth dose regardless of within 24 hours administration. GoC=No accepted empirical data
- 2021: Estimate informed by extrapolation from reported data. GoC=No accepted empirical data
- 2020: Estimate informed by extrapolation from reported data. GoC=No accepted empirical data
- 2019: Estimate informed by extrapolation from reported data. GoC=Assigned by working group. No reported data.
- 2018: Estimate informed by reported administrative data. Official government estimates are higher than reported administrative coverage without explanation. GoC=R+ S+ D+
- 2017: Estimate informed by reported administrative data supported by survey.Survey evidence of 97 percent based on 1 survey(s). Official government estimates are higher than reported administrative coverage without explanation. GoC=R+ S+ D+
- 2016: Estimate informed by reported administrative data. Official government estimates are higher than reported administrative coverage without explanation. GoC=R+ S+ D+
- 2015: Estimate informed by reported data. GoC=R+ S+ D+
- 2014: Estimate informed by reported data. GoC=R+ D+

Algeria - DTP1

DZA - DTP1



Description:

- 2025: Estimate informed by reported administrative data. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high quality independent assessment to verify reported levels of coverage. Reported target population decline of over 5 percent between 2023 and 2024. GoC=R+ D+
- 2024: Estimate informed by reported administrative data. GoC=R+ D+
- 2023: Estimate informed by reported administrative data. Reported target population decline of 5.7 percent between 2022 and 2023. GoC=R+ D+
- 2022: Estimate informed by reported administrative data. GoC=R+ D+
- 2021: Estimate informed by interpolation between reported data. GoC=No accepted empirical data
- 2020: Estimate informed by interpolation between reported data. GoC=No accepted empirical data
- 2019: Estimate informed by interpolation between reported data. GoC=Assigned by working group. No reported data.
- 2018: Estimate informed by reported administrative data. Official government estimates are higher than reported administrative coverage without explanation. GoC=R+ S+ D+
- 2017: Estimate informed by reported administrative data supported by survey. Survey evidence of 96 percent based on 1 survey(s). Official government estimates are higher than reported administrative coverage without explanation. GoC=R+ S+ D+
- 2016: Estimate informed by reported administrative data. Official government estimates are higher than reported administrative coverage without explanation. GoC=R+ S+ D+
- 2015: Estimate informed by reported data. GoC=R+ S+ D+
- 2014: Estimate informed by reported data. GoC=R+ D+

	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	99	99	96	95	96	95	94	92	91	98	98	99
Estimate GoC	••	•••	•••	•••	•••	•	•	•	••	••	••	••
Official	100	100	100	100	98	-	-	-	-	-	-	-
Administrative	95	95	96	95	96	-	-	-	91	98	98	99
Survey	-	-	-	96	-	-	-	-	-	-	-	-


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Algeria - DTP3

DZA - DTP3



	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	95	95	91	91	91	88	84	81	77	92	92	94
Estimate GoC	●●	●●	●●	●●	●●	●	●	●	●●	●●	●●	●●
Official	95	95	95	96	95	-	-	-	-	-	-	-
Administrative	91	90	91	91	91	-	-	-	77	92	92	94
Survey	-	-	-	62	-	-	-	-	-	-	-	-


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2025: Estimate informed by reported administrative data. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high quality independent assessment to verify reported levels of coverage. Reported target population decline of over 5 percent between 2023 and 2024. GoC=R+ D+
- 2024: Estimate informed by reported administrative data. GoC=R+ D+
- 2023: Estimate informed by reported administrative data. Reported target population decline of 5.7 percent between 2022 and 2023. GoC=R+ D+
- 2022: Estimate informed by reported administrative data. GoC=R+ D+
- 2021: Estimate informed by interpolation between reported data. GoC=No accepted empirical data
- 2020: Estimate informed by interpolation between reported data. GoC=No accepted empirical data
- 2019: Estimate informed by interpolation between reported data. GoC=No accepted empirical data
- 2018: Estimate informed by reported administrative data. Official government estimates are higher than reported administrative coverage without explanation. GoC=R+ D+
- 2017: Estimate informed by reported administrative data. Algeria Multiple Indicator Cluster Survey 2019 results ignored by working group. Third dose of pentavalent DTP-HepB-Hib, OPV and Pneumococcal Conjugate Vaccine recommended during the second year of life since April 2016. Algeria Multiple Indicator Cluster Survey 2019 record or recall results of 62 percent modified for recall bias to 66 percent based on 1st dose record or recall coverage of 96 percent, 1st dose record only coverage of 85 percent and 3rd dose record only coverage of 58 percent. Official government estimates are higher than reported administrative coverage without explanation. GoC=R+ D+
- 2016: Estimate informed by reported administrative data. Official government estimates are higher than reported administrative coverage without explanation. GoC=R+ D+
- 2015: Estimate informed by reported data. GoC=R+ D+
- 2014: Estimate informed by reported data. GoC=R+ D+



	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	95	95	91	91	91	88	84	81	77	94	92	94
Estimate GoC	●●	●●	●●	●●	●●	●	●	●	●●	●●	●●	●●
Official	95	95	95	96	95	-	-	-	-	-	-	-
Administrative	91	90	91	91	91	-	-	-	77	94	92	94
Survey	-	-	-	62	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2025: Estimate informed by reported administrative data. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high quality independent assessment to verify reported levels of coverage. Reported target population decline of over 5 percent between 2023 and 2024. GoC=R+ D+
- 2024: Estimate informed by reported administrative data. GoC=R+ D+
- 2023: Estimate informed by reported administrative data. Reported target population decline of 5.7 percent between 2022 and 2023. GoC=R+ D+
- 2022: Estimate informed by reported administrative data. GoC=R+ D+
- 2021: Estimate informed by interpolation between reported data. GoC=No accepted empirical data
- 2020: Estimate informed by interpolation between reported data. GoC=No accepted empirical data
- 2019: Estimate informed by interpolation between reported data. GoC=No accepted empirical data
- 2018: Estimate informed by reported administrative data. Official government estimates are higher than reported administrative coverage without explanation. GoC=R+ D+
- 2017: Estimate informed by reported administrative data. Algeria Multiple Indicator Cluster Survey 2019 results ignored by working group. Third dose of pentavalent DTP-HepB-Hib, OPV and Pneumococcal Conjugate Vaccine recommended during the second year of life since April 2016. Algeria Multiple Indicator Cluster Survey 2019 record or recall results of 62 percent modified for recall bias to 66 percent based on 1st dose record or recall coverage of 96 percent, 1st dose record only coverage of 85 percent and 3rd dose record only coverage of 58 percent. Official government estimates are higher than reported administrative coverage without explanation. GoC=R+ D+
- 2016: Estimate informed by reported administrative data. Official government estimates are higher than reported administrative coverage without explanation. GoC=R+ D+
- 2015: Estimate informed by reported data. GoC=R+ D+
- 2014: Estimate informed by reported data. GoC=R+ D+

Algeria - HIB3

DZA - HIB3



	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	95	95	91	91	91	88	84	81	77	92	92	94
Estimate GoC	●●	●●	●●	●●	●●	●	●	●	●●	●●	●●	●●
Official	95	95	95	95	95	-	-	-	-	-	-	-
Administrative	91	90	91	91	91	-	-	-	77	92	92	94
Survey	-	-	-	62	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2025: Estimate informed by reported administrative data. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high quality independent assessment to verify reported levels of coverage. Reported target population decline of over 5 percent between 2023 and 2024. GoC=R+ D+
- 2024: Estimate informed by reported administrative data. GoC=R+ D+
- 2023: Estimate informed by reported administrative data. Reported target population decline of 5.7 percent between 2022 and 2023. GoC=R+ D+
- 2022: Estimate informed by reported administrative data. GoC=R+ D+
- 2021: Estimate informed by interpolation between reported data. GoC=No accepted empirical data
- 2020: Estimate informed by interpolation between reported data. GoC=No accepted empirical data
- 2019: Estimate informed by interpolation between reported data. GoC=No accepted empirical data
- 2018: Estimate informed by reported administrative data. Official government estimates are higher than reported administrative coverage without explanation. GoC=R+ D+
- 2017: Estimate informed by reported administrative data. Algeria Multiple Indicator Cluster Survey 2019 results ignored by working group. Third dose of pentavalent DTP-HepB-Hib, OPV and Pneumococcal Conjugate Vaccine recommended during the second year of life since April 2016. Algeria Multiple Indicator Cluster Survey 2019 record or recall results of 62 percent modified for recall bias to 66 percent based on 1st dose record or recall coverage of 96 percent, 1st dose record only coverage of 85 percent and 3rd dose record only coverage of 58 percent. Official government estimates are higher than reported administrative coverage without explanation. GoC=R+ D+
- 2016: Estimate informed by reported administrative data. Official government estimates are higher than reported administrative coverage without explanation. GoC=R+ D+
- 2015: Estimate informed by reported data. GoC=R+ D+
- 2014: Estimate informed by reported data. GoC=R+ D+

Algeria - PCVC

DZA - PCVC



	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	-	-	61	89	91	87	83	78	74	89	90	95
Estimate GoC	-	-	•	•	••	•	•	•	••	••	••	••
Official	-	-	95	95	95	-	-	-	-	-	-	-
Administrative	-	-	-	89	91	-	-	-	74	89	90	95
Survey	-	-	-	56	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2025: Estimate informed by reported administrative data. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high quality independent assessment to verify reported levels of coverage. Reported target population decline of over 5 percent between 2023 and 2024. GoC=R+ D+
- 2024: Estimate informed by reported administrative data. GoC=R+ D+
- 2023: Estimate informed by reported administrative data. Reported target population decline of 5.7 percent between 2022 and 2023. GoC=R+ D+
- 2022: Estimate informed by reported administrative data. GoC=R+ D+
- 2021: Estimate informed by interpolation between reported data. GoC=No accepted empirical data
- 2020: Estimate informed by interpolation between reported data. GoC=No accepted empirical data
- 2019: Estimate informed by interpolation between reported data. GoC=No accepted empirical data
- 2018: Estimate informed by reported administrative data. Official government estimates are higher than reported administrative coverage without explanation. GoC=R+ D+
- 2017: Estimate informed by reported administrative data. Algeria Multiple Indicator Cluster Survey 2019 results ignored by working group. Third dose of pentavalent DTP-HepB-Hib, OPV and Pneumococcal Conjugate Vaccine recommended during the second year of life since April 2016. Algeria Multiple Indicator Cluster Survey 2019 record or recall results of 56 percent modified for recall bias to 59 percent based on 1st dose record or recall coverage of 94 percent, 1st dose record only coverage of 84 percent and 3rd dose record only coverage of 53 percent. Official government estimates are higher than reported administrative coverage without explanation. Estimate challenged by: D-
- 2016: Pneumococcal conjugate vaccine introduced nationally in 2016 with recommended administration at 2, 4 and 12 months. Reported administrative coverage of 91 percent for the second dose achieved among 67 percent of the national target population. Estimate informed by coverage among the annual national target population. Official government estimates are higher than reported administrative coverage without explanation. GoC=No accepted empirical data

Algeria - IPV1

DZA - IPV1



	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	-	8	94	92	94	93	92	90	89	92	98	99
Estimate GoC	-	•	•••	•••	•••	•	•	•	••	••	••	••
Official	-	100	100	100	98	-	-	-	-	-	-	-
Administrative	-	100	94	92	94	-	-	-	89	92	98	99
Survey	-	-	-	93	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2025: Estimate informed by reported administrative data. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high quality independent assessment to verify reported levels of coverage. Reported target population decline of over 5 percent between 2023 and 2024. GoC=R+ D+
- 2024: Estimate informed by reported administrative data. GoC=R+ D+
- 2023: Estimate informed by reported administrative data. Reported target population decline of 5.7 percent between 2022 and 2023. GoC=R+ D+
- 2022: Estimate informed by reported administrative data. GoC=R+ D+
- 2021: Estimate informed by interpolation between reported data. GoC=No accepted empirical data
- 2020: Estimate informed by interpolation between reported data. GoC=No accepted empirical data
- 2019: Estimate informed by interpolation between reported data. GoC=Assigned by working group. No reported data.
- 2018: Estimate informed by reported administrative data. Official government estimates are higher than reported administrative coverage without explanation. GoC=R+ S+ D+
- 2017: Estimate informed by reported administrative data supported by survey. Survey evidence of 93 percent based on 1 survey(s). Official government estimates are higher than reported administrative coverage without explanation. GoC=R+ S+ D+
- 2016: Estimate informed by reported administrative data. Official government estimates are higher than reported administrative coverage without explanation. GoC=R+ S+ D+
- 2015: Inactivated polio vaccine introduced in December 2015. Programme reports 100 percent coverage in 8 percent of entire birth cohort. Estimate based on coverage achieved in national birth cohort. Estimate challenged by: R-S-

Algeria - IPVC

DZA - IPVC



Description:

- 2025: Estimate based on estimated DTP3 coverage as the country is using Hexavalent vaccine. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high quality independent assessment to verify reported levels of coverage. Reported target population decline of over 5 percent between 2023 and 2024. Estimate challenged by: D-R-
- 2024: Estimate based on estimated DTP3 coverage. Reported data reflects IPV2 coverage. Estimate of 92 percent changed from previous revision value of 96 percent. Estimate challenged by: R-
- 2023: Estimate informed by reported administrative data. Reported target population decline of 5.7 percent between 2022 and 2023. Switch from one dose of IPV monovalent vaccine and three doses of pentavalent DTP-Hib-HepB to three doses of hexavalent vaccine DTaP-Hib-HepB-IPV. Reported data reflects IPVC coverage. GoC=R+ D+

	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	-	-	-	-	-	-	-	-	-	33	92	94
Estimate GoC	-	-	-	-	-	-	-	-	-	●●	●	●
Official	-	-	-	-	-	-	-	-	-	-	-	-
Administrative	-	-	-	-	-	-	-	-	-	33	96	99
Survey	-	-	-	-	-	-	-	-	-	-	-	-


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Algeria - MCV1

DZA - MCV1



Description:

- 2025: Estimate informed by reported administrative data. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high quality independent assessment to verify reported levels of coverage. Reported target population decline of over 5 percent between 2023 and 2024. GoC=R+ D+
- 2024: Estimate informed by reported administrative data. GoC=R+ D+
- 2023: Estimate informed by reported administrative data. Reported target population decline of 5.7 percent between 2022 and 2023. GoC=R+ D+
- 2022: Estimate informed by reported administrative data. GoC=R+ D+
- 2021: Estimate informed by interpolation between reported data. GoC=No accepted empirical data
- 2020: Estimate informed by interpolation between reported data. GoC=No accepted empirical data
- 2019: Estimate informed by interpolation between reported data. GoC=Assigned by working group. No reported data.
- 2018: Estimate informed by reported administrative data. Official government estimates excluded to be consistent with other vaccines. GoC=R+ S+ D+
- 2017: Estimate informed by reported administrative data supported by survey. Survey evidence of 84 percent based on 1 survey(s). Official government estimates are higher than reported administrative coverage without explanation. GoC=R+ S+ D+
- 2016: Estimate informed by reported administrative data. Official government estimates are higher than reported administrative coverage without explanation. GoC=R+ S+ D+
- 2015: Estimate informed by reported data. Estimate challenged by: S-
- 2014: Estimate informed by reported data. GoC=R+ D+

	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	95	95	94	88	80	80	80	79	79	99	94	96
Estimate GoC	●●	●	●●●	●●●	●●●	●	●	●	●●	●●	●●	●●
Official	95	95	95	95	80	-	-	-	-	-	-	-
Administrative	94	93	94	88	80	-	-	-	79	99	94	96
Survey	-	-	-	84	-	-	-	-	-	-	-	-


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Algeria - RCV1

DZA - RCV1



Description:

- 2025: Estimate based on estimated MCV1. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high quality independent assessment to verify reported levels of coverage. Reported target population decline of over 5 percent between 2023 and 2024. GoC=R+ D+
- 2024: Estimate based on estimated MCV1. GoC=R+ D+
- 2023: Estimate based on estimated MCV1. Reported target population decline of 5.7 percent between 2022 and 2023. GoC=R+ D+
- 2022: Estimate based on estimated MCV1. GoC=R+ D+
- 2021: Estimate based on estimated MCV1. GoC=No accepted empirical data
- 2020: Estimate based on estimated MCV1. GoC=No accepted empirical data
- 2019: Estimate based on estimated MCV1. GoC=Assigned by working group. No reported data.
- 2018: Estimate based on estimated MCV1. GoC=R+ S+ D+
- 2017: Estimate based on estimated MCV1. Official government estimates are higher than reported administrative coverage without explanation. GoC=R+ S+ D+

	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	-	-	-	88	80	80	80	79	79	99	94	96
Estimate GoC	-	-	-	●●●	●●●	●	●	●	●●	●●	●●	●●
Official	-	-	-	95	80	-	-	-	-	-	-	-
Administrative	-	-	-	88	80	-	-	-	79	99	94	96
Survey	-	-	-	84	-	-	-	-	-	-	-	-


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Algeria - MCV2

DZA - MCV2



Description:

- 2025: Estimate informed by reported administrative data. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high quality independent assessment to verify reported levels of coverage. Reported target population decline of over 5 percent between 2023 and 2024. GoC=R+ D+
- 2024: Estimate informed by reported administrative data. GoC=R+ D+
- 2023: Estimate informed by reported administrative data. Reported target population decline of 5.7 percent between 2022 and 2023. GoC=R+ D+
- 2022: Estimate informed by reported administrative data. GoC=R+ D+
- 2021: Estimate informed by interpolation between reported data. GoC=No accepted empirical data
- 2020: Estimate informed by interpolation between reported data. GoC=No accepted empirical data
- 2019: Estimate informed by interpolation between reported data. GoC=No accepted empirical data
- 2018: Estimate informed by reported administrative data. Coverage decline also seen for MCV1. Official government estimates excluded to be consistent with other vaccines. GoC=R+ D+
- 2017: Estimate informed by reported administrative data. Algeria Multiple Indicator Cluster Survey 2019 results ignored by working group. MCV2 recommended during the second year of life. Survey results inconsistent with other antigens. Official government estimates are higher than reported administrative coverage without explanation. GoC=R+ D+
- 2016: Estimate informed by reported administrative data. Official government estimates are higher than reported administrative coverage without explanation. Estimate challenged by: D-
- 2015: Estimate informed by reported data. Estimate challenged by: D-
- 2014: Estimate informed by reported data. Estimate challenged by: D-

	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	99	99	96	92	77	76	74	73	71	93	90	92
Estimate GoC	●	●	●	●●	●●	●	●	●	●●	●●	●●	●●
Official	100	100	98	98	77	-	-	-	-	-	-	-
Administrative	95	95	96	92	77	-	-	-	71	93	90	92
Survey	-	-	-	21	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Algeria - Survey Details

NOTE A survey to measure vaccination coverage for infants (i.e., children aged 0-11 months) will sample children aged 12-23 months at the time of survey to capture the youngest annual cohort of children who should have completed the vaccination schedule. Because WUENIC are for infant vaccinations, survey data in this report are presented to reflect the birth year of the youngest survey cohort. For example, results for a survey conducted during December 2020 among children aged 12-23 months at the time of the survey reflect the immunization experience of children born in 2019. Depending on the timing of survey field work, results may reflect the immunization experience of children born and vaccinated one or two years prior to the survey field work.

The survey results below present vaccination coverage estimates by antigen, confirmation method, and child's age at the time of the survey. Coverage based on **Recall** reflects information based upon a mother's or caregiver's memory. Coverage based on **Record** reflects information drawn from documented vaccination history in home- and/or facility-based records. **Evidence seen** reflects the percentage of children in the sample with documented evidence of vaccination history seen by the survey team.

2017 Algerie Enquête par grappes a` indicateurs multiples 2019

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Recall	11.3	12-23 m	3005	87
BCG	Record	86.4	12-23 m	3005	87
BCG	Record or Recall	97.7	12-23 m	3005	87
BCG	Record or Recall<12m	97.6	12-23 m	3005	87
DTP1	Recall	10.1	12-23 m	3005	87
DTP1	Record	85.4	12-23 m	3005	87
DTP1	Record or Recall	95.5	12-23 m	3005	87
DTP1	Record or Recall<12m	94.4	12-23 m	3005	87
DTP3	Recall	3.9	12-23 m	3005	87
DTP3	Record	58.2	12-23 m	3005	87
DTP3	Record or Recall	62.1	12-23 m	3005	87
DTP3	Record or Recall<12m	12.2	12-23 m	3005	87
HEPB1	Recall	10.1	12-23 m	3005	87
HEPB1	Record	85.4	12-23 m	3005	87
HEPB1	Record or Recall	95.5	12-23 m	3005	87
HEPB1	Record or Recall<12m	94.4	12-23 m	3005	87
HEPB3	Recall	3.9	12-23 m	3005	87
HEPB3	Record	58.2	12-23 m	3005	87
HEPB3	Record or Recall	62.1	12-23 m	3005	87

HEPB3	Record or Recall<12m	12.2	12-23 m	3005	87
HEPBB	Recall	10.6	12-23 m	3005	87
HEPBB	Record	86.5	12-23 m	3005	87
HEPBB	Record or Recall	97.1	12-23 m	3005	87
HEPBB	Record or Recall<12m	97	12-23 m	3005	87
HIB1	Recall	10.1	12-23 m	3005	87
HIB1	Record	85.4	12-23 m	3005	87
HIB1	Record or Recall	95.5	12-23 m	3005	87
HIB1	Record or Recall<12m	94.4	12-23 m	3005	87
HIB3	Recall	3.9	12-23 m	3005	87
HIB3	Record	58.2	12-23 m	3005	87
HIB3	Record or Recall	62.1	12-23 m	3005	87
HIB3	Record or Recall<12m	12.2	12-23 m	3005	87
IPV1	Recall	9.4	12-23 m	3005	87
IPV1	Record	83.2	12-23 m	3005	87
IPV1	Record or Recall	92.6	12-23 m	3005	87
IPV1	Record or Recall<12m	90.1	12-23 m	3005	87
MCV1	Recall	9.2	12-23 m	3005	87
MCV1	Record	74.9	12-23 m	3005	87
MCV1	Record or Recall	84.1	12-23 m	3005	87
MCV1	Record or Recall<12m	50.4	12-23 m	3005	87
MCV2	Recall	0	12-23 m	3005	87
MCV2	Record	21.2	12-23 m	3005	87
MCV2	Record or Recall	21.2	12-23 m	3005	87
MCV2	Record or Recall<12m	0.8	12-23 m	3005	87
PCV1	Recall	10	12-23 m	3005	87
PCV1	Record	84.2	12-23 m	3005	87
PCV1	Record or Recall	94.2	12-23 m	3005	87
PCV1	Record or Recall<12m	93	12-23 m	3005	87
PCVC	Recall	3.8	12-23 m	3005	87
PCVC	Record	52.6	12-23 m	3005	87
PCVC	Record or Recall	56.4	12-23 m	3005	87
PCVC	Record or Recall<12m	7.3	12-23 m	3005	87
RCV1	Recall	9.2	12-23 m	3005	87
RCV1	Record	74.9	12-23 m	3005	87
RCV1	Record or Recall	84.1	12-23 m	3005	87
RCV1	Record or Recall<12m	50.4	12-23 m	3005	87

2016 Algerie Enquête par grappes a` indicateurs multiples 2019

Algeria - Survey Details

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Recall	14.1	24-31 m	1995	-
BCG	Record	82.5	24-31 m	1995	-
BCG	Record or Recall	96.7	24-31 m	1995	-
BCG	Record or Recall<12m	96.7	24-31 m	1995	-
DTP1	Recall	12.9	24-31 m	1995	-
DTP1	Record	81.2	24-31 m	1995	-
DTP1	Record or Recall	94.1	24-31 m	1995	-
DTP1	Record or Recall<12m	93.8	24-31 m	1995	-
DTP3	Recall	5.6	24-31 m	1995	-
DTP3	Record	71.8	24-31 m	1995	-
DTP3	Record or Recall	77.3	24-31 m	1995	-
DTP3	Record or Recall<12m	73.4	24-31 m	1995	-
HEPB1	Recall	12.9	24-31 m	1995	-
HEPB1	Record	81.2	24-31 m	1995	-
HEPB1	Record or Recall	94.1	24-31 m	1995	-
HEPB1	Record or Recall<12m	93.8	24-31 m	1995	-
HEPB3	Recall	5.6	24-31 m	1995	-
HEPB3	Record	71.8	24-31 m	1995	-
HEPB3	Record or Recall	77.3	24-31 m	1995	-
HEPB3	Record or Recall<12m	73.4	24-31 m	1995	-
HEPBB	Recall	14	24-31 m	1995	-
HEPBB	Record	82.4	24-31 m	1995	-
HEPBB	Record or Recall	96.4	24-31 m	1995	-
HEPBB	Record or Recall<12m	96.4	24-31 m	1995	-
HIB1	Recall	12.9	24-31 m	1995	-
HIB1	Record	81.2	24-31 m	1995	-
HIB1	Record or Recall	94.1	24-31 m	1995	-
HIB1	Record or Recall<12m	93.8	24-31 m	1995	-
HIB3	Recall	5.6	24-31 m	1995	-
HIB3	Record	71.8	24-31 m	1995	-
HIB3	Record or Recall	77.3	24-31 m	1995	-
HIB3	Record or Recall<12m	73.4	24-31 m	1995	-
IPV1	Recall	12.7	24-31 m	1995	-
IPV1	Record	78.3	24-31 m	1995	-
IPV1	Record or Recall	90.9	24-31 m	1995	-
IPV1	Record or Recall<12m	90.4	24-31 m	1995	-
MCV1	Recall	12.6	24-31 m	1995	-
MCV1	Record	78.1	24-31 m	1995	-

MCV1	Record or Recall	90.7	24-31 m	1995	-
MCV1	Record or Recall<12m	72.8	24-31 m	1995	-
MCV2	Recall	0	24-31 m	1995	-
MCV2	Record	61.7	24-31 m	1995	-
MCV2	Record or Recall	61.7	24-31 m	1995	-
MCV2	Record or Recall<12m	55.1	24-31 m	1995	-
PCV1	Recall	12.5	24-31 m	1995	-
PCV1	Record	78.4	24-31 m	1995	-
PCV1	Record or Recall	90.9	24-31 m	1995	-
PCV1	Record or Recall<12m	90.6	24-31 m	1995	-
PCVC	Recall	5	24-31 m	1995	-
PCVC	Record	67.9	24-31 m	1995	-
PCVC	Record or Recall	72.9	24-31 m	1995	-
PCVC	Record or Recall<12m	68.3	24-31 m	1995	-
RCV1	Recall	12.6	24-31 m	1995	-
RCV1	Record	78.1	24-31 m	1995	-
RCV1	Record or Recall	90.7	24-31 m	1995	-
RCV1	Record or Recall<12m	72.8	24-31 m	1995	-

2011 République Algérienne Démocratique et Populaire Enquête par Grappes à Indicateurs Multiples (MICS), 2012-2013

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Recall	6.3	12-23 m	3068	92
BCG	Record	92	12-23 m	3068	92
BCG	Record or Recall	98.3	12-23 m	3068	92
BCG	Record or Recall<12m	98.3	12-23 m	3068	92
DTP1	Recall	6	12-23 m	3068	92
DTP1	Record	90.5	12-23 m	3068	92
DTP1	Record or Recall	96.5	12-23 m	3068	92
DTP1	Record or Recall<12m	95.8	12-23 m	3068	92
DTP3	Recall	4.8	12-23 m	3068	92
DTP3	Record	86.3	12-23 m	3068	92
DTP3	Record or Recall	91	12-23 m	3068	92
DTP3	Record or Recall<12m	87.5	12-23 m	3068	92
HEPB1	Recall	5.2	12-23 m	3068	92
HEPB1	Record	92.3	12-23 m	3068	92
HEPB1	Record or Recall	97.5	12-23 m	3068	92
HEPB1	Record or Recall<12m	97.4	12-23 m	3068	92

Algeria - Survey Details

HEPB3	Recall	4.9	12-23 m	3068	92
HEPB3	Record	84.3	12-23 m	3068	92
HEPB3	Record or Recall	89.1	12-23 m	3068	92
HEPB3	Record or Recall<12m	84.8	12-23 m	3068	92
HEPBB	Recall	5.2	12-23 m	3068	92
HEPBB	Record	92.3	12-23 m	3068	92
HEPBB	Record or Recall	97.5	12-23 m	3068	92
HEPBB	Record or Recall<12m	97.4	12-23 m	3068	92
HIB1	Recall	6	12-23 m	3068	92
HIB1	Record	90.5	12-23 m	3068	92
HIB1	Record or Recall	96.5	12-23 m	3068	92
HIB1	Record or Recall<12m	95.8	12-23 m	3068	92
HIB3	Recall	4.8	12-23 m	3068	92
HIB3	Record	86.3	12-23 m	3068	92
HIB3	Record or Recall	91	12-23 m	3068	92
HIB3	Record or Recall<12m	87.5	12-23 m	3068	92
MCV1	Recall	5.7	12-23 m	3068	92
MCV1	Record	84.5	12-23 m	3068	92
MCV1	Record or Recall	90.3	12-23 m	3068	92
MCV1	Record or Recall<12m	82.5	12-23 m	3068	92

2005 République Algérienne Démocratique et Populaire, L'enquête nationale à indicateurs multiples MICS3 2006

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Recall	7	12-23 m	2994	92
BCG	Record	92	12-23 m	2994	92
BCG	Record or Recall	99	12-23 m	2994	92
BCG	Record or Recall<12m	98.9	12-23 m	2994	92
DTP1	Recall	6.7	12-23 m	2994	92
DTP1	Record	91.7	12-23 m	2994	92
DTP1	Record or Recall	98.3	12-23 m	2994	92
DTP1	Record or Recall<12m	98.1	12-23 m	2994	92
DTP3	Recall	6.3	12-23 m	2994	92
DTP3	Record	88.5	12-23 m	2994	92
DTP3	Record or Recall	94.8	12-23 m	2994	92
DTP3	Record or Recall<12m	92.9	12-23 m	2994	92
HEPB1	Recall	0.2	12-23 m	2994	92
HEPB1	Record	89.7	12-23 m	2994	92

HEPB1	Record or Recall	89.9	12-23 m	2994	92
HEPB1	Record or Recall<12m	89.9	12-23 m	2994	92
HEPB3	Recall	0.1	12-23 m	2994	92
HEPB3	Record	79.7	12-23 m	2994	92
HEPB3	Record or Recall	79.8	12-23 m	2994	92
HEPB3	Record or Recall<12m	78.1	12-23 m	2994	92
MCV1	Recall	6.1	12-23 m	2994	92
MCV1	Record	84.3	12-23 m	2994	92
MCV1	Record or Recall	90.5	12-23 m	2994	92
MCV1	Record or Recall<12m	85.3	12-23 m	2994	92

2002 Enquête Algérienne sur la santé de la famille

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Recall	86.8	12-23 m	-	87
BCG	Record	99.5	12-23 m	-	87
BCG	Record or Recall	97.9	12-23 m	-	87
DTP1	Recall	83.1	12-23 m	-	87
DTP1	Record	98.3	12-23 m	-	87
DTP1	Record or Recall	96.3	12-23 m	-	87
DTP3	Recall	78.7	12-23 m	-	87
DTP3	Record	94.3	12-23 m	-	87
DTP3	Record or Recall	92.3	12-23 m	-	87
MCV1	Recall	78.9	12-23 m	-	87
MCV1	Record	92.3	12-23 m	-	87
MCV1	Record or Recall	90.6	12-23 m	-	87

1999 Algérie, Enquête nationale sur les objectifs de la fin décennie Santé mères et enfants MICS 2 2000

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Recall	6.7	12-23 m	837	93
BCG	Record	93	12-23 m	837	93
BCG	Record or Recall	99.7	12-23 m	837	93
BCG	Record or Recall<12m	93	12-23 m	837	93
DTP1	Recall	0.1	12-23 m	837	93
DTP1	Record	92	12-23 m	837	93
DTP1	Record or Recall	92.1	12-23 m	837	93

DTP1	Record or Recall<12m	91	12-23 m	837	93	MCV1	Recall	6.2	12-23 m	837	93
DTP3	Recall	3.7	12-23 m	837	93	MCV1	Record	88	12-23 m	837	93
DTP3	Record	90	12-23 m	837	93	MCV1	Record or Recall	94.2	12-23 m	837	93
DTP3	Record or Recall	93.7	12-23 m	837	93	MCV1	Record or Recall<12m	83	12-23 m	837	93
DTP3	Record or Recall<12m	89	12-23 m	837	93						

Further information and estimates for previous years are available at:
<https://data.unicef.org/topic/child-health/immunization/>
<https://immunizationdata.who.int/listing.html>