




BACKGROUND NOTE Each year WHO and UNICEF jointly review reports submitted by Member States regarding national immunization coverage, finalized survey reports as well as data from published and grey literature. Based on these data, with due consideration to potential biases and the views of local experts, WHO and UNICEF attempt to distinguish between situations where available empirical data accurately reflect immunization system performance and those where the data are likely compromised and present a misleading view of coverage. The estimates refer to immunizations delivered through routine immunization services to children less than 12 months of age, or at the age specified in the recommended immunization schedule, for whom vaccinations are recorded. Immunizations received through supplemental immunization activities, such as polio and measles campaigns, are not included.

WHO and UNICEF estimates are country-specific; that is to say, each country's data are reviewed individually, and data are not borrowed from other countries in the absence of data. Estimates are not based on ad hoc adjustments to reported data; in some instances empirical data are available from a single source, usually the nationally reported coverage data. In cases where no data are available for a given country/vaccine/year combination, data are considered from earlier and later years and interpolated to estimate coverage for the missing year(s). In cases where data sources are mixed and show large variation, an attempt is made to identify the most likely estimate with consideration of the possible biases in available data. For methods see:

* Burton et al. 2009. Bull World Health Organ. * Burton et al. 2012. PLoS One.
* Brown et al. 2013. Open Pub Health Journal. * Danovaro-Holliday et al. 2021. Gates Open Res.

DATA SOURCES

ADMINISTRATIVE coverage: Reported by national authorities and based on aggregated administrative reports from health service providers on the number of vaccinations administered during a given period (numerator data) and reported target population data (denominator data). May be biased by inaccurate numerator and/or denominator data.

OFFICIAL coverage: Estimated coverage reported by national authorities that reflects their assessment of the most likely coverage based on any combination of administrative coverage, survey-based estimates or other data sources or adjustments. Approaches to determine OFFICIAL coverage may differ across countries.

SURVEY coverage: Based on estimated coverage from population-based household surveys among children aged 6-11, 12-23 or 24-35 months following a review of survey methods and results. Information is based on the combination of vaccination history from documented evidence or caregiver recall. Survey results are considered for the appropriate birth cohort based on data collection period.

ABBREVIATIONS AND DEFINITIONS

BCG: percentage of births who received one dose of Bacillus Calmette Guerin vaccine.

DTP1 / DTP3: percentage of surviving infants who received the 1st / 3rd dose, respectively, of diphtheria and tetanus toxoid with pertussis containing vaccine.

IPV1: percentage of surviving infants who received the first dose of inactivated polio vaccine.

IPVC: percentage of surviving infants who received the final recommended dose of IPV in the primary series, according to the national immunization schedule primary series (e.g., second or third dose).

MCV1: percentage of surviving infants who received the 1st dose of measles containing vaccine. In countries where the national schedule recommends the 1st dose of MCV at 12 months or later based on the epidemiology of disease in the country, coverage estimates reflect the percentage of children who received the 1st dose of MCV as recommended.

MCV2: percentage of children who received the 2nd dose of measles containing vaccine according to the nationally recommended schedule.

RCV1: percentage of surviving infants who received the 1st dose of rubella containing vaccine. Coverage estimates are based on WHO and UNICEF estimates of coverage for the dose of measles containing vaccine that corresponds to the first measles-rubella combination vaccine. Nationally reported coverage of RCV is not taken into consideration in the production of the estimate.

HEPBB: percentage of births which received a dose of hepatitis B vaccine within 24 hours of delivery. Estimates of hepatitis B birth dose coverage are produced only for countries with a universal birth dose policy. Estimates are not produced for countries that recommend a birth dose to infants born to HEPB virus-infected mothers only or where there is insufficient information to determine whether vaccination is within 24 hours of birth.

HEPB3: percentage of surviving infants who received the 3rd dose of hepatitis B containing vaccine following the birth dose.

HIB3: percentage of surviving infants who received the 3rd dose of Haemophilus influenzae type b containing vaccine.

ROTAC: percentage of surviving infants who received the final recommended dose of rotavirus vaccine, which can be either the 2nd or the 3rd dose depending on the vaccine.

PCVC: percentage of surviving infants who received the final recommended dose of pneumococcal conjugate vaccine according to the national immunization schedule (e.g., second or third dose).

YFV: percentage of surviving infants who received one dose of yellow fever vaccine in countries where YFV is part of the national immunization schedule for children or is recommended in at risk areas; coverage estimates are annualized for the entire cohort of surviving infants.

MENGA: percentage of children who received one dose of meningococcal A conjugate vaccine. MENGA coverage estimates produced for countries in the meningitis belt of sub-Saharan Africa.

Disclaimer: All reasonable precautions have been taken by the World Health Organization and United Nations Children's Fund to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization or United Nations Children's Fund be liable for damages arising from its use.

ANTECEDENTES Cada año, la OMS y UNICEF revisan conjuntamente los informes presentados por los Estados Miembros relativos a la cobertura nacional de inmunización, los informes finales de encuestas de cobertura, así como los datos identificados en la literatura gris y publicada. Sobre la base de esos datos, y teniendo debidamente en cuenta los posibles sesgos e información de expertos locales, la OMS y el UNICEF tratan de distinguir entre las situaciones en que los datos empíricos disponibles reflejan con exactitud el desempeño del sistema de inmunización y aquellas en que los datos puedan estar comprometidos y presentar una visión distorsionada de la cobertura. Las estimaciones se refieren a las vacunas administradas y documentadas por servicios de inmunización sistemática o regular a niños menores de 12 meses de edad, o según la edad especificada en el calendario de vacunación recomendado. No se incluyen las vacunas recibidas a través de actividades de inmunización suplementarias, como las campañas contra la poliomielitis y el sarampión.

Las estimaciones de cobertura de la OMS y UNICEF son específicas para cada país; es decir, los datos de cada país se revisan individualmente y, en ausencia de datos, no se toman prestados datos de otros países. Las estimaciones no se basan en ajustes ad hoc de los datos notificados y en algunos casos solo se dispone de datos empíricos de una única fuente, habitualmente los datos de cobertura notificados a nivel nacional. En los casos en que no se dispone de datos para una combinación determinada de país/vacuna/año, se consideran los datos de años anteriores y posteriores y se realiza una interpolación para estimar la cobertura del año(s) faltante(s). En los casos en que se cuenta con diversas fuentes de datos y éstos muestran una gran diferencia, se intenta identificar la estimación más cercana a la realidad teniendo en cuenta los posibles sesgos de los datos disponibles. Para leer la metodología, véase:

* Burton et al. 2009. Bull World Health Organ. * Burton et al. 2012. PLoS One.
* Brown et al. 2013. Open Pub Health Journal. * Danovaro-Holliday et al. 2021. Gates Open Res.

FUENTES DE DATOS

Cobertura ADMINISTRATIVA: Datos reportados por las autoridades nacionales en base a informes administrativos agregados procedentes de proveedores de servicios sanitarios sobre el número de dosis administradas durante un periodo determinado (datos del numerador) y datos sobre la población meta (datos del denominador). La cobertura administrativa puede estar sesgada por inexactitudes en el numerador y/o denominador.

Cobertura OFICIAL: Cobertura comunicada por las autoridades nacionales como la estimación que refleja su evaluación de la cobertura más probable usualmente basada en cualquier combinación de cobertura administrativa, estimaciones basadas en encuestas u otras fuentes de datos o ajustes. La metodología para determinar la cobertura OFICIAL puede variar de un país a otro.

Cobertura de ENCUESTA: Basada en la cobertura estimada a partir de encuestas de hogares para la población de niños de 6-11, 12-23 o 24-35 meses, tras una revisión de los métodos y los resultados de la encuesta. La información se basa en la combinación de datos de vacunación extraídas de algún documento (tarjeta de vacunación, registros) o de lo que pueda recordar el responsable del niño. Los resultados de una encuesta se consideran para la cohorte de nacimiento de la mayoría de los niños en función del periodo de recopilación de datos y la edad de los niños incluidos.

ABREVIATURAS Y DEFINICIONES

BCG: porcentaje de recién nacidos que recibieron una dosis de la vacuna Bacillus Calmette-Guerin, contra formas severas de tuberculosis.

DTP1 / DTP3 (del inglés diphtheria-tetanus-pertussis): porcentaje de recién nacidos supervivientes (al año) que recibieron la 1ª / 3ª dosis, respectivamente, de una vacuna que contiene toxoide diftérico y tetánico y vacuna contra la tos ferina (Pertussis).

IPV1 (del inglés inactivated polio vaccine): porcentaje recién nacidos supervivientes (al año) que recibieron la 1ª dosis de la vacuna inactivada contra la poliomielitis.

IPVC: porcentaje de recién nacidos supervivientes (al año) que recibieron la última dosis de la vacuna VPI en la serie primaria, recomendada según el calendario nacional de vacunación (por ejemplo, la segunda o tercera dosis).

MCV1 (del inglés measles-containing vaccine): porcentaje de recién nacidos supervivientes (al año) que recibieron la 1ª dosis de alguna vacuna antisarampionosa. En países en los que el esquema nacional de vacunación recomienda la 1ª dosis vacuna antisarampionosa a partir de los 12 meses de edad, en función de la epidemiología de la enfermedad en el país, las estimaciones de cobertura reflejan el porcentaje de niños que recibieron la 1ª dosis de vacuna antisarampionosa según la edad recomendada.

MCV2: porcentaje de niños que recibieron la 2ª dosis de alguna vacuna antisarampionosa según el calendario recomendado a nivel nacional.

RCV1 (del inglés rubella-containing vaccine): porcentaje de recién nacidos supervivientes (al año), o según la edad recomendada, que recibieron la 1ª dosis de alguna vacuna contra la rubéola. Las estimaciones de cobertura contra la rubéola se basan en las estimaciones de la OMS y UNICEF para la vacuna antisarampionosa correspondiente a la primera vacuna combinada contra el sarampión y la rubéola. La estimación de la OMS y UNICEF no considera la cobertura contra la rubéola notificada.

HEPBB: porcentaje de recién nacidos que recibieron una dosis de vacuna contra la hepatitis B dentro de las primeras 24 horas después del nacimiento. Las estimaciones de cobertura de hepatitis B del recién nacido sólo se elaboran para los países que recomiendan esta dosis de manera universal y no para los países que recomiendan una dosis al nacer solo para recién nacidos de madres infectadas por el virus de la hepatitis B o cuando no hay información suficiente para determinar si la vacunación se administra dentro de las primeras 24 horas después del nacimiento.

HEPB3: porcentaje de recién nacidos supervivientes (al año) que recibieron una 3ª dosis de una vacuna contra la hepatitis B tras la dosis de nacimiento.

HIB3: porcentaje de recién nacidos supervivientes (al año) que recibieron una 3ª dosis de la vacuna contra Haemophilus influenzae tipo b.

ROTAC: porcentaje de recién nacidos supervivientes (al año) que recibieron la última dosis recomendada de la vacuna contra el rotavirus, que puede ser la 2ª o la 3ª dosis dependiendo de la vacuna utilizada.

PCVC (del inglés pneumococcal conjugate vaccine): porcentaje de recién nacidos supervivientes (al año) que recibieron la última dosis de la serie primaria de la vacuna antineumocócica conjugada, recomendada según el calendario nacional de vacunación (p. ej., segunda o tercera dosis).


YFV (del inglés yellow fever vaccine): porcentaje de recién nacidos supervivientes (al año) que recibieron una dosis de vacuna contra la fiebre amarilla en países donde la vacuna antiamarílica forma parte del calendario nacional de vacunación infantil o se recomienda en zonas de riesgo; las estimaciones de cobertura se anualizan para toda la cohorte de recién nacidos supervivientes.

MENGA: porcentaje de niños que recibieron una dosis de la vacuna conjugada antimeningocócica A. Las estimaciones de cobertura MENGA son únicamente elaboradas para los países del cinturón de la meningitis de África subsahariana.

Descargo de responsabilidad: La Organización Mundial de la Salud y el Fondo de las Naciones Unidas para la Infancia han tomado todas las precauciones razonables para verificar la información contenida en esta publicación. No obstante, el material publicado se distribuye sin garantía de ningún tipo, ni expresa ni implícita. La responsabilidad de la interpretación y el uso del material recae en el lector. En ningún caso la Organización Mundial de la Salud o el Fondo de las Naciones Unidas para la Infancia serán responsables de potenciales daños derivados de su uso.

Spain - DTP1

ESP - DTP1



	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	98	98	98	98	98	98	98	96	98	97	98	98
Estimate GoC	●	●	●	●●	●●	●●	●●	●●	●●	●●	●●	●●
Official	-	-	-	-	98	98	98	96	98	97	98	98
Administrative	-	-	-	98	98	98	98	96	98	97	98	98
Survey	-	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2025: Estimate informed by reported data. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high quality independent assessment to verify reported levels of coverage. GoC=R+ D+
- 2024: Estimate informed by reported data. GoC=R+ D+
- 2023: Estimate informed by reported data. GoC=R+ D+
- 2022: Estimate informed by reported data. GoC=R+ D+
- 2021: Estimate informed by reported data. Efforts are ongoing at regional levels to implement catch-up activities for children not vaccinated due to the COVID-19 pandemic. GoC=R+ D+
- 2020: Estimate informed by reported data. Serosurvey 2017-2018 (Rev Esp Salud Pública. 2021. Vol. 95. March 18th e1-5) includes estimated prevalence for some vaccine-preventable diseases, however, the report presents data in a format that does not allow obtaining coverage levels by single year age cohorts. GoC=R+ D+
- 2019: Estimate informed by reported data. Reported data based on provisional information and incomplete reporting. Data are available online at <https://www.msbs.gob.es/profesionales/saludPublica/prevPromocion/vacunaciones/>. Reported coverage reflects the 2nd dose as the programme does not monitor 1st dose coverage. GoC=R+ D+
- 2018: Estimate informed by reported data. Reported coverage reflects the 2nd dose as the programme does not monitor 1st dose coverage. GoC=R+ D+
- 2017: Estimate informed by reported administrative data. Schedule change in 2017 from DTaP-IPV-Hib-HepB recommended at 2-4-6 months to 2-4-11 months. Reported coverage reflects the 2nd dose as the programme does not monitor 1st dose coverage. GoC=R+ D+
- 2016: Estimate informed by extrapolation from reported data. GoC=No accepted empirical data
- 2015: Estimate informed by extrapolation from reported data. GoC=No accepted empirical data
- 2014: Estimate informed by extrapolation from reported data. GoC=No accepted empirical data

Spain - DTP3

ESP - DTP3



	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	97	97	97	95	96	95	94	93	95	93	94	93
Estimate GoC	●●	●●	●●	●●	●●	●●	●●	●●	●●	●●	●●	●●
Official	97	97	97	95	96	95	94	93	95	93	94	93
Administrative	97	97	97	95	96	95	94	93	95	93	94	93
Survey	-	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2025: Estimate informed by reported data. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high quality independent assessment to verify reported levels of coverage. GoC=R+ D+
- 2024: Estimate informed by reported data. GoC=R+ D+
- 2023: Estimate informed by reported data. GoC=R+ D+
- 2022: Estimate informed by reported data. GoC=R+ D+
- 2021: Estimate informed by reported data. Efforts are ongoing at regional levels to implement catch-up activities for children not vaccinated due to the COVID-19 pandemic. GoC=R+ D+
- 2020: Estimate informed by reported data. Serosurvey 2017-2018 (Rev Esp Salud Pública. 2021. Vol. 95. March 18th e1-5) includes estimated prevalence for some vaccine-preventable diseases, however, the report presents data in a format that does not allow obtaining coverage levels by single year age cohorts. GoC=R+ D+
- 2019: Estimate informed by reported data. Reported data based on provisional information and incomplete reporting. Data are available online at <https://www.msbs.gob.es/profesionales/saludPublica/prevPromocion/vacunaciones/>. Reported coverage reflects the 1st booster dose recommended at 11 months. GoC=R+ D+
- 2018: Estimate informed by reported data. Reported coverage reflects the 1st booster dose recommended at 11 months. GoC=R+ D+
- 2017: Estimate informed by reported data. Schedule change in 2017 from DTaP-IPV-Hib-HepB recommended at 2-4-6 months to 2-4-11 months. Reported coverage reflects the 1st booster dose recommended at 11 months. GoC=R+ D+
- 2016: Estimate informed by reported data. GoC=R+ D+
- 2015: Estimate informed by reported data. GoC=R+ D+
- 2014: Estimate informed by reported data. GoC=R+ D+

Spain - HEPB3

ESP - HEPB3



	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	96	97	97	95	96	95	94	93	95	93	94	98
Estimate GoC	●●	●●	●●	●●	●●	●●	●●	●●	●●	●●	●●	●●
Official	96	97	97	95	96	95	94	93	95	93	94	98
Administrative	96	97	97	95	96	95	94	93	95	93	94	98
Survey	-	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2025: Estimate informed by reported data. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high quality independent assessment to verify reported levels of coverage. GoC=R+ D+
- 2024: Estimate informed by reported data. GoC=R+ D+
- 2023: Estimate informed by reported data. GoC=R+ D+
- 2022: Estimate informed by reported data. GoC=R+ D+
- 2021: Estimate informed by reported data. Efforts are ongoing at regional levels to implement catch-up activities for children not vaccinated due to the COVID-19 pandemic. GoC=R+ D+
- 2020: Estimate informed by reported data. Serosurvey 2017-2018 (Rev Esp Salud Pública. 2021. Vol. 95. March 18th e1-5) includes estimated prevalence for some vaccine-preventable diseases, however, the report presents data in a format that does not allow obtaining coverage levels by single year age cohorts. GoC=R+ D+
- 2019: Estimate informed by reported data. Reported data based on provisional information and incomplete reporting. Data are available online at <https://www.msbs.gob.es/profesionales/saludPublica/prevPromocion/vacunaciones/>. Reported coverage reflects the 1st booster dose recommended at 11 months. GoC=R+ D+
- 2018: Estimate informed by reported data. Reported coverage reflects the 1st booster dose recommended at 11 months. GoC=R+ D+
- 2017: Estimate informed by reported data. Programme reports ten months vaccine stockout. Schedule change in 2017 from DTaP-IPV-Hib-HepB recommended at 2-4-6 months to 2-4-11 months. Reported coverage reflects the 1st booster dose recommended at 11 months. GoC=R+ D+
- 2016: Estimate informed by reported data. GoC=R+ D+
- 2015: Estimate informed by reported data. GoC=R+ D+
- 2014: Estimate informed by reported data. GoC=R+ D+

Spain - HIB3

ESP - HIB3



	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	97	97	97	95	96	96	98	93	95	93	94	98
Estimate GoC	●●	●●	●●	●●	●●	●●	●●	●●	●●	●●	●●	●●
Official	97	97	97	95	96	96	98	93	95	93	94	98
Administrative	97	97	97	95	96	95	98	93	95	93	94	98
Survey	-	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.


- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2025: Estimate informed by reported data. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high quality independent assessment to verify reported levels of coverage. GoC=R+ D+
- 2024: Estimate informed by reported data. GoC=R+ D+
- 2023: Estimate informed by reported data. GoC=R+ D+
- 2022: Estimate informed by reported data. GoC=R+ D+
- 2021: Estimate informed by reported data. Efforts are ongoing at regional levels to implement catch-up activities for children not vaccinated due to the COVID-19 pandemic. GoC=R+ D+
- 2020: Estimate informed by reported data. Serosurvey 2017-2018 (Rev Esp Salud Pública. 2021. Vol. 95. March 18th e1-5) includes estimated prevalence for some vaccine-preventable diseases, however, the report presents data in a format that does not allow obtaining coverage levels by single year age cohorts. GoC=R+ D+
- 2019: Estimate informed by reported data. Reported data based on provisional information and incomplete reporting. Data are available online at <https://www.msbs.gob.es/profesionales/saludPublica/prevPromocion/vacunaciones/>. Reported coverage reflects the 1st booster dose recommended at 11 months. GoC=R+ D+
- 2018: Estimate informed by reported data. Reported coverage reflects the 1st booster dose recommended at 11 months. GoC=R+ D+
- 2017: Estimate informed by reported data. Schedule change in 2017 from DTaP-IPV-Hib-HepB recommended at 2-4-6 months to 2-4-11 months. Reported coverage reflects the 1st booster dose recommended at 11 months. GoC=R+ D+
- 2016: Estimate informed by reported data. GoC=R+ D+
- 2015: Estimate informed by reported data. GoC=R+ D+
- 2014: Estimate informed by reported data. GoC=R+ D+

Spain - ROTAC



Description:

2025: Estimate informed by reported data. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high quality independent assessment to verify reported levels of coverage. GoC=R+ D+

2024: Estimate informed by reported data. GoC=R+ D+

2023: Estimate informed by reported data. Rotavirus vaccine introduced in 2023. Vaccine only recommended and financed for risk groups, but a high percentage of parents decide to buy it and vaccinate their children. GoC=R+ D+

	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	-	-	-	-	-	-	-	-	-	66	70	76
Estimate GoC	-	-	-	-	-	-	-	-	-	●●	●●	●●
Official	-	-	-	-	-	-	-	-	-	66	70	76
Administrative	-	-	-	-	-	-	-	-	-	66	70	76
Survey	-	-	-	-	-	-	-	-	-	-	-	-


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Spain - PCVC

ESP - PCVC



	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	-	-	-	89	95	94	94	93	95	92	92	89
Estimate GoC	-	-	-	●●	●●	●●	●●	●●	●●	●●	●●	●●
Official	-	-	-	89	95	94	94	93	95	92	92	89
Administrative	-	-	-	88	95	94	94	93	95	92	92	89
Survey	-	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2025: Estimate informed by reported data. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high quality independent assessment to verify reported levels of coverage. GoC=R+ D+
- 2024: Estimate informed by reported data. GoC=R+ D+
- 2023: Estimate informed by reported data. GoC=R+ D+
- 2022: Estimate informed by reported data. GoC=R+ D+
- 2021: Estimate informed by reported data. Efforts are ongoing at regional levels to implement catch-up activities for children not vaccinated due to the COVID-19 pandemic. GoC=R+ D+
- 2020: Estimate informed by reported data. Serosurvey 2017-2018 (Rev Esp Salud Pública. 2021. Vol. 95. March 18th e1-5) includes estimated prevalence for some vaccine-preventable diseases, however, the report presents data in a format that does not allow obtaining coverage levels by single year age cohorts. GoC=R+ D+
- 2019: Estimate informed by reported data. Reported data based on provisional information and incomplete reporting. Data are available online at <https://www.mscbs.gob.es/profesionales/saludPublica/prevPromocion/vacunaciones/>. GoC=R+ D+
- 2018: Estimate informed by reported data. GoC=R+ D+
- 2017: Estimate informed by reported data. Pneumococcal conjugate vaccine introduced in 2017. GoC=R+ D+

Spain - IPV1

ESP - IPV1



	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	-	99	99	98	98	98	98	96	98	97	98	98
Estimate GoC	-	●	●	●●	●●	●●	●●	●●	●●	●●	●●	●●
Official	-	-	-	98	98	98	98	96	98	97	98	98
Administrative	-	-	-	98	98	98	98	96	98	97	98	98
Survey	-	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2025: Estimate informed by reported data. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high quality independent assessment to verify reported levels of coverage. GoC=R+ D+
- 2024: Estimate informed by reported data. GoC=R+ D+
- 2023: Estimate informed by reported data. GoC=R+ D+
- 2022: Estimate informed by reported data. GoC=R+ D+
- 2021: Estimate informed by reported data. Efforts are ongoing at regional levels to implement catch-up activities for children not vaccinated due to the COVID-19 pandemic. GoC=R+ D+
- 2020: Estimate informed by reported data. Serosurvey 2017-2018 (Rev Esp Salud Pública. 2021. Vol. 95. March 18th e1-5) includes estimated prevalence for some vaccine-preventable diseases, however, the report presents data in a format that does not allow obtaining coverage levels by single year age cohorts. GoC=R+ D+
- 2019: Estimate informed by reported data. Reported data based on provisional information and incomplete reporting. Data are available online at <https://www.msbs.gob.es/profesionales/saludPublica/prevPromocion/vacunaciones/>. Reported coverage reflects the 2nd dose as the programme does not monitor 1st dose coverage. GoC=R+ D+
- 2018: Estimate informed by reported data. Reported coverage reflects the 2nd dose as the programme does not monitor 1st dose coverage. GoC=R+ D+
- 2017: Estimate informed by reported data. Schedule change in 2017 from DTaP-IPV-Hib-HepB recommended at 2-4-6 months to 2-4-11 months. Reported coverage reflects the 2nd dose as the programme does not monitor 1st dose coverage. GoC=R+ D+
- 2016: Estimate based on estimated DTP1 coverage. GoC=No accepted empirical data
- 2015: Estimate based on estimated DTP1 coverage. Inactivated polio vaccine (IPV) introduced prior to 2015. GoC=No accepted empirical data

Spain - IPV

ESP - IPV



Description:

2025: Estimate informed by reported data. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high quality independent assessment to verify reported levels of coverage. GoC=R+ D+

2024: Estimate informed by reported data. GoC=R+ D+

2023: Estimate informed by reported data. GoC=R+ D+

2022: Estimate informed by reported data. GoC=R+ D+

2021: Estimate informed by reported data. Efforts are ongoing at regional levels to implement catch-up activities for children not vaccinated due to the COVID-19 pandemic. GoC=R+ D+

	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	-	-	-	-	-	-	-	93	95	93	94	98
Estimate GoC	-	-	-	-	-	-	-	●●	●●	●●	●●	●●
Official	-	-	-	-	-	-	-	93	95	93	94	98
Administrative	-	-	-	-	-	-	-	93	95	93	94	98
Survey	-	-	-	-	-	-	-	-	-	-	-	-


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Spain - MCV1

ESP - MCV1



Description:

- 2025: Estimate informed by reported data. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high quality independent assessment to verify reported levels of coverage. GoC=R+ D+
- 2024: Estimate informed by reported data. GoC=R+ D+
- 2023: Estimate informed by reported data. GoC=R+ D+
- 2022: Estimate informed by reported data. GoC=R+ D+
- 2021: Estimate informed by reported data. Efforts are ongoing at regional levels to implement catch-up activities for children not vaccinated due to the COVID-19 pandemic. GoC=R+ D+
- 2020: Estimate informed by reported data. Serosurvey 2017-2018 (Rev Esp Salud Pública. 2021. Vol. 95. March 18th e1-5) includes estimated prevalence for some vaccine-preventable diseases, however, the report presents data in a format that does not allow obtaining coverage levels by single year age cohorts. GoC=R+ D+
- 2019: Estimate informed by reported data. Reported data based on provisional information and incomplete reporting. Data are available online at <https://www.mscbs.gob.es/profesionales/saludPublica/prevPromocion/vacunaciones/>. Estimate challenged by: D-
- 2018: Estimate informed by reported data. Estimate challenged by: D-
- 2017: Estimate informed by reported data. GoC=R+ D+
- 2016: Estimate informed by reported data. GoC=R+ D+
- 2015: Estimate informed by reported data. GoC=R+ D+
- 2014: Estimate informed by reported data. GoC=R+ D+

	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	96	96	97	98	98	98	96	95	97	96	97	96
Estimate GoC	●●	●●	●●	●●	●	●	●●	●●	●●	●●	●●	●●
Official	96	96	97	98	98	98	96	95	97	96	97	96
Administrative	96	96	97	98	98	98	96	95	97	96	97	96
Survey	-	-	-	-	-	-	-	-	-	-	-	-


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Spain - RCV1

ESP - RCV1



	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	96	96	97	98	98	98	96	95	97	96	97	96
Estimate GoC	●●	●●	●●	●●	●	●	●●	●●	●●	●●	●●	●●
Official	96	96	97	98	98	98	96	95	97	96	97	96
Administrative	96	96	97	98	98	98	96	95	97	96	97	96
Survey	-	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2025: Estimate based on estimated MCV1. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high quality independent assessment to verify reported levels of coverage. GoC=R+ D+
- 2024: Estimate based on estimated MCV1. GoC=R+ D+
- 2023: Estimate based on estimated MCV1. GoC=R+ D+
- 2022: Estimate based on estimated MCV1. GoC=R+ D+
- 2021: Estimate based on estimated MCV1. Efforts are ongoing at regional levels to implement catch-up activities for children not vaccinated due to the COVID-19 pandemic. GoC=R+ D+
- 2020: Estimate based on estimated MCV1. Serosurvey 2017-2018 (Rev Esp Salud Pública. 2021. Vol. 95. March 18th e1-5) includes estimated prevalence for some vaccine-preventable diseases, however, the report presents data in a format that does not allow obtaining coverage levels by single year age cohorts. GoC=R+ D+
- 2019: Estimate based on estimated MCV1. Reported data based on provisional information and incomplete reporting. Data are available online at <https://www.mscbs.gob.es/profesionales/saludPublica/prevPromocion/vacunaciones/>. Estimate challenged by: D-
- 2018: Estimate based on estimated MCV1. Estimate challenged by: D-
- 2017: Estimate based on estimated MCV1. GoC=R+ D+
- 2016: Estimate based on estimated MCV1. GoC=R+ D+
- 2015: Estimate based on estimated MCV1. GoC=R+ D+
- 2014: Estimate based on estimated MCV1. GoC=R+ D+

Spain - MCV2

ESP - MCV2



Description:

- 2025: Estimate informed by reported data. No nationally representative independent assessment for the most recent 5 annual birth cohorts. WHO and UNICEF recommend a high quality independent assessment to verify reported levels of coverage. Estimate challenged by: D-
- 2024: Estimate informed by reported data. Estimate challenged by: D-
- 2023: Estimate informed by reported data. Estimate challenged by: D-
- 2022: Estimate informed by reported data. Estimate challenged by: D-
- 2021: Estimate informed by reported data. Efforts are ongoing at regional levels to implement catch-up activities for children not vaccinated due to the COVID-19 pandemic. Estimate challenged by: D-
- 2020: Estimate informed by reported data. Serosurvey 2017-2018 (Rev Esp Salud Pública. 2021. Vol. 95. March 18th e1-5) includes estimated prevalence for some vaccine-preventable diseases, however, the report presents data in a format that does not allow obtaining coverage levels by single year age cohorts. Estimate challenged by: D-
- 2019: Estimate informed by reported data. Reported data based on provisional information and incomplete reporting. Data are available online at <https://www.msbs.gob.es/profesionales/saludPublica/prevPromocion/vacunaciones/>. Estimate challenged by: D-
- 2018: Estimate informed by reported data. Estimate challenged by: D-
- 2017: Estimate informed by reported data. Estimate challenged by: D-
- 2016: Estimate informed by reported data. GoC=R+ D+
- 2015: Estimate informed by reported data. Estimate challenged by: D-
- 2014: Estimate informed by reported data. Estimate challenged by: D-

	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	93	95	95	93	94	94	94	92	94	92	92	92
Estimate GoC	●	●	●●	●	●	●	●	●	●	●	●	●
Official	93	95	95	93	94	94	94	92	94	92	92	92
Administrative	93	95	95	93	94	94	94	92	94	92	92	92
Survey	-	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Further information and estimates for previous years are available at:

<https://data.unicef.org/topic/child-health/immunization/>

<https://immunizationdata.who.int/listing.html>