




Venezuela (Bolivarian Republic of): WHO and UNICEF estimates of immunization coverage: 2025 revision

BACKGROUND NOTE Each year WHO and UNICEF jointly review reports submitted by Member States regarding national immunization coverage, finalized survey reports as well as data from published and grey literature. Based on these data, with due consideration to potential biases and the views of local experts, WHO and UNICEF attempt to distinguish between situations where available empirical data accurately reflect immunization system performance and those where the data are likely compromised and present a misleading view of coverage. The estimates refer to immunizations delivered through routine immunization services to children less than 12 months of age, or at the age specified in the recommended immunization schedule, for whom vaccinations are recorded. Immunizations received through supplemental immunization activities, such as polio and measles campaigns, are not included.

WHO and UNICEF estimates are country-specific; that is to say, each country's data are reviewed individually, and data are not borrowed from other countries in the absence of data. Estimates are not based on ad hoc adjustments to reported data; in some instances empirical data are available from a single source, usually the nationally reported coverage data. In cases where no data are available for a given country/vaccine/year combination, data are considered from earlier and later years and interpolated to estimate coverage for the missing year(s). In cases where data sources are mixed and show large variation, an attempt is made to identify the most likely estimate with consideration of the possible biases in available data. For methods see:

* Burton et al. 2009. Bull World Health Organ. * Burton et al. 2012. PLoS One.
* Brown et al. 2013. Open Pub Health Journal. * Danovaro-Holliday et al. 2021. Gates Open Res.

DATA SOURCES

ADMINISTRATIVE coverage: Reported by national authorities and based on aggregated administrative reports from health service providers on the number of vaccinations administered during a given period (numerator data) and reported target population data (denominator data). May be biased by inaccurate numerator and/or denominator data.

OFFICIAL coverage: Estimated coverage reported by national authorities that reflects their assessment of the most likely coverage based on any combination of administrative coverage, survey-based estimates or other data sources or adjustments. Approaches to determine OFFICIAL coverage may differ across countries.

SURVEY coverage: Based on estimated coverage from population-based household surveys among children aged 6-11, 12-23 or 24-35 months following a review of survey methods and results. Information is based on the combination of vaccination history from documented evidence or caregiver recall. Survey results are considered for the appropriate birth cohort based on data collection period.

ABBREVIATIONS AND DEFINITIONS

BCG: percentage of births who received one dose of Bacillus Calmette Guerin vaccine.

DTP1 / DTP3: percentage of surviving infants who received the 1st / 3rd dose, respectively, of diphtheria and tetanus toxoid with pertussis containing vaccine.

IPV1: percentage of surviving infants who received the first dose of inactivated polio vaccine.

IPVC: percentage of surviving infants who received the final recommended dose of IPV in the primary series, according to the national immunization schedule primary series (e.g., second or third dose).

MCV1: percentage of surviving infants who received the 1st dose of measles containing vaccine. In countries where the national schedule recommends the 1st dose of MCV at 12 months or later based on the epidemiology of disease in the country, coverage estimates reflect the percentage of children who received the 1st dose of MCV as recommended.

MCV2: percentage of children who received the 2nd dose of measles containing vaccine according to the nationally recommended schedule.

RCV1: percentage of surviving infants who received the 1st dose of rubella containing vaccine. Coverage estimates are based on WHO and UNICEF estimates of coverage for the dose of measles containing vaccine that corresponds to the first measles-rubella combination vaccine. Nationally reported coverage of RCV is not taken into consideration in the production of the estimate.

HEPBB: percentage of births which received a dose of hepatitis B vaccine within 24 hours of delivery. Estimates of hepatitis B birth dose coverage are produced only for countries with a universal birth dose policy. Estimates are not produced for countries that recommend a birth dose to infants born to HEPB virus-infected mothers only or where there is insufficient information to determine whether vaccination is within 24 hours of birth.

HEPB3: percentage of surviving infants who received the 3rd dose of hepatitis B containing vaccine following the birth dose.

HIB3: percentage of surviving infants who received the 3rd dose of Haemophilus influenzae type b containing vaccine.

ROTAC: percentage of surviving infants who received the final recommended dose of rotavirus vaccine, which can be either the 2nd or the 3rd dose depending on the vaccine.

PCVC: percentage of surviving infants who received the final recommended dose of pneumococcal conjugate vaccine according to the national immunization schedule (e.g., second or third dose).

YFV: percentage of surviving infants who received one dose of yellow fever vaccine in countries where YFV is part of the national immunization schedule for children or is recommended in at risk areas; coverage estimates are annualized for the entire cohort of surviving infants.

MENGA: percentage of children who received one dose of meningococcal A conjugate vaccine. MENGA coverage estimates produced for countries in the meningitis belt of sub-Saharan Africa.

Disclaimer: All reasonable precautions have been taken by the World Health Organization and United Nations Children's Fund to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization or United Nations Children's Fund be liable for damages arising from its use.

ANTECEDENTES Cada año, la OMS y UNICEF revisan conjuntamente los informes presentados por los Estados Miembros relativos a la cobertura nacional de inmunización, los informes finales de encuestas de cobertura, así como los datos identificados en la literatura gris y publicada. Sobre la base de esos datos, y teniendo debidamente en cuenta los posibles sesgos e información de expertos locales, la OMS y el UNICEF tratan de distinguir entre las situaciones en que los datos empíricos disponibles reflejan con exactitud el desempeño del sistema de inmunización y aquellas en que los datos puedan estar comprometidos y presentar una visión distorsionada de la cobertura. Las estimaciones se refieren a las vacunas administradas y documentadas por servicios de inmunización sistemática o regular a niños menores de 12 meses de edad, o según la edad especificada en el calendario de vacunación recomendado. No se incluyen las vacunas recibidas a través de actividades de inmunización suplementarias, como las campañas contra la poliomielitis y el sarampión.

Las estimaciones de cobertura de la OMS y UNICEF son específicas para cada país; es decir, los datos de cada país se revisan individualmente y, en ausencia de datos, no se toman prestados datos de otros países. Las estimaciones no se basan en ajustes ad hoc de los datos notificados y en algunos casos solo se dispone de datos empíricos de una única fuente, habitualmente los datos de cobertura notificados a nivel nacional. En los casos en que no se dispone de datos para una combinación determinada de país/vacuna/año, se consideran los datos de años anteriores y posteriores y se realiza una interpolación para estimar la cobertura del año(s) faltante(s). En los casos en que se cuenta con diversas fuentes de datos y éstos muestran una gran diferencia, se intenta identificar la estimación más cercana a la realidad teniendo en cuenta los posibles sesgos de los datos disponibles. Para leer la metodología, véase:

* Burton et al. 2009. Bull World Health Organ. * Burton et al. 2012. PLoS One.
* Brown et al. 2013. Open Pub Health Journal. * Danovaro-Holliday et al. 2021. Gates Open Res.

FUENTES DE DATOS

Cobertura ADMINISTRATIVA: Datos reportados por las autoridades nacionales en base a informes administrativos agregados procedentes de proveedores de servicios sanitarios sobre el número de dosis administradas durante un periodo determinado (datos del numerador) y datos sobre la población meta (datos del denominador). La cobertura administrativa puede estar sesgada por inexactitudes en el numerador y/o denominador.

Cobertura OFICIAL: Cobertura comunicada por las autoridades nacionales como la estimación que refleja su evaluación de la cobertura más probable usualmente basada en cualquier combinación de cobertura administrativa, estimaciones basadas en encuestas u otras fuentes de datos o ajustes. La metodología para determinar la cobertura OFICIAL puede variar de un país a otro.

Cobertura de ENCUESTA: Basada en la cobertura estimada a partir de encuestas de hogares para la población de niños de 6-11, 12-23 o 24-35 meses, tras una revisión de los métodos y los resultados de la encuesta. La información se basa en la combinación de datos de vacunación extraídas de algún documento (tarjeta de vacunación, registros) o de lo que pueda recordar el responsable del niño. Los resultados de una encuesta se consideran para la cohorte de nacimiento de la mayoría de los niños en función del periodo de recopilación de datos y la edad de los niños incluidos.

ABREVIATURAS Y DEFINICIONES

BCG: porcentaje de recién nacidos que recibieron una dosis de la vacuna Bacillus Calmette-Guerin, contra formas severas de tuberculosis.

DTP1 / DTP3 (del inglés diphtheria-tetanus-pertussis): porcentaje de recién nacidos supervivientes (al año) que recibieron la 1ª / 3ª dosis, respectivamente, de una vacuna que contiene toxoide diftérico y tetánico y vacuna contra la tos ferina (Pertussis).

IPV1 (del inglés inactivated polio vaccine): porcentaje recién nacidos supervivientes (al año) que recibieron la 1ª dosis de la vacuna inactivada contra la poliomielitis.

IPVC: porcentaje de recién nacidos supervivientes (al año) que recibieron la última dosis de la vacuna VPI en la serie primaria, recomendada según el calendario nacional de vacunación (por ejemplo, la segunda o tercera dosis).

MCV1 (del inglés measles-containing vaccine): porcentaje de recién nacidos supervivientes (al año) que recibieron la 1ª dosis de alguna vacuna antisarampionosa. En países en los que el esquema nacional de vacunación recomienda la 1ª dosis vacuna antisarampionosa a partir de los 12 meses de edad, en función de la epidemiología de la enfermedad en el país, las estimaciones de cobertura reflejan el porcentaje de niños que recibieron la 1ª dosis de vacuna antisarampionosa según la edad recomendada.

MCV2: porcentaje de niños que recibieron la 2ª dosis de alguna vacuna antisarampionosa según el calendario recomendado a nivel nacional.

RCV1 (del inglés rubella-containing vaccine): porcentaje de recién nacidos supervivientes (al año), o según la edad recomendada, que recibieron la 1ª dosis de alguna vacuna contra la rubéola. Las estimaciones de cobertura contra la rubéola se basan en las estimaciones de la OMS y UNICEF para la vacuna antisarampionosa correspondiente a la primera vacuna combinada contra el sarampión y la rubéola. La estimación de la OMS y UNICEF no considera la cobertura contra la rubéola notificada.

HEPBB: porcentaje de recién nacidos que recibieron una dosis de vacuna contra la hepatitis B dentro de las primeras 24 horas después del nacimiento. Las estimaciones de cobertura de hepatitis B del recién nacido sólo se elaboran para los países que recomiendan esta dosis de manera universal y no para los países que recomiendan una dosis al nacer solo para recién nacidos de madres infectadas por el virus de la hepatitis B o cuando no hay información suficiente para determinar si la vacunación se administra dentro de las primeras 24 horas después del nacimiento.

HEPB3: porcentaje de recién nacidos supervivientes (al año) que recibieron una 3ª dosis de una vacuna contra la hepatitis B tras la dosis de nacimiento.

HIB3: porcentaje de recién nacidos supervivientes (al año) que recibieron una 3ª dosis de la vacuna contra Haemophilus influenzae tipo b.

ROTAC: porcentaje de recién nacidos supervivientes (al año) que recibieron la última dosis recomendada de la vacuna contra el rotavirus, que puede ser la 2ª o la 3ª dosis dependiendo de la vacuna utilizada.

PCVC (del inglés pneumococcal conjugate vaccine): porcentaje de recién nacidos supervivientes (al año) que recibieron la última dosis de la serie primaria de la vacuna antineumocócica conjugada, recomendada según el calendario nacional de vacunación (p. ej., segunda o tercera dosis).


YFV (del inglés yellow fever vaccine): porcentaje de recién nacidos supervivientes (al año) que recibieron una dosis de vacuna contra la fiebre amarilla en países donde la vacuna antiamarílica forma parte del calendario nacional de vacunación infantil o se recomienda en zonas de riesgo; las estimaciones de cobertura se anualizan para toda la cohorte de recién nacidos supervivientes.

MENGA: porcentaje de niños que recibieron una dosis de la vacuna conjugada antimeningocócica A. Las estimaciones de cobertura MENGA son únicamente elaboradas para los países del cinturón de la meningitis de África subsahariana.

Descargo de responsabilidad: La Organización Mundial de la Salud y el Fondo de las Naciones Unidas para la Infancia han tomado todas las precauciones razonables para verificar la información contenida en esta publicación. No obstante, el material publicado se distribuye sin garantía de ningún tipo, ni expresa ni implícita. La responsabilidad de la interpretación y el uso del material recae en el lector. En ningún caso la Organización Mundial de la Salud o el Fondo de las Naciones Unidas para la Infancia serán responsables de potenciales daños derivados de su uso.

Venezuela (Bolivarian Republic of) - BCG

VEN - BCG



	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	97	99	97	94	92	91	82	68	60	67	66	51
Estimate GoC	•	••	•	••	••	•	•	•	•	•	••	••
Official	95	99	120	105	92	91	82	68	-	67	66	51
Administrative	82	99	120	105	92	91	82	68	60	67	66	51
Survey	-	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2025: Estimate informed by reported data. Results from the 2025 National Immunization coverage Survey for the children 0-24 months suggest coverage of 97 percent for the cohort vaccinated in 2024. Decline in reported coverage likely reflects disruption of health services due to complex humanitarian crisis. [https://www.unicef.org/media/173156/file/Venezuela-Humanitarian-Situation-Report-No.1-\(Mid-Year\)-30-June-2025.pdf](https://www.unicef.org/media/173156/file/Venezuela-Humanitarian-Situation-Report-No.1-(Mid-Year)-30-June-2025.pdf). GoC=R+ D+
- 2024: Estimate informed by reported data. GoC=R+ D+
- 2023: Estimate informed by reported data. Estimate challenged by: D-
- 2022: Estimate informed by reported administrative data. Programme reported 9 months vaccine stock-out at the national level. Estimate challenged by: D-
- 2021: Estimate informed by reported data. Intensification activities were carried out to address declines in routine immunization, however, due to the pandemic, the objective was not achieved. Estimate challenged by: D-
- 2020: Estimate informed by reported data. Reported data reflect a stressed health system. Programme reports an eight month vaccine stockout of disposable syringes, five months for reconstitution syringes and of unknown duration for AD syringes at national and subnational levels. Estimate challenged by: D-
- 2019: Estimate informed by reported data. Estimate challenged by: D-
- 2018: Estimate informed by reported data. Decline of reported coverage likely reflects disruption of health services due to economic and humanitarian crisis. Programme reports stockout of vaccine delivery supplies (syringes). GoC=R+ D+
- 2017: Estimate informed by interpolation between reported data. Reported data excluded because 105 percent greater than 100 percent. Programme reports four months stockout of syringes. Programme reports six months vaccine stockout at national level. GoC=R+ D+
- 2016: Estimate informed by interpolation between reported data. Reported data excluded because 120 percent greater than 100 percent. Reported data excluded due to an increase from 99 percent to 120 percent with decrease to 105 percent. Estimate challenged by: D-
- 2015: Estimate informed by reported data. GoC=R+ D+
- 2014: Estimate informed by interpolation between reported data. Reported data excluded due to decline in reported coverage from 95 percent to 82 percent with increase to 99 percent. Reported official estimates are inconsistent with other vaccines and unexplained adjustment from the administrative coverage. Estimate challenged by: D-

Venezuela (Bolivarian Republic of) - HEPBB

VEN - HEPBB



	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	72	64	56	56	55	52	50	37	24	28	46	39
Estimate GoC	•	•	••	•	••	••	•	••	••	••	••	••
Official	82	89	56	74	55	52	50	37	-	28	46	39
Administrative	45	89	56	74	55	52	50	37	24	28	46	39
Survey	-	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.


- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2025: Estimate informed by reported data. Results from the 2025 National Immunization coverage Survey for the children 0-24 months suggest coverage of 86 percent for the cohort vaccinated in 2024. Decline in reported coverage likely reflects disruption of health services due to complex humanitarian crisis. [https://www.unicef.org/media/173156/file/Venezuela-Humanitarian-Situation-Report-No.1-\(Mid-Year\)-30-June-2025.pdf](https://www.unicef.org/media/173156/file/Venezuela-Humanitarian-Situation-Report-No.1-(Mid-Year)-30-June-2025.pdf). GoC=R+ D+
- 2024: Estimate informed by reported data. GoC=R+ D+
- 2023: Estimate informed by reported data. GoC=R+ D+
- 2022: Estimate informed by reported administrative data. GoC=R+ D+
- 2021: Estimate informed by reported data. Intensification activities were carried out to address declines in routine immunization, however, due to the pandemic, the objective was not achieved. Programme reports six month vaccine stockout at national level. GoC=R+ D+
- 2020: Estimate informed by reported data. Reported data reflect a stressed health system. Programme reports an eight month vaccine stockout of disposable syringes, five months for reconstitution syringes and of unknown duration for AD syringes at national and subnational levels. Programme reports a four months vaccine stockout at national and subnational levels. Estimate challenged by: D-
- 2019: Estimate informed by reported data. GoC=R+ D+
- 2018: Estimate informed by reported data. Decline of reported coverage likely reflects disruption of health services due to economic and humanitarian crisis. Programme reports stockout of vaccine delivery supplies (syringes). GoC=R+ D+
- 2017: Estimate informed by interpolation between reported data. Reported data excluded due to an increase from 56 percent to 74 percent with decrease to 55 percent. Programme reports four months stockout of syringes. Estimate challenged by: D-
- 2016: Estimate informed by reported data. Reported coverage in 2016 reflects doses delivered within 24 hours. Previous years are likely an overestimate of coverage within 24 hours. GoC=R+ D+
- 2015: Estimate informed by interpolation between reported data. Reported data excluded due to an increase from 45 percent to 89 percent with decrease to 56 percent. Estimate challenged by: D-
- 2014: Estimate informed by interpolation between reported data. Reported data excluded due to decline in reported coverage from 80 percent to 45 percent with increase to 89 percent. Programme reports one month stockout of Hep B vaccine at national level. Reported official estimates are inconsistent with other vaccines and unexplained adjustment from the administrative coverage. Estimate challenged by: D-

Venezuela (Bolivarian Republic of) - DTP1



	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	88	98	97	95	84	85	73	73	56	65	67	57
Estimate GoC	●●	●●	●●	●●	●●	●	●	●●	●	●	●	●
Official	88	98	103	95	84	85	73	73	-	65	67	57
Administrative	88	98	103	95	84	85	73	73	56	65	67	57
Survey	-	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2025: Estimate informed by reported data. Results from the 2025 National Immunization coverage Survey for the children 0-24 months suggest coverage of 93 percent for the cohort vaccinated in 2024. Decline in reported coverage likely reflects disruption of health services due to complex humanitarian crisis. [https://www.unicef.org/media/173156/file/Venezuela-Humanitarian-Situation-Report-No.1-\(Mid-Year\)-30-June-2025.pdf](https://www.unicef.org/media/173156/file/Venezuela-Humanitarian-Situation-Report-No.1-(Mid-Year)-30-June-2025.pdf). Estimate challenged by: D-
- 2024: Estimate informed by reported data. Estimate challenged by: D-
- 2023: Estimate informed by reported data. Estimate challenged by: D-
- 2022: Estimate informed by reported administrative data. Programme reported 9 months vaccine stock-out at the national level. Estimate challenged by: D-
- 2021: Estimate informed by reported data. Intensification activities were carried out to address declines in routine immunization, however, due to the pandemic, the objective was not achieved. GoC=R+ D+
- 2020: Estimate informed by reported data. Reported data reflect a stressed health system. Programme reports an eight month vaccine stockout of disposable syringes, five months for reconstitution syringes and of unknown duration for AD syringes at national and subnational levels. Programme reports a two months vaccine stockout at national and subnational levels. Estimate informed by reported data. Estimate challenged by: D-
- 2019: Estimate informed by reported data. Estimate challenged by: D-
- 2018: Estimate informed by reported data. Decline of reported coverage likely reflects disruption of health services due to economic and humanitarian crisis. Programme reports stockout of vaccine delivery supplies (syringes). GoC=R+ D+
- 2017: Estimate informed by reported data. Programme reports four months stockout of syringes. Programme reports five months vaccine stockout at national level. GoC=R+ D+
- 2016: Estimate informed by interpolation between reported data. Reported data excluded because 103 percent greater than 100 percent. Programme reports national level stockouts for unspecified duration. GoC=R+ D+
- 2015: Estimate informed by reported data. Increase in reported administrative coverage due in part to a change in the population source. Programme is now using results from the 2011 census. GoC=R+ D+
- 2014: Estimate informed by reported data. GoC=R+ D+

Venezuela (Bolivarian Republic of) - DTP3

VEN - DTP3



	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	78	87	84	66	60	64	54	56	43	54	62	50
Estimate GoC	●●	●●	●●	●●	●●	●●	●	●	●	●	●	●
Official	78	87	84	66	60	64	54	56	-	54	62	50
Administrative	78	87	84	66	60	64	54	56	43	54	62	50
Survey	-	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2025: Estimate informed by reported data. Results from the 2025 National Immunization coverage Survey for the children 0-24 months suggest coverage of 80 percent for the cohort vaccinated in 2024. Decline in reported coverage likely reflects disruption of health services due to complex humanitarian crisis. [https://www.unicef.org/media/173156/file/Venezuela-Humanitarian-Situation-Report-No.1-\(Mid-Year\)-30-June-2025.pdf](https://www.unicef.org/media/173156/file/Venezuela-Humanitarian-Situation-Report-No.1-(Mid-Year)-30-June-2025.pdf). Estimate challenged by: D-
- 2024: Estimate informed by reported data. Estimate challenged by: D-
- 2023: Estimate informed by reported data. Estimate challenged by: D-
- 2022: Estimate informed by reported administrative data. Programme reported 9 months vaccine stock-out at the national level. Estimate challenged by: D-
- 2021: Estimate informed by reported data. Intensification activities were carried out to address declines in routine immunization, however, due to the pandemic, the objective was not achieved. Estimate challenged by: D-
- 2020: Estimate informed by reported data. Reported data reflect a stressed health system. Programme reports an eight month vaccine stockout of disposable syringes, five months for reconstitution syringes and of unknown duration for AD syringes at national and subnational levels. Programme reports a two months vaccine stockout at national and subnational levels. Estimate challenged by: D-
- 2019: Estimate informed by reported data. GoC=R+ D+
- 2018: Estimate informed by reported data. Decline of reported coverage likely reflects disruption of health services due to economic and humanitarian crisis. Programme reports stockout of vaccine delivery supplies (syringes). GoC=R+ D+
- 2017: Estimate informed by reported data. Programme reports four months stockout of syringes. Programme reports five months vaccine stockout at national level. GoC=R+ D+
- 2016: Estimate informed by reported data. Programme reports national level stockouts for unspecified duration. GoC=R+ D+
- 2015: Estimate informed by reported data. Increase in reported administrative coverage due in part to a change in the population source. Programme is now using results from the 2011 census. GoC=R+ D+
- 2014: Estimate informed by reported data. GoC=R+ D+

Venezuela (Bolivarian Republic of) - HEPB3

VEN - HEPB3



	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	78	87	84	66	60	64	54	56	43	54	62	50
Estimate GoC	•	••	••	••	••	••	•	•	•	•	•	•
Official	-	87	84	66	60	64	54	56	-	54	62	50
Administrative	78	87	84	66	60	64	54	56	43	54	62	50
Survey	-	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2025: Estimate informed by reported data. Results from the 2025 National Immunization coverage Survey for the children 0-24 months suggest coverage of 80 percent for the cohort vaccinated in 2024. Decline in reported coverage likely reflects disruption of health services due to complex humanitarian crisis. [https://www.unicef.org/media/173156/file/Venezuela-Humanitarian-Situation-Report-No.1-\(Mid-Year\)-30-June-2025.pdf](https://www.unicef.org/media/173156/file/Venezuela-Humanitarian-Situation-Report-No.1-(Mid-Year)-30-June-2025.pdf). Estimate challenged by: D-
- 2024: Estimate based on estimated DTP3 coverage. Estimate challenged by: D-R-
- 2023: Estimate informed by reported data. Estimate challenged by: D-
- 2022: Estimate informed by reported administrative data. Programme reported 9 months vaccine stock-out at the national level. Estimate challenged by: D-
- 2021: Estimate informed by estimated DTP3 coverage. Intensification activities were carried out to address declines in routine immunization, however, due to the pandemic, the objective was not achieved. Estimate challenged by: D-R-
- 2020: Estimate informed by reported data. Reported data reflect a stressed health system. Programme reports an eight month vaccine stockout of disposable syringes, five months for reconstitution syringes and of unknown duration for AD syringes at national and subnational levels. Programme reports a two months vaccine stockout at national and subnational levels. Estimate challenged by: D-
- 2019: Estimate informed by reported data. GoC=R+ D+
- 2018: Estimate informed by reported data. Decline of reported coverage likely reflects disruption of health services due to economic and humanitarian crisis. Programme reports stockout of vaccine delivery supplies (syringes). GoC=R+ D+
- 2017: Estimate informed by reported data. Programme reports four months stockout of syringes. Programme reports five months vaccine stockout at national level. GoC=R+ D+
- 2016: Estimate informed by reported data. GoC=R+ D+
- 2015: Estimate informed by reported data. GoC=R+ D+
- 2014: Estimate informed by estimated DTP3 coverage. Estimate challenged by: R-

Venezuela (Bolivarian Republic of) - HIB3

VEN - HIB3



	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	78	87	84	66	60	64	54	56	43	54	62	50
Estimate GoC	•	••	••	••	••	••	•	•	•	•	•	•
Official	-	87	84	66	60	64	54	56	-	54	62	50
Administrative	78	87	84	66	60	64	54	56	43	54	62	50
Survey	-	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2025: Estimate informed by reported data. Results from the 2025 National Immunization coverage Survey for the children 0-24 months suggest coverage of 80 percent for the cohort vaccinated in 2024. Decline in reported coverage likely reflects disruption of health services due to complex humanitarian crisis. [https://www.unicef.org/media/173156/file/Venezuela-Humanitarian-Situation-Report-No.1-\(Mid-Year\)-30-June-2025.pdf](https://www.unicef.org/media/173156/file/Venezuela-Humanitarian-Situation-Report-No.1-(Mid-Year)-30-June-2025.pdf). Estimate challenged by: D-
- 2024: Estimate based on estimated DTP3 coverage. Estimate challenged by: D-R-
- 2023: Estimate informed by reported data. Estimate challenged by: D-
- 2022: Estimate informed by reported administrative data. Programme reported 9 months vaccine stock-out at the national level. Estimate challenged by: D-
- 2021: Estimate informed by estimated DTP3 coverage. Intensification activities were carried out to address declines in routine immunization, however, due to the pandemic, the objective was not achieved. Estimate challenged by: D-R-
- 2020: Estimate informed by reported data. Reported data reflect a stressed health system. Programme reports an eight month vaccine stockout of disposable syringes, five months for reconstitution syringes and of unknown duration for AD syringes at national and subnational levels. Programme reports two months vaccine stockout at national and subnational levels. Estimate challenged by: D-
- 2019: Estimate informed by reported data. GoC=R+ D+
- 2018: Estimate informed by reported data. Decline of reported coverage likely reflects disruption of health services due to economic and humanitarian crisis. Programme reports stockout of vaccine delivery supplies (syringes). GoC=R+ D+
- 2017: Estimate informed by reported data. Programme reports four months stockout of syringes. Programme reports five months vaccine stockout at national level. GoC=R+ D+
- 2016: Estimate informed by reported data. GoC=R+ D+
- 2015: Estimate informed by reported data. GoC=R+ D+
- 2014: Estimate informed by estimated DTP3 coverage. Estimate challenged by: R-

Venezuela (Bolivarian Republic of) - ROTAC

VEN - ROTAC



	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	76	84	47	18	0	0	0	0	0	0	0	0
Estimate GoC	••	••	••	••	•	••	••	••	••	•	•	•
Official	76	84	47	18	0	0	-	0	-	-	-	-
Administrative	76	84	47	18	0	0	0	0	0	-	-	-
Survey	-	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2025: Estimate informed by extrapolation from reported data. Decline in reported coverage likely reflects disruption of health services due to complex humanitarian crisis. [https://www.unicef.org/media/173156/file/Venezuela-Humanitarian-Situation-Report-No.1-\(Mid-Year\)-30-June-2025.pdf](https://www.unicef.org/media/173156/file/Venezuela-Humanitarian-Situation-Report-No.1-(Mid-Year)-30-June-2025.pdf). GoC=No accepted empirical data
- 2024: Estimate informed by extrapolation from reported data. GoC=No accepted empirical data
- 2023: Estimate informed by extrapolation from reported data. GoC=No accepted empirical data
- 2022: Estimate informed by reported administrative data. Programme reported 12 months vaccine stock-out at the national level. GoC=R+ D+
- 2021: Estimate informed by reported data. Intensification activities were carried out to address declines in routine immunization, however, due to the pandemic, the objective was not achieved. GoC=R+ D+
- 2020: Estimate informed by reported administrative data. Reported data reflect a stressed health system. Programme reports an eight month vaccine stockout of disposable syringes, five months for reconstitution syringes and of unknown duration for AD syringes at national and subnational levels. GoC=R+ D+
- 2019: Estimate informed by reported data. Programme reports twelve months vaccine stockout. GoC=R+ D+
- 2018: Vaccine not available in 2018. Decline of reported coverage likely reflects disruption of health services due to economic and humanitarian crisis. Programme reports stockout of vaccine delivery supplies (syringes). Estimate challenged by: R-
- 2017: Estimate informed by reported data. Programme reports four months stockout of syringes. Vaccine not available in 2017. GoC=R+ D+
- 2016: Estimate informed by reported data. Programme reports three months vaccine stockout at national level. GoC=R+ D+
- 2015: Estimate informed by reported data. GoC=R+ D+
- 2014: Estimate informed by reported data. GoC=R+ D+

Venezuela (Bolivarian Republic of) - PCVC

VEN - PCVC



	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	-	24	7	0	0	0	0	0	0	0	0	0
Estimate GoC	-	••	••	••	•	••	••	••	••	•	•	•
Official	-	24	7	0	0	0	-	0	-	-	-	-
Administrative	-	24	7	0	0	0	0	0	0	-	-	-
Survey	-	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2025: Estimate informed by extrapolation from reported data. Decline in reported coverage likely reflects disruption of health services due to complex humanitarian crisis. [https://www.unicef.org/media/173156/file/Venezuela-Humanitarian-Situation-Report-No.1-\(Mid-Year\)-30-June-2025.pdf](https://www.unicef.org/media/173156/file/Venezuela-Humanitarian-Situation-Report-No.1-(Mid-Year)-30-June-2025.pdf). GoC=No accepted empirical data
- 2024: Estimate informed by extrapolation from reported data. GoC=No accepted empirical data
- 2023: Estimate informed by extrapolation from reported data. GoC=No accepted empirical data
- 2022: Estimate informed by reported administrative data. Programme reported 12 months vaccine stock-out at the national level. GoC=R+ D+
- 2021: Estimate informed by reported data. Intensification activities were carried out to address declines in routine immunization, however, due to the pandemic, the objective was not achieved. GoC=R+ D+
- 2020: Estimate informed by reported administrative data. Reported data reflect a stressed health system. Programme reports an eight month vaccine stockout of disposable syringes, five months for reconstitution syringes and of unknown duration for AD syringes at national and subnational levels. GoC=R+ D+
- 2019: Estimate informed by reported data. Programme reports twelve months of vaccine stock-out. GoC=R+ D+
- 2018: Vaccine not available in 2018. Decline of reported coverage likely reflects disruption of health services due to economic and humanitarian crisis. Programme reports stockout of vaccine delivery supplies (syringes). Estimate challenged by: R-
- 2017: Estimate informed by reported data. Programme reports four months stockout of syringes. Vaccine not available in 2017. GoC=R+ D+
- 2016: Estimate informed by reported data. Programme reports twelve months vaccine stockout at national level. GoC=R+ D+
- 2015: Estimate informed by reported data. Pneumococcal conjugate vaccine introduced in 2014. Reporting started in 2015. GoC=R+ D+

Venezuela (Bolivarian Republic of) - IPV1

VEN - IPV1



	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	-	-	68	70	32	55	68	59	53	68	67	54
Estimate GoC	-	-	••	••	••	••	•	•	•	•	•	•
Official	-	-	68	70	32	55	68	59	-	68	67	54
Administrative	-	-	68	70	32	55	68	59	53	68	67	54
Survey	-	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2025: Estimate informed by reported data. Results from the 2025 National Immunization coverage Survey for the children 0-24 months suggest coverage of 88 percent for the cohort vaccinated in 2024. Decline in reported coverage likely reflects disruption of health services due to complex humanitarian crisis. [https://www.unicef.org/media/173156/file/Venezuela-Humanitarian-Situation-Report-No.1-\(Mid-Year\)-30-June-2025.pdf](https://www.unicef.org/media/173156/file/Venezuela-Humanitarian-Situation-Report-No.1-(Mid-Year)-30-June-2025.pdf). Estimate challenged by: D-
- 2024: Estimate informed by reported data. Estimate challenged by: D-
- 2023: Estimate informed by reported data. Estimate challenged by: D-
- 2022: Estimate informed by reported administrative data. Programme reported 9 months vaccine stock-out at the national level. Estimate challenged by: D-
- 2021: Estimate informed by reported data. Intensification activities were carried out to address declines in routine immunization, however, due to the pandemic, the objective was not achieved. Estimate challenged by: D-
- 2020: Estimate informed by reported data. Reported data reflect a stressed health system. Programme reports an eight month vaccine stockout of disposable syringes, five months for reconstitution syringes and of unknown duration for AD syringes at national and subnational levels. Estimate informed by reported data. Estimate challenged by: D-
- 2019: Estimate informed by reported data. GoC=R+ D+
- 2018: Estimate informed by reported data. Decline of reported coverage likely reflects disruption of health services due to economic and humanitarian crisis. Programme reports stockout of vaccine delivery supplies (syringes). GoC=R+ D+
- 2017: Estimate informed by reported data. Programme reports four months stockout of syringes. Programme reports six months vaccine stockout at national level. GoC=R+ D+
- 2016: Estimate informed by reported data. Inactivated polio vaccine introduced in 2016. Programme reports four months vaccine stockout. GoC=R+ D+

Venezuela (Bolivarian Republic of) - IPVC

VEN - IPVC



Description:

- 2025: Estimate informed by reported data. Results from the 2025 National Immunization coverage Survey for the children 0-24 months suggest coverage of 82 percent for the cohort vaccinated in 2024. Decline in reported coverage likely reflects disruption of health services due to complex humanitarian crisis. [https://www.unicef.org/media/173156/file/Venezuela-Humanitarian-Situation-Report-No.1-\(Mid-Year\)-30-June-2025.pdf](https://www.unicef.org/media/173156/file/Venezuela-Humanitarian-Situation-Report-No.1-(Mid-Year)-30-June-2025.pdf). Estimate challenged by: D-
- 2024: Estimate informed by reported data. Estimate challenged by: D-
- 2023: Estimate informed by reported data. Estimate challenged by: D-
- 2022: Estimate informed by reported administrative data. Programme reported 9 months vaccine stock-out at the national level. Estimate challenged by: D-
- 2021: Estimate informed by reported data. Intensification activities were carried out to address declines in routine immunization, however, due to the pandemic, the objective was not achieved. Second dose of inactivated polio vaccine introduced in 2021. GoC=R+ D+

	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	-	-	-	-	-	-	-	32	42	60	62	54
Estimate GoC	-	-	-	-	-	-	-	●●	●	●	●	●
Official	-	-	-	-	-	-	-	32	-	60	62	54
Administrative	-	-	-	-	-	-	-	32	42	60	62	54
Survey	-	-	-	-	-	-	-	-	-	-	-	-


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Venezuela (Bolivarian Republic of) - MCV1

VEN - MCV1



	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	89	92	88	96	74	93	76	68	52	68	71	53
Estimate GoC	●●	●●	●●	●●	●●	●	●	●	●	●	●	●
Official	89	92	88	96	74	93	76	68	-	68	71	53
Administrative	90	92	88	96	74	93	76	68	52	68	71	53
Survey	-	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2025: Estimate informed by reported data. Results from the 2025 National Immunization coverage Survey for the children 0-24 months suggest coverage of 59 percent for the cohort vaccinated in 2024. Decline in reported coverage likely reflects disruption of health services due to complex humanitarian crisis. [https://www.unicef.org/media/173156/file/Venezuela-Humanitarian-Situation-Report-No.1-\(Mid-Year\)-30-June-2025.pdf](https://www.unicef.org/media/173156/file/Venezuela-Humanitarian-Situation-Report-No.1-(Mid-Year)-30-June-2025.pdf). Estimate challenged by: D-
- 2024: Estimate informed by reported data. Estimate challenged by: D-
- 2023: Estimate informed by reported data. Programme notes intensification activities in August 2023 targeting children aged one to six years. Estimate challenged by: D-
- 2022: Estimate informed by reported administrative data. Estimate challenged by: D-
- 2021: Estimate informed by reported data. Intensification activities were carried out to address declines in routine immunization, however, due to the pandemic, the objective was not achieved. Estimate challenged by: D-
- 2020: Estimate informed by reported data. Reported data reflect a stressed health system. Programme reports an eight month vaccine stockout of disposable syringes, five months for reconstitution syringes and of unknown duration for AD syringes at national and subnational levels. Estimate informed by reported data. Estimate challenged by: D-
- 2019: Estimate informed by reported data. Estimate informed by reported data following recovery from prior year vaccine stockout. Estimate challenged by: D-
- 2018: Estimate informed by reported data. Programme reports six months vaccine stockout at national level. Decline of reported coverage likely reflects disruption of health services due to economic and humanitarian crisis. Programme reports stockout of vaccine delivery supplies (syringes). GoC=R+ D+
- 2017: Estimate informed by reported data. Programme reports four months stockout of syringes. GoC=R+ D+
- 2016: Estimate informed by reported data. GoC=R+ D+
- 2015: Estimate informed by reported data. Increase in reported administrative coverage due in part to a change in the population source. Programme is now using results from the 2011 census. GoC=R+ D+
- 2014: Estimate informed by reported data. GoC=R+ D+

Venezuela (Bolivarian Republic of) - RCV1

VEN - RCV1



	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	89	92	88	96	74	93	76	68	52	68	71	53
Estimate GoC	●●	●●	●●	●●	●●	●	●	●	●	●	●	●
Official	89	92	88	96	74	93	76	68	-	68	71	53
Administrative	90	92	88	96	74	93	76	68	52	68	71	53
Survey	-	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2025: Estimate based on estimated MCV1. Results from the 2025 National Immunization coverage Survey for the children 0-24 months suggest coverage of 59 percent for the cohort vaccinated in 2024. Decline in reported coverage likely reflects disruption of health services due to complex humanitarian crisis. [https://www.unicef.org/media/173156/file/Venezuela-Humanitarian-Situation-Report-No.1-\(Mid-Year\)-30-June-2025.pdf](https://www.unicef.org/media/173156/file/Venezuela-Humanitarian-Situation-Report-No.1-(Mid-Year)-30-June-2025.pdf). Estimate challenged by: D-
- 2024: Estimate based on estimated MCV1. Estimate challenged by: D-
- 2023: Estimate based on estimated MCV1. Programme notes intensification activities in August 2023 targeting children aged one to six years. Estimate challenged by: D-
- 2022: Estimate based on estimated MCV1. Estimate challenged by: D-
- 2021: Estimate based on estimated MCV1. Intensification activities were carried out to address declines in routine immunization, however, due to the pandemic, the objective was not achieved. Estimate challenged by: D-
- 2020: Estimate based on estimated MCV1. Reported data reflect a stressed health system. Programme reports an eight month vaccine stockout of disposable syringes, five months for reconstitution syringes and of unknown duration for AD syringes at national and subnational levels. Estimate challenged by: D-
- 2019: Estimate based on estimated MCV1. Reported data excluded due to an increase from 74 percent to 93 percent with decrease to 76 percent. Estimate challenged by: D-
- 2018: Estimate based on estimated MCV1. Programme reports six months vaccine stockout at national level. Decline of reported coverage likely reflects disruption of health services due to economic and humanitarian crisis. Programme reports stockout of vaccine delivery supplies (syringes). GoC=R+ D+
- 2017: Estimate based on estimated MCV1. Programme reports four months stockout of syringes. GoC=R+ D+
- 2016: Estimate based on estimated MCV1. GoC=R+ D+
- 2015: Estimate based on estimated MCV1. GoC=R+ D+
- 2014: Estimate based on estimated MCV1. GoC=R+ D+

Venezuela (Bolivarian Republic of) - MCV2

VEN - MCV2



	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	50	52	53	59	39	13	28	37	30	39	51	38
Estimate GoC	••	••	••	••	••	••	••	•	•	•	••	••
Official	50	52	53	59	39	13	28	37	-	39	51	38
Administrative	50	52	53	59	39	13	28	37	30	39	51	38
Survey	-	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2025: Estimate informed by reported data. Results from the 2025 National Immunization coverage Survey for the children 0-24 months suggest coverage of 46 percent for the cohort vaccinated in 2024. Decline in reported coverage likely reflects disruption of health services due to complex humanitarian crisis. [https://www.unicef.org/media/173156/file/Venezuela-Humanitarian-Situation-Report-No.1-\(Mid-Year\)-30-June-2025.pdf](https://www.unicef.org/media/173156/file/Venezuela-Humanitarian-Situation-Report-No.1-(Mid-Year)-30-June-2025.pdf). GoC=R+ D+
- 2024: Estimate informed by reported data. GoC=R+ D+
- 2023: Estimate informed by reported data. Programme notes intensification activities in August 2023 targeting children aged one to six years. Estimate challenged by: D-
- 2022: Estimate informed by reported administrative data. Estimate challenged by: D-
- 2021: Estimate informed by reported data. Intensification activities were carried out to address declines in routine immunization, however, due to the pandemic, the objective was not achieved. Estimate challenged by: D-
- 2020: Estimate informed by reported data. Reported data reflect a stressed health system. Programme reports an eight month vaccine stockout of disposable syringes, five months for reconstitution syringes and of unknown duration for AD syringes at national and subnational levels. Estimate informed by reported data. GoC=R+ D+
- 2019: Estimate informed by reported data. GoC=R+ D+
- 2018: Estimate informed by reported data. Programme reports six months vaccine stockout at national level. Decline of reported coverage likely reflects disruption of health services due to economic and humanitarian crisis. Programme reports stockout of vaccine delivery supplies (syringes). GoC=R+ D+
- 2017: Estimate informed by reported data. Programme reports four months stockout of syringes. GoC=R+ D+
- 2016: Estimate informed by reported data. GoC=R+ D+
- 2015: Estimate informed by reported data. Increase in reported administrative coverage due in part to a change in the population source. Programme is now using results from the 2011 census. GoC=R+ D+
- 2014: Estimate informed by reported data. Second dose of measles containing vaccine introduction continues throughout the country. GoC=R+ D+

Venezuela (Bolivarian Republic of) - YFV

VEN - YFV



	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025
Estimate	82	85	84	83	35	80	82	75	47	56	71	60
Estimate GoC	●●	●●	●●	●●	●●	●	●	●	●	●	●	●
Official	82	85	84	83	35	80	82	75	-	56	71	60
Administrative	82	85	84	83	35	80	82	75	47	56	71	60
Survey	-	-	-	-	-	-	-	-	-	-	-	-

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2024 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2025: Estimate informed by reported data. Results from the 2025 National Immunization coverage Survey for the children 0-24 months suggest coverage of 57 percent for the cohort vaccinated in 2024. Decline in reported coverage likely reflects disruption of health services due to complex humanitarian crisis. [https://www.unicef.org/media/173156/file/Venezuela-Humanitarian-Situation-Report-No.1-\(Mid-Year\)-30-June-2025.pdf](https://www.unicef.org/media/173156/file/Venezuela-Humanitarian-Situation-Report-No.1-(Mid-Year)-30-June-2025.pdf). Estimate challenged by: D-
- 2024: Estimate informed by reported data. Estimate challenged by: D-
- 2023: Estimate informed by reported data. Estimate challenged by: D-
- 2022: Estimate informed by reported administrative data. Estimate challenged by: D-
- 2021: Estimate informed by reported data. Intensification activities were carried out to address declines in routine immunization, however, due to the pandemic, the objective was not achieved. Estimate challenged by: D-
- 2020: Estimate informed by reported data. Reported data reflect a stressed health system. Programme reports an eight month vaccine stockout of disposable syringes, five months for reconstitution syringes and of unknown duration for AD syringes at national and subnational levels. Estimate challenged by: D-
- 2019: Estimate informed by reported data. Estimate challenged by: D-
- 2018: Estimate informed by reported data. Decline of reported coverage likely reflects disruption of health services due to economic and humanitarian crisis. Programme reports stockout of vaccine delivery supplies (syringes). GoC=R+ D+
- 2017: Estimate informed by reported data. Programme reports four months stockout of syringes. Programme reports ten months vaccine stockout at national level. GoC=R+ D+
- 2016: Estimate informed by reported data. GoC=R+ D+
- 2015: Estimate informed by reported data. GoC=R+ D+
- 2014: Estimate informed by reported data. GoC=R+ D+

NOTE A survey to measure vaccination coverage for infants (i.e., children aged 0-11 months) will sample children aged 12-23 months at the time of survey to capture the youngest annual cohort of children who should have completed the vaccination schedule. Because WUENIC are for infant vaccinations, survey data in this report are presented to reflect the birth year of the youngest survey cohort. For example, results for a survey conducted during December 2020 among children aged 12-23 months at the time of the survey reflect the immunization experience of children born in 2019. Depending on the timing of survey field work, results may reflect the immunization experience of children born and vaccinated one or two years prior to the survey field work.

The survey results below present vaccination coverage estimates by antigen, confirmation method, and child’s age at the time of the survey. Coverage based on **Recall** reflects information based upon a mother’s or caregiver’s memory. Coverage based on **Record** reflects information drawn from documented vaccination history in home- and/or facility-based records. **Evidence seen** reflects the percentage of children in the sample with documented evidence of vaccination history seen by the survey team.

2025 Encuesta Nacional de Cobertura Vacunal en Venezuela, 2025

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Recall	19	0-11 m	540	81
BCG	Record	78	0-11 m	540	81
BCG	Record or Recall	96	0-11 m	540	81
DTP1	Recall	14	0-11 m	420	81
DTP1	Record	76	0-11 m	420	81
DTP1	Record or Recall	90	0-11 m	420	81
DTP3	Recall	17	0-11 m	225	81
DTP3	Record	50	0-11 m	225	81
DTP3	Record or Recall	67	0-11 m	225	81
HEPBB	Recall	18	0-11 m	540	81
HEPBB	Record	71	0-11 m	540	81
HEPBB	Record or Recall	89	0-11 m	540	81
IPV1	Recall	13	0-11 m	420	81
IPV1	Record	72	0-11 m	420	81
IPV1	Record or Recall	85	0-11 m	420	81

2024 Encuesta Nacional de Cobertura Vacunal en Venezuela, 2025

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Recall	27	0-24 m	1804	79
BCG	Record	70	0-24 m	1804	79
BCG	Record or Recall	97	0-24 m	1804	79
DTP1	Recall	25	0-24 m	1683	79
DTP1	Record	67	0-24 m	1683	79
DTP1	Record or Recall	93	0-24 m	1683	79
DTP3	Recall	25	0-24 m	1489	79
DTP3	Record	55	0-24 m	1489	79
DTP3	Record or Recall	80	0-24 m	1489	79
HEPBB	Recall	26	0-24 m	1804	79
HEPBB	Record	60	0-24 m	1804	79
HEPBB	Record or Recall	86	0-24 m	1804	79
IPV1	Recall	23	0-24 m	1683	79
IPV1	Record	64	0-24 m	1683	79
IPV1	Record or Recall	88	0-24 m	1683	79
MCV1	Recall	18	0-24 m	1186	79
MCV1	Record	42	0-24 m	1186	79
MCV1	Record or Recall	59	0-24 m	1186	79
MCV2	Recall	18	0-24 m	878	79
MCV2	Record	28	0-24 m	878	79
MCV2	Record or Recall	46	0-24 m	878	79
YFV	Recall	17	0-24 m	1264	79
YFV	Record	40	0-24 m	1264	79
YFV	Record or Recall	57	0-24 m	1264	79

1999 Encuesta MICS-Venezuela 2000

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Evidence seen
BCG	Record or Recall	90	12-23 m	-	-
DTP1	Record or Recall	88.2	12-23 m	-	-
DTP3	Record or Recall	58.6	12-23 m	-	-
MCV1	Record or Recall	57.2	12-23 m	-	-

Further information and estimates for previous years are available at:
<https://data.unicef.org/topic/child-health/immunization/>
<https://immunizationdata.who.int/listing.html>