

BACKGROUND NOTE: Each year WHO and UNICEF jointly review reports submitted by Member States regarding national immunization coverage, finalized survey reports as well as data from the published and grey literature. Based on these data, with due consideration to potential biases and the views of local experts, WHO and UNICEF attempt to distinguish between situations where the available empirical data accurately reflect immunization system performance and those where the data are likely to be compromised and present a misleading view of immunization coverage while jointly estimating the most likely coverage levels for each country.

WHO and UNICEF estimates are country-specific; that is to say, each country's data are reviewed individually, and data are not borrowed from other countries in the absence of data. Estimates are not based on ad hoc adjustments to reported data; in some instances empirical data are available from a single source, usually the nationally reported coverage data. In cases where no data are available for a given country/vaccine/year combination, data are considered from earlier and later years and interpolated to estimate coverage for the missing year(s). In cases where data sources are mixed and show large variation, an attempt is made to identify the most likely estimate with consideration of the possible biases in available data. For methods see:

*Burton et al. 2009. WHO and UNICEF estimates of national infant immunization coverage: methods and processes.

*Burton et al. 2012. A formal representation of the WHO and UNICEF estimates of national immunization coverage: a computational logic approach.

*Brown et al. 2013. An introduction to the grade of confidence used to characterize uncertainty around the WHO and UNICEF estimates of national immunization coverage.

DATA SOURCES.

ADMINISTRATIVE coverage: Reported by national authorities and based on aggregated administrative reports from health service providers on the number of vaccinations administered during a given period (numerator data) and reported target population data (denominator data). May be biased by inaccurate numerator and/or denominator data.

OFFICIAL coverage: Estimated coverage reported by national authorities that reflects their assessment of the most likely coverage based on any combination of administrative coverage, survey-based estimates or other data sources or adjustments. Approaches to determine OFFICIAL coverage may differ across countries.

SURVEY coverage: Based on estimated coverage from population-based household surveys among children aged 12-23 months or 24-35 months following a review of survey methods and results. Information is based on the combination of vaccination history from documented evidence or caregiver recall. Survey results are considered for the appropriate birth cohort based on the period of data collection.

ABBREVIATIONS

BCG: percentage of births who received one dose of Bacillus Calmette Guerin vaccine.

DTP1 / DTP3: percentage of surviving infants who received the 1st / 3rd dose, respectively, of diphtheria and tetanus toxoid with pertussis containing vaccine.

Pol3: percentage of surviving infants who received the 3rd dose of polio containing vaccine. May be either oral or inactivated polio vaccine.

IPV1: percentage of surviving infants who received at least one dose of inactivated polio vaccine. In countries utilizing an immunization schedule recommending either (i) a primary series of three doses of oral polio vaccine (OPV) plus at least one dose of IPV where OPV is included in routine

immunization and/or campaign or (ii) a sequential schedule of IPV followed by OPV, WHO and UNICEF estimates for IPV1 reflect coverage with at least one routine dose of IPV among infants <1 year of age among countries. For countries utilizing IPV containing vaccine use only, i.e., no recommended dose of OPV, the WHO and UNICEF estimate for IPV1 corresponds to coverage for the 1st dose of IPV.

Production of IPV coverage estimates, which begins in 2015, results in no change of the estimated coverage levels for the 3rd dose of polio (Pol3). For countries recommending routine immunization with a primary series of three doses of IPV alone, WHO and UNICEF estimated Pol3 coverage is equivalent to estimated coverage with three doses of IPV. For countries with a sequential schedule, estimated Pol3 coverage is based on that for the 3rd dose of polio vaccine regardless of vaccine type.

MCV1: percentage of surviving infants who received the 1st dose of measles containing vaccine. In countries where the national schedule recommends the 1st dose of MCV at 12 months or later based on the epidemiology of disease in the country, coverage estimates reflect the percentage of children who received the 1st dose of MCV as recommended.

MCV2: percentage of children who received the 2nd dose of measles containing vaccine according to the nationally recommended schedule.

RCV1: percentage of surviving infants who received the 1st dose of rubella containing vaccine. Coverage estimates are based on WHO and UNICEF estimates of coverage for the dose of measles containing vaccine that corresponds to the first measles-rubella combination vaccine. Nationally reported coverage of RCV is not taken into consideration nor are the data represented in the accompanying graph and data table.

HepBB: percentage of births which received a dose of hepatitis B vaccine within 24 hours of delivery. Estimates of hepatitis B birth dose coverage are produced only for countries with a universal birth dose policy. Estimates are not produced for countries that recommend a birth dose to infants born to HepB virus-infected mothers only or where there is insufficient information to determine whether vaccination is within 24 hours of birth.

HepB3: percentage of surviving infants who received the 3rd dose of hepatitis B containing vaccine following the birth dose.

Hib3: percentage of surviving infants who received the 3rd dose of Haemophilus influenzae type b containing vaccine.

RotaC: percentage of surviving infants who received the final recommended dose of rotavirus vaccine, which can be either the 2nd or the 3rd dose depending on the vaccine.


PcV3: percentage of surviving infants who received the 3rd dose of pneumococcal conjugate vaccine. In countries where the national schedule recommends two doses during infancy and a booster dose at 12 months or later based on the epidemiology of disease in the country, coverage estimates may reflect the percentage of surviving infants who received two doses of PcV prior to the 1st birthday.

YFV: percentage of surviving infants who received one dose of yellow fever vaccine in countries where YFV is part of the national immunization schedule for children or is recommended in at risk areas; coverage estimates are annualized for the entire cohort of surviving infants.

Disclaimer: All reasonable precautions have been taken by the World Health Organization and United Nations Children's Fund to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization or United Nations Children's Fund be liable for damages arising from its use.

Yemen - BCG

YEM - BCG



	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
Estimate	59	64	71	73	47	73	66	64	69	71	70	73
Estimate GoC	•	•	•	•	•	•	•	•	••	••	•	•
Official	59	64	71	73	47	73	66	64	69	71	70	73
Administrative	59	64	71	73	47	73	66	64	69	71	70	73
Survey	NA	68	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2022: Estimate informed by reported data. Despite the ongoing humanitarian crisis, reported coverage levels have been sustained with an increase in the reported number of children vaccinated in the last four years. Large and disruptive measles and vaccine-derived poliovirus outbreaks are ongoing. WHO and UNICEF are aware of an ongoing MICS survey and await final results. Estimate challenged by: D-
- 2021: Estimate informed by reported data. Despite the ongoing humanitarian crisis, reported coverage levels have been sustained. Government indicates that official estimates are derived from the administrative coverage and that vaccination sites continue to send monthly reports to the district. Estimate challenged by: D-
- 2020: Estimate informed by reported data. GoC=R+ D+
- 2019: Estimate informed by reported data. Disruptions to health services have been reported with about half of the health facilities non-functional but vaccination outreach rounds are being conducted. GoC=R+ D+
- 2018: Estimate informed by reported data. GoC=Assigned by working group. Vaccine-to-vaccine consistency.
- 2017: Estimate informed by reported data. Reports suggest larger declines in coverage [El Bcheraoui C, Jumaan AO, Collison ML, Daoud F, Mokdad AH. Health in Yemen: losing ground in war time. Global Health. 2018 Apr 25;14(1):42. doi: 10.1186/s12992-018-03]. GoC=Assigned by working group. Vaccine-to-vaccine consistency.
- 2016: Estimate informed by reported data. Estimate reflects recovery from stockout in 2015. GoC=Assigned by working group. Vaccine-to-vaccine consistency.
- 2015: Estimate informed by reported data. Programme reports six month vaccine stockout at national level. GoC=Assigned by working group. Vaccine-to-vaccine consistency.
- 2014: Estimate informed by reported data. GoC=Assigned by working group. Vaccine-to-vaccine consistency.
- 2013: Estimate informed by reported data. GoC=Assigned by working group. Vaccine-to-vaccine consistency.
- 2012: Estimate informed by reported data supported by survey. Survey evidence of 68 percent based on 1 survey(s). GoC=Assigned by working group. Vaccine-to-vaccine consistency.
- 2011: Estimate informed by reported data. Decline in immunization coverage partially due to disruptions in immunization delivery due to the political disturbances and prevailing insecurity. GoC=Assigned by working group. Vaccine-to-vaccine consistency.

Yemen - DTP1

YEM - DTP1



Description:

- 2022: Reported data calibrated to 2012 levels. Despite the ongoing humanitarian crisis, reported coverage levels have been sustained with an increase in the reported number of children vaccinated in the last four years. Large and disruptive measles and vaccine-derived poliovirus outbreaks are ongoing. WHO and UNICEF are aware of an ongoing MICS survey and await final results. Estimate challenged by: D-R-
- 2021: Reported data calibrated to 2012 levels. Despite the ongoing humanitarian crisis, reported coverage levels have been sustained. Government indicates that official estimates are derived from the administrative coverage and that vaccination sites continue to send monthly reports to the district. Estimate challenged by: D-R-
- 2020: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-
- 2019: Reported data calibrated to 2012 levels. Disruptions to health services have been reported with about half of the health facilities non-functional but vaccination outreach rounds are being conducted. Estimate challenged by: D-R-
- 2018: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-
- 2017: Reported data calibrated to 2012 levels. Reports suggest larger declines in coverage [El Bcheraoui C, Jumaan AO, Collison ML, Daoud F, Mokdad AH. Health in Yemen: losing ground in war time. Global Health. 2018 Apr 25;14(1):42. doi: 10.1186/s12992-018-03]. Estimate challenged by: D-R-
- 2016: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-
- 2015: Reported data calibrated to 2012 levels. Government reports that official estimates are derived from the administrative coverage. Civil unrest began in February-March 2015 but exceptionally does not appear to have impacted delivery of immunization services in spite of disruptions to other health areas. Programme reports that vaccination sites continue to send monthly reports to the district. Estimate challenged by: D-R-
- 2014: Reported data calibrated to 2012 levels. Estimate challenged by: R-
- 2013: Reported data calibrated to 2012 levels. Estimate challenged by: R-
- 2012: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 77 percent based on 1 survey(s). Estimate challenged by: R-
- 2011: Estimate of 79 percent assigned by working group. Estimate is based on survey coverage level. Decline in immunization coverage partially due to disruptions in immunization delivery due to the political disturbances and prevailing insecurity. Estimate challenged by: R-

	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
Estimate	79	77	82	82	77	76	76	75	81	83	82	85
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	•
Official	89	89	94	94	89	88	88	87	93	95	94	97
Administrative	89	89	94	94	89	88	88	87	93	95	94	97
Survey	79	77	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Yemen - DTP3

YEM - DTP3



	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
Estimate	69	67	73	73	69	71	68	65	73	72	72	74
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	•
Official	81	82	88	88	84	86	83	80	88	87	87	89
Administrative	81	82	88	88	84	86	83	80	88	87	87	89
Survey	69	60	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2022: Reported data calibrated to 2012 levels. Despite the ongoing humanitarian crisis, reported coverage levels have been sustained with an increase in the reported number of children vaccinated in the last four years. Large and disruptive measles and vaccine-derived poliovirus outbreaks are ongoing. WHO and UNICEF are aware of an ongoing MICS survey and await final results. Estimate challenged by: D-R-
- 2021: Reported data calibrated to 2012 levels. Despite the ongoing humanitarian crisis, reported coverage levels have been sustained. Government indicates that official estimates are derived from the administrative coverage and that vaccination sites continue to send monthly reports to the district. Estimate challenged by: D-R-
- 2020: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-
- 2019: Reported data calibrated to 2012 levels. Disruptions to health services have been reported with about half of the health facilities non-functional but vaccination outreach rounds are being conducted. Estimate challenged by: D-R-
- 2018: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-
- 2017: Reported data calibrated to 2012 levels. Reports suggest larger declines in coverage [El Bcheraoui C, Jumaan AO, Collison ML, Daoud F, Mokdad AH. Health in Yemen: losing ground in war time. Global Health. 2018 Apr 25;14(1):42. doi: 10.1186/s12992-018-03]. Estimate challenged by: D-R-
- 2016: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-
- 2015: Reported data calibrated to 2012 levels. Government reports that official estimates are derived from the administrative coverage. Civil unrest began in February-March 2015 but exceptionally does not appear to have impacted delivery of immunization services in spite of disruptions to other health areas. Programme reports that vaccination sites continue to send monthly reports to the district. Estimate challenged by: D-R-
- 2014: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-
- 2013: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-
- 2012: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 67 percent based on 1 survey(s). Yemen National Health and Demographic Survey, 2013 card or history results of 60 percent modified for recall bias to 67 percent based on 1st dose card or history coverage of 77 percent, 1st dose card only coverage of 46 percent and 3rd dose card only coverage of 40 percent. Estimate challenged by: D-R-
- 2011: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 69 percent based on 1 survey(s). Decline in immunization coverage partially due to disruptions in immunization delivery due to the political disturbances and prevailing insecurity. Estimate challenged by: R-

Yemen - Pol3

YEM - Pol3



	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
Estimate	69	68	67	67	63	65	62	59	67	66	66	68
Estimate GoC	●	●	●	●	●	●	●	●	●	●	●	●
Official	81	89	88	88	84	86	83	80	88	87	87	89
Administrative	81	82	88	88	84	86	83	80	88	87	87	89
Survey	77	59	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2022: Reported data calibrated to 2012 levels. Despite the ongoing humanitarian crisis, reported coverage levels have been sustained with an increase in the reported number of children vaccinated in the last four years. Large and disruptive measles and vaccine-derived poliovirus outbreaks are ongoing. WHO and UNICEF are aware of an ongoing MICS survey and await final results. Estimate challenged by: D-R-
- 2021: Reported data calibrated to 2012 levels. Despite the ongoing humanitarian crisis, reported coverage levels have been sustained. Government indicates that official estimates are derived from the administrative coverage and that vaccination sites continue to send monthly reports to the district. Estimate challenged by: D-R-
- 2020: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-
- 2019: Reported data calibrated to 2012 levels. Disruptions to health services have been reported with about half of the health facilities non-functional but vaccination outreach rounds are being conducted. Estimate challenged by: D-R-
- 2018: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-
- 2017: Reported data calibrated to 2012 levels. Reports suggest larger declines in coverage [El Bcheraoui C, Jumaan AO, Collison ML, Daoud F, Mokdad AH. Health in Yemen: losing ground in war time. Global Health. 2018 Apr 25;14(1):42. doi: 10.1186/s12992-018-03]. Estimate challenged by: D-R-
- 2016: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-
- 2015: Reported data calibrated to 2012 levels. Government reports that official estimates are derived from the administrative coverage. Civil unrest began in February-March 2015 but exceptionally does not appear to have impacted delivery of immunization services in spite of disruptions to other health areas. Programme reports that vaccination sites continue to send monthly reports to the district. Estimate challenged by: D-R-
- 2014: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-
- 2013: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-
- 2012: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 68 percent based on 1 survey(s). Yemen National Health and Demographic Survey, 2013 card or history results of 59 percent modified for recall bias to 68 percent based on 1st dose card or history coverage of 76 percent, 1st dose card only coverage of 46 percent and 3rd dose card only coverage of 41 percent. Estimate challenged by: R-
- 2011: Estimate of 69 percent assigned by working group. Estimate is based on estimated DTP3 coverage level. Yemen National Social Protection Monitoring Survey (NSPMS): 2012-2013 results ignored by working group. Survey results likely include campaign doses. Decline in immunization coverage partially due to disruptions in immunization delivery due to the political disturbances and prevailing insecurity. Estimate challenged by: R-

Yemen - IPV1

YEM - IPV1



	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
Estimate	NA	NA	NA	NA	12	61	61	59	68	68	68	72
Estimate GoC	NA	NA	NA	NA	•	•	•	•	•	•	•	•
Official	NA	NA	NA	NA	12	76	76	74	83	83	83	87
Administrative	NA	NA	NA	NA	12	76	76	74	83	83	83	87
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

Estimates for a dose of inactivated polio vaccine (IPV) begin in 2015 following the Global Polio Eradication Initiative's Polio Eradication and Endgame Strategic Plan: 2013-2018 which recommended at least one full dose or two fractional doses of IPV into routine immunization schedules as a strategy to mitigate the potential consequences should any re-emergence of type 2 poliovirus occur following the planned withdrawal of Sabin type 2 strains from oral polio vaccine (OPV).

2022: Reported data calibrated to 2016 levels. Despite the ongoing humanitarian crisis, reported coverage levels have been sustained with an increase in the reported number of children vaccinated in the last four years. Large and disruptive measles and vaccine-derived poliovirus outbreaks are ongoing. WHO and UNICEF are aware of an ongoing MICS survey and await final results. Estimate challenged by: D-R-

2021: Reported data calibrated to 2016 levels. Despite the ongoing humanitarian crisis, reported coverage levels have been sustained. Government indicates that official estimates are derived from the administrative coverage and that vaccination sites continue to send monthly reports to the district. Estimate challenged by: D-R-

2020: Reported data calibrated to 2016 levels. Estimate challenged by: D-R-

2019: Reported data calibrated to 2016 levels. Disruptions to health services have been reported with about half of the health facilities non-functional but vaccination outreach rounds are being conducted. Estimate challenged by: D-R-

2018: Reported data calibrated to 2016 levels. Estimate challenged by: D-R-


2017: Reported data calibrated to 2016 levels. Reports suggest larger declines in coverage [El Bcheraoui C, Jumaan AO, Collison ML, Daoud F, Mokdad AH. Health in Yemen: losing ground in war time. Global Health. 2018 Apr 25;14(1):42. doi: 10.1186/s12992-018-03]. Estimate challenged by: D-R-

2016: Estimate of 61 percent assigned by working group. Estimate is based on the difference between estimated and reported DTP3 coverage level. Estimate is based on reported data following introduction. Estimate challenged by: D-R-

2015: Estimate is based on reported coverage during introduction. Inactivated polio vaccine introduced during November 2015. Government reports that official estimates are derived from the administrative coverage. Civil unrest began in February-March 2015 but exceptionally does not appear to have impacted delivery of immunization services in spite of disruptions to other health areas. Programme reports that vaccination sites continue to send monthly reports to the district. GoC=Assigned by working group. GoC assigned to maintain consistency across vaccines.

Yemen - MCV1

YEM - MCV1



Description:

- 2022: Reported data calibrated to 2012 levels. Despite the ongoing humanitarian crisis, reported coverage levels have been sustained with an increase in the reported number of children vaccinated in the last four years. Large and disruptive measles and vaccine-derived poliovirus outbreaks are ongoing. WHO and UNICEF are aware of an ongoing MICS survey and await final results. Estimate challenged by: D-R-
- 2021: Reported data calibrated to 2012 levels. Despite the ongoing humanitarian crisis, reported coverage levels have been sustained. Government indicates that official estimates are derived from the administrative coverage and that vaccination sites continue to send monthly reports to the district. Estimate challenged by: D-R-
- 2020: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-
- 2019: Reported data calibrated to 2012 levels. Disruptions to health services have been reported with about half of the health facilities non-functional but vaccination outreach rounds are being conducted. Estimate challenged by: D-R-
- 2018: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-
- 2017: Reported data calibrated to 2012 levels. Reports suggest larger declines in coverage [El Bcheraoui C, Jumaan AO, Collison ML, Daoud F, Mokdad AH. Health in Yemen: losing ground in war time. Global Health. 2018 Apr 25;14(1):42. doi: 10.1186/s12992-018-03]. Estimate challenged by: D-R-
- 2016: Reported data calibrated to 2012 levels. Estimate challenged by: R-
- 2015: Reported data calibrated to 2012 levels. Government reports that official estimates are derived from the administrative coverage. Civil unrest began in February-March 2015 but exceptionally does not appear to have impacted delivery of immunization services in spite of disruptions to other health areas. Programme reports that vaccination sites continue to send monthly reports to the district. Estimate challenged by: R-
- 2014: Reported data calibrated to 2012 levels. Estimate challenged by: R-
- 2013: Reported data calibrated to 2012 levels. Estimate challenged by: R-
- 2012: Estimate of 63 percent assigned by working group. Estimate based on survey result. Estimate challenged by: R-
- 2011: Estimate of 66 percent assigned by working group. Estimate is based on survey coverage level. Decline in immunization coverage partially due to disruptions in immunization delivery due to the political disturbances and prevailing insecurity. Estimate challenged by: R-

	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
Estimate	66	63	70	67	67	70	65	64	67	68	71	73
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	•
Official	71	71	78	75	75	78	73	72	75	76	79	81
Administrative	71	71	78	75	75	78	73	72	75	76	79	81
Survey	66	63	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Yemen - MCV2

YEM - MCV2



	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
Estimate	46	40	47	45	41	49	46	46	46	46	52	56
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	•
Official	54	48	55	53	49	57	54	54	54	54	60	64
Administrative	54	48	55	53	49	57	54	54	54	54	60	64
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

Coverage estimates for the second dose of measles containing vaccine are for children by the nationally recommended age.

2022: Reported data calibrated to 2012 levels. Despite the ongoing humanitarian crisis, reported coverage levels have been sustained with an increase in the reported number of children vaccinated in the last four years. Large and disruptive measles and vaccine-derived poliovirus outbreaks are ongoing. WHO and UNICEF are aware of an ongoing MICS survey and await final results. Estimate challenged by: D-R-

2021: Reported data calibrated to 2012 levels. Despite the ongoing humanitarian crisis, reported coverage levels have been sustained. Government indicates that official estimates are derived from the administrative coverage and that vaccination sites continue to send monthly reports to the district. Estimate challenged by: D-R-

2020: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-

2019: Reported data calibrated to 2012 levels. Disruptions to health services have been reported with about half of the health facilities non-functional but vaccination outreach rounds are being conducted. Estimate challenged by: D-R-

2018: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-

2017: Reported data calibrated to 2012 levels. Reports suggest larger declines in coverage [El Bcheraoui C, Jumaan AO, Collison ML, Daoud F, Mokdad AH. Health in Yemen: losing ground in war time. Global Health. 2018 Apr 25;14(1):42. doi: 10.1186/s12992-018-03]. Estimate challenged by: D-R-

2016: Reported data calibrated to 2012 levels. Estimate challenged by: R-

2015: Reported data calibrated to 2012 levels. Government reports that official estimates are derived from the administrative coverage. Civil unrest began in February-March 2015 but exceptionally does not appear to have impacted delivery of immunization services in spite of disruptions to other health areas. Programme reports that vaccination sites continue to send monthly reports to the district. Estimate challenged by: R-

2014: Reported data calibrated to 2012 levels. Estimate challenged by: R-


2013: Reported data calibrated to 2012 levels. Estimate challenged by: R-

2012: Estimate of 40 percent assigned by working group. Estimate is based on adjustment to reported coverage level based on difference between estimated and reported coverage levels for MCV1. Estimate challenged by: R-

2011: Reported data calibrated to 2005 and 2012 levels. Decline in immunization coverage partially due to disruptions in immunization delivery due to the political disturbances and prevailing insecurity. Estimate challenged by: R-

Yemen - RCV1

YEM - RCV1



	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
Estimate	NA	NA	NA	NA	67	70	65	64	67	68	71	73
Estimate GoC	NA	NA	NA	NA	•	•	•	•	•	•	•	•
Official	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

For this revision, coverage estimates for the first dose of rubella containing vaccine are based on WHO and UNICEF estimates of coverage of measles containing vaccine. Nationally reported coverage of rubella containing vaccine is not taken into consideration nor are they represented in the the accompanying graph and data table.

2022: Estimate based on estimated MCV1. Despite the ongoing humanitarian crisis, reported coverage levels have been sustained with an increase in the reported number of children vaccinated in the last four years. Large and disruptive measles and vaccine-derived poliovirus outbreaks are ongoing. WHO and UNICEF are aware of an ongoing MICS survey and await final results. Estimate challenged by: D-R-

2021: Estimate based on estimated MCV1. Despite the ongoing humanitarian crisis, reported coverage levels have been sustained. Government indicates that official estimates are derived from the administrative coverage and that vaccination sites continue to send monthly reports to the district. Estimate challenged by: D-R-

2020: Estimate based on estimated MCV1. Estimate challenged by: D-R-

2019: Estimate based on estimated MCV1. Disruptions to health services have been reported with about half of the health facilities non-functional but vaccination outreach rounds are being conducted. Estimate challenged by: D-R-


2018: Estimate based on estimated MCV1. Estimate challenged by: D-R-

2017: Estimate based on estimated MCV1. Reports suggest larger declines in coverage [El Bcheraoui C, Jumaan AO, Collison ML, Daoud F, Mokdad AH. Health in Yemen: losing ground in war time. Global Health. 2018 Apr 25;14(1):42. doi: 10.1186/s12992-018-03]. Estimate challenged by: D-R-

2016: Estimate based on estimated MCV1. Estimate challenged by: R-

2015: Estimate based on estimated MCV1. Rubella containing vaccine introduced during 2015 using measles rubella combination vaccine. Government reports that official estimates are derived from the administrative coverage. Civil unrest began in February-March 2015 but exceptionally does not app Estimate challenged by: R-

Yemen - HepBB



	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
Estimate	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Estimate GoC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Official	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Yemen - HepB3

YEM - HepB3



	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
Estimate	69	67	73	73	69	71	68	65	73	72	72	74
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	•
Official	81	82	88	88	84	86	83	80	88	87	87	89
Administrative	81	82	88	88	84	86	83	80	88	87	87	89
Survey	69	60	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2022: Reported data calibrated to 2012 levels. Despite the ongoing humanitarian crisis, reported coverage levels have been sustained with an increase in the reported number of children vaccinated in the last four years. Large and disruptive measles and vaccine-derived poliovirus outbreaks are ongoing. WHO and UNICEF are aware of an ongoing MICS survey and await final results. Estimate challenged by: D-R-
- 2021: Reported data calibrated to 2012 levels. Despite the ongoing humanitarian crisis, reported coverage levels have been sustained. Government indicates that official estimates are derived from the administrative coverage and that vaccination sites continue to send monthly reports to the district. Estimate challenged by: D-R-
- 2020: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-
- 2019: Reported data calibrated to 2012 levels. Disruptions to health services have been reported with about half of the health facilities non-functional but vaccination outreach rounds are being conducted. Estimate challenged by: D-R-
- 2018: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-
- 2017: Reported data calibrated to 2012 levels. Reports suggest larger declines in coverage [El Bcheraoui C, Jumaan AO, Collison ML, Daoud F, Mokdad AH. Health in Yemen: losing ground in war time. Global Health. 2018 Apr 25;14(1):42. doi: 10.1186/s12992-018-03]. Estimate challenged by: D-R-
- 2016: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-
- 2015: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-
- 2014: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-
- 2013: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-
- 2012: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 67 percent based on 1 survey(s). Yemen National Health and Demographic Survey, 2013 card or history results of 60 percent modified for recall bias to 67 percent based on 1st dose card or history coverage of 77 percent, 1st dose card only coverage of 46 percent and 3rd dose card only coverage of 40 percent. Estimate challenged by: D-R-
- 2011: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 69 percent based on 1 survey(s). Decline in immunization coverage partially due to disruptions in immunization delivery due to the political disturbances and prevailing insecurity. Estimate challenged by: R-

Yemen - Hib3

YEM - Hib3



	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
Estimate	69	67	73	73	69	71	68	65	73	72	72	74
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	•
Official	81	82	88	88	84	86	83	80	88	87	87	89
Administrative	81	82	88	88	84	86	83	80	88	87	87	89
Survey	69	60	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

2022: Reported data calibrated to 2012 levels. Despite the ongoing humanitarian crisis, reported coverage levels have been sustained with an increase in the reported number of children vaccinated in the last four years. Large and disruptive measles and vaccine-derived poliovirus outbreaks are ongoing. WHO and UNICEF are aware of an ongoing MICS survey and await final results. Estimate challenged by: D-R-

2021: Reported data calibrated to 2012 levels. Despite the ongoing humanitarian crisis, reported coverage levels have been sustained. Government indicates that official estimates are derived from the administrative coverage and that vaccination sites continue to send monthly reports to the district. Estimate challenged by: D-R-

2020: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-

2019: Reported data calibrated to 2012 levels. Disruptions to health services have been reported with about half of the health facilities non-functional but vaccination outreach rounds are being conducted. Estimate challenged by: D-R-

2018: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-

2017: Reported data calibrated to 2012 levels. Reports suggest larger declines in coverage [El Bcheraoui C, Jumaan AO, Collison ML, Daoud F, Mokdad AH. Health in Yemen: losing ground in war time. Global Health. 2018 Apr 25;14(1):42. doi: 10.1186/s12992-018-03]. Estimate challenged by: D-R-

2016: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-

2015: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-

2014: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-


2013: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-

2012: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 67 percent based on 1 survey(s). Yemen National Health and Demographic Survey, 2013 card or history results of 60 percent modified for recall bias to 67 percent based on 1st dose card or history coverage of 77 percent, 1st dose card only coverage of 46 percent and 3rd dose card only coverage of 40 percent. Estimate challenged by: D-R-

2011: Survey evidence does not support reported data. Estimate based on survey results. Survey evidence of 69 percent based on 1 survey(s). Decline in immunization coverage partially due to disruptions in immunization delivery due to the political disturbances and prevailing insecurity. Estimate challenged by: R-

Yemen - RotaC

YEM - RotaC



	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
Estimate	NA	23	56	57	52	59	68	64	73	73	73	76
Estimate GoC	NA	•	•	•	•	•	•	•	•	•	•	•
Official	NA	23	71	72	67	74	83	79	88	88	88	91
Administrative	NA	23	71	72	67	74	83	79	88	88	88	91
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2022: Reported data calibrated to 2013 levels. Despite the ongoing humanitarian crisis, reported coverage levels have been sustained with an increase in the reported number of children vaccinated in the last four years. Large and disruptive measles and vaccine-derived poliovirus outbreaks are ongoing. WHO and UNICEF are aware of an ongoing MICS survey and await final results. Estimate challenged by: D-R-
- 2021: Reported data calibrated to 2013 levels. Despite the ongoing humanitarian crisis, reported coverage levels have been sustained. Government indicates that official estimates are derived from the administrative coverage and that vaccination sites continue to send monthly reports to the district. Estimate challenged by: D-R-
- 2020: Reported data calibrated to 2013 levels. Estimate challenged by: D-R-
- 2019: Reported data calibrated to 2013 levels. Disruptions to health services have been reported with about half of the health facilities non-functional but vaccination outreach rounds are being conducted. Estimate challenged by: D-R-
- 2018: Reported data calibrated to 2013 levels. Estimate challenged by: D-R-
- 2017: Reported data calibrated to 2013 levels. Reports suggest larger declines in coverage [El Bcheraoui C, Jumaan AO, Collison ML, Daoud F, Mokdad AH. Health in Yemen: losing ground in war time. Global Health. 2018 Apr 25;14(1):42. doi: 10.1186/s12992-018-03]. Estimate challenged by: D-R-
- 2016: Reported data calibrated to 2013 levels. Estimate challenged by: D-R-
- 2015: Reported data calibrated to 2013 levels. Government reports that official estimates are derived from the administrative coverage. Civil unrest began in February-March 2015 but exceptionally does not appear to have impacted delivery of immunization services in spite of disruptions to other health areas. Programme reports that vaccination sites continue to send monthly reports to the district. Estimate challenged by: D-R-
- 2014: Reported data calibrated to 2013 levels. Estimate challenged by: D-R-
- 2013: Estimate of 56 percent assigned by working group. Estimate is based on adjustment to reported coverage level based on difference between estimated and reported coverage levels for DTP3. Estimate challenged by: D-R-
- 2012: Estimate is based on reported coverage during introduction. Rotavirus vaccine was introduced in 2012. GoC=Assigned by working group. Low confidence in coverage during introduction year.

Yemen - PcV3

YEM - PcV3



	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
Estimate	41	67	73	73	69	71	68	64	72	72	72	74
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	•
Official	56	82	88	88	84	86	83	79	87	87	87	89
Administrative	56	82	88	88	84	86	83	80	87	87	87	89
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2022: Reported data calibrated to 2012 levels. Despite the ongoing humanitarian crisis, reported coverage levels have been sustained with an increase in the reported number of children vaccinated in the last four years. Large and disruptive measles and vaccine-derived poliovirus outbreaks are ongoing. WHO and UNICEF are aware of an ongoing MICS survey and await final results. Estimate challenged by: D-R-
- 2021: Reported data calibrated to 2012 levels. Despite the ongoing humanitarian crisis, reported coverage levels have been sustained. Government indicates that official estimates are derived from the administrative coverage and that vaccination sites continue to send monthly reports to the district. Estimate challenged by: D-R-
- 2020: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-
- 2019: Reported data calibrated to 2012 levels. Disruptions to health services have been reported with about half of the health facilities non-functional but vaccination outreach rounds are being conducted. Estimate challenged by: D-R-
- 2018: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-
- 2017: Reported data calibrated to 2012 levels. Reports suggest larger declines in coverage [El Bcheraoui C, Jumaan AO, Collison ML, Daoud F, Mokdad AH. Health in Yemen: losing ground in war time. Global Health. 2018 Apr 25;14(1):42. doi: 10.1186/s12992-018-03]. Estimate challenged by: D-R-
- 2016: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-
- 2015: Reported data calibrated to 2012 levels. Government reports that official estimates are derived from the administrative coverage. Civil unrest began in February-March 2015 but exceptionally does not appear to have impacted delivery of immunization services in spite of disruptions to other health areas. Programme reports that vaccination sites continue to send monthly reports to the district. Estimate challenged by: D-R-
- 2014: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-
- 2013: Reported data calibrated to 2012 levels. Estimate challenged by: D-R-
- 2012: Estimate of 67 percent assigned by working group. Estimate is based on adjustment to reported coverage level based on difference between estimated and reported coverage levels for DTP3. Estimate challenged by: D-R-
- 2011: Reported data calibrated to 2012 levels. Decline in immunization coverage partially due to disruptions in immunization delivery due to the political disturbances and prevailing insecurity. Pneumococcal conjugate vaccine introduced in 2011. GoC=Assigned by working group. Low confidence in coverage during introduction year.

Yemen - survey details

NOTE: A survey to measure vaccination coverage for infants (i.e., children aged 0 to 11 months) will sample children aged 12 to 23 months at the time of survey to capture the youngest annual cohort of children who should have completed the vaccination schedule. Because WUENIC are for infant vaccinations, survey data in this report are presented to reflect the birth year of the youngest survey cohort. For example, results for a survey conducted during December 2020 among children aged 12 to 23 months at the time of the survey reflect the immunization experience of children born in 2019. Depending on the timing of survey field work, results may reflect the immunization experience of children born and vaccinated 1 or 2 years prior to the survey field work.

2012 Yemen National Health and Demographic Survey, 2013

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	C or H <12 months	66.9	12-23 m	3028	47
BCG	Card	40.4	12-23 m	1427	47
BCG	Card or History	67.6	12-23 m	3028	47
BCG	History	27.1	12-23 m	1601	47
DTP1	C or H <12 months	75.3	12-23 m	3028	47
DTP1	Card	46	12-23 m	1427	47
DTP1	Card or History	76.6	12-23 m	3028	47
DTP1	History	30.6	12-23 m	1601	47
DTP3	C or H <12 months	57.6	12-23 m	3028	47
DTP3	Card	40.4	12-23 m	1427	47
DTP3	Card or History	59.6	12-23 m	3028	47
DTP3	History	19.3	12-23 m	1601	47
HepB1	C or H <12 months	75.3	12-23 m	3028	47
HepB1	Card	46	12-23 m	1427	47
HepB1	Card or History	76.6	12-23 m	3028	47
HepB1	History	30.6	12-23 m	1601	47
HepB3	C or H <12 months	57.6	12-23 m	3028	47
HepB3	Card	40.4	12-23 m	1427	47
HepB3	Card or History	59.6	12-23 m	3028	47
HepB3	History	19.3	12-23 m	1601	47
Hib1	C or H <12 months	75.3	12-23 m	3028	47
Hib1	Card	46	12-23 m	1427	47
Hib1	Card or History	76.6	12-23 m	3028	47
Hib1	History	30.6	12-23 m	1601	47

Hib3	C or H <12 months	57.6	12-23 m	3028	47
Hib3	Card	40.4	12-23 m	1427	47
Hib3	Card or History	59.6	12-23 m	3028	47
Hib3	History	19.3	12-23 m	1601	47
MCV1	C or H <12 months	51.4	12-23 m	3028	47
MCV1	Card	39.3	12-23 m	1427	47
MCV1	Card or History	63.3	12-23 m	3028	47
MCV1	History	24	12-23 m	1601	47
PcV1	Card	43.9	12-23 m	1427	47
PcV1	Card <12 months	42.9	12-23 m	3028	47
PcV3	Card	38.4	12-23 m	1427	47
PcV3	Card <12 months	37	12-23 m	3028	47
Pol1	C or H <12 months	74.5	12-23 m	3028	47
Pol1	Card	46.4	12-23 m	1427	47
Pol1	Card or History	76.1	12-23 m	3028	47
Pol1	History	29.7	12-23 m	1601	47
Pol3	C or H <12 months	56.7	12-23 m	3028	47
Pol3	Card	40.8	12-23 m	1427	47
Pol3	Card or History	58.7	12-23 m	3028	47
Pol3	History	17.9	12-23 m	1601	47

2011 Yemen National Social Protection Monitoring Survey (NSPMS): 2012-2013

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
DTP1	C or H <12 months	60	12-23 m	5178	59
DTP1	Card or History	79	12-23 m	5178	59
DTP3	C or H <12 months	50	12-23 m	5178	59
DTP3	Card or History	69	12-23 m	5178	59
HepB1	C or H <12 months	60	12-23 m	5178	59
HepB1	Card or History	79	12-23 m	5178	59
HepB3	C or H <12 months	50	12-23 m	5178	59
HepB3	Card or History	69	12-23 m	5178	59
Hib1	C or H <12 months	60	12-23 m	5178	59
Hib1	Card or History	79	12-23 m	5178	59
Hib3	C or H <12 months	50	12-23 m	5178	59
Hib3	Card or History	69	12-23 m	5178	59
MCV1	C or H <12 months	40	12-23 m	5178	59
MCV1	Card or History	66	12-23 m	5178	59

Yemen - survey details

Pol1	Card or History	86	12-23 m	5178	59
Pol3	Card or History	77	12-23 m	5178	59

Hib1	History	25.8	12-23 m	721	48
Hib3	C or H <12 months	40	12-23 m	721	48
Hib3	Card	26.7	12-23 m	721	48
Hib3	Card or History	42.6	12-23 m	721	48
Hib3	History	15.9	12-23 m	721	48
MCV1	C or H <12 months	59.2	12-23 m	721	48
MCV1	Card	30.8	12-23 m	721	48
MCV1	Card or History	65.1	12-23 m	721	48
MCV1	History	34.3	12-23 m	721	48
Pol1	C or H <12 months	78.9	12-23 m	721	48
Pol1	Card	45.2	12-23 m	721	48
Pol1	Card or History	81.2	12-23 m	721	48
Pol1	History	36.1	12-23 m	721	48
Pol3	C or H <12 months	60.2	12-23 m	721	48
Pol3	Card	36.5	12-23 m	721	48
Pol3	Card or History	63	12-23 m	721	48
Pol3	History	26.6	12-23 m	721	48

2005 Yemen Multiple Indicator Cluster Survey 2006, Final Report

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	C or H <12 months	67.2	12-23 m	721	48
BCG	Card	37.9	12-23 m	721	48
BCG	Card or History	69	12-23 m	721	48
BCG	History	31.1	12-23 m	721	48
DTP1	C or H <12 months	76.9	12-23 m	721	48
DTP1	Card	46.8	12-23 m	721	48
DTP1	Card or History	78.4	12-23 m	721	48
DTP1	History	31.6	12-23 m	721	48
DTP3	C or H <12 months	59.7	12-23 m	721	48
DTP3	Card	39.2	12-23 m	721	48
DTP3	Card or History	61	12-23 m	721	48
DTP3	History	21.7	12-23 m	721	48
HepB1	C or H <12 months	25.5	12-23 m	721	48
HepB1	Card	11.8	12-23 m	721	48
HepB1	Card or History	28.1	12-23 m	721	48
HepB1	History	16.3	12-23 m	721	48
HepB3	C or H <12 months	18.6	12-23 m	721	48
HepB3	Card	8.7	12-23 m	721	48
HepB3	Card or History	19.4	12-23 m	721	48
HepB3	History	10.7	12-23 m	721	48
Hib1	C or H <12 months	56.9	12-23 m	721	48
Hib1	Card	32.8	12-23 m	721	48
Hib1	Card or History	58.6	12-23 m	721	48

2002 The Family Health Survey in the Republic of Yemen 2003

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	Card	54.8	12-23 m	2058	27
DTP1	Card	55.6	12-23 m	2058	27
DTP3	Card	44.7	12-23 m	2058	27
MCV1	Card	44.8	12-23 m	2058	27
Pol1	Card	62.2	12-23 m	2058	27
Pol3	Card	47.4	12-23 m	2058	27

Yemen - survey details

Further information and estimates for previous years are available at:

<https://data.unicef.org/topic/child-health/immunization/>

<https://immunizationdata.who.int/listing.html>