

Montenegro

DEMOGRAPHICS


Total population (000)	9,839	(2008)
Total under-five population (000)	38	(2008)
Total number of births (000)	115	(2008)
Under-five mortality rate (per 1,000 live births)	8	(2008)
Total number of under-five deaths (000)	0	(2008)
Infant mortality rate (per 1,000 live births)	7	(2008)
Neonatal mortality rate (per 1,000 live births)	9	(2004)
HIV prevalence rate (15-49 years, %)		
Population below international poverty line of US\$1.25 per day (%)	-	-







NUTRITIONAL STATUS


Burden of undernutrition (2008)	Stunted (under-fives, 000):	40	Underweight (under-fives, 000):	10
WHO Child Growth Standards	Share of developing world stunting burden (%):	0.0	Wasted (under-fives, 000):	24
	Stunting country rank: 10-	04	Severely wasted (under-fives, 000):	12








INFANT AND YOUNG CHILD FEEDING






Weaned (not breastfed) Breastfed and


Montenegro

MICRONUTRIENTS

Vitamin A supplementation Percentage of children 6-59 months old receiving two doses of vitamin A during calendar year

No Data







ESSENTIAL NUTRITION INTERVENTIONS DURING THE LIFE CYCLE




MATERNAL NUTRITION/HEALTH

WATER AND SANITATION







Under-five deaths caused by:

Diarrhoea:

Pneumonia:

DISPARITIES IN NUTRITION

	Gender		Residence			Wealth quintile							
Indicator	Male	Female	Ratio of male to female	Urban	Rural	Ratio of urban to rural	Poorest	Second	Middle	Fourth	Richest	Ratio of richest to poorest	Source
Stunting prevalence (WHO Child Growth Standards, %)	7	7	1.0	7	7	1.0	12	5	7	5	5	0.4	MICS 2005
Underweight prevalence (WHO Child Growth Standards, %)	2	1	2.0	2	1	2.0	4	2	1	1	1	0.3	MICS 2005
Wasting prevalence (WHO Child Growth Standards, %)	4	4	1.0	4	5	0.8	6	5	5	2	3	0.5	MICS 2005
Infants not weighed at birth (%)			-	2	6	0.3	7	2	6	2	2	0.3	MICS 2005
Early initiation of breastfeeding (%)			-	18	36	0.5	40	32	26	14	8	0.2	MICS 2005
Women with low BMI ($<$ 18.5 kg/m², %)	-	-	-				-			-	-		